PLANNING & ZONING BOARD AS LOCAL PLANNING AGENCY - CITY OF WILDWOOD

Special Magistrate – Lindsay C.T. Holt

Agenda
Regular Meeting
June 11, 2024 2:00 PM
City Hall Commission Chamber
100 N Main Street

Persons with disabilities or language barriers needing assistance to participate in any of these proceedings should contact the City Clerk's Department, ADA Coordinator, at 352-330-1330, Ext. 103, forty-eight (48) hours in advance of the meeting.

F.S.S. 286.0105 - If a person decides to appeal any decision made by the Commission with respect to any matter considered at this meeting, they will need a record of the proceedings, and that, for such purpose, they may need to ensure that a verbatim record of the proceedings is made, which record includes the testimony and evidence upon which the appeal is to be based. The City of Wildwood DOES NOT provide this verbatim record.

I. Call to Order

II. APPROVAL OF SUMMARY MINUTES

1. **Planning & Zoning Board as Local Planning Agency/Special Magistrate Regular Meeting May 07, 2024, at 2:00 PM.**

III. OLD BUSINESS

IV. NEW BUSINESS

1. **CP 2309-002 Wildwood East**

   AN ORDINANCE OF THE CITY OF WILDWOOD, FLORIDA, PROPOSING A SMALL-SCALE FUTURE LAND USE MAP AMENDMENT TO THE ADOPTED

COMPREHENSIVE PLAN AND FUTURE LAND USE MAP IN ACCORDANCE WITH THE COMMUNITY PLANNING ACT OF 2011, AS AMENDED; PROVIDING FOR CODIFICATION; PROVIDING FOR CONFLICT; PROVIDING FOR SEVERABILITY; AND PROVIDING FOR AN EFFECTIVE DATE.

The applicant is seeking a favorable recommendation from the Planning and Zoning Board acting as the Local Planning Agency/Special Magistrate for a Small-Scale Comprehensive Plan Amendment to change the Future Land Use Map designation from Rural Residential (County) to High Density Residential (City) for parcel G04-013 on 2.94 acres MOL. This request is accompanied by rezoning request RZ 2309-002 (O2024-19). **The applicant seeks a favorable recommendation by the Planning and Zoning Board/Special Magistrate for Ordinance O2024-18 to be forwarded to the City Commission for further action.**

2. **CP 2404-002 Cheng Zheng Home Site**

AN ORDINANCE OF THE CITY OF WILDWOOD, FLORIDA, PROPOSING A SMALL-SCALE FUTURE LAND USE MAP AMENDMENT TO THE ADOPTED COMPREHENSIVE PLAN AND FUTURE LAND USE MAP IN ACCORDANCE WITH THE COMMUNITY PLANNING ACT OF 2011, AS AMENDED; PROVIDING FOR CODIFICATION; PROVIDING FOR CONFLICT; PROVIDING FOR SEVERABILITY; AND PROVIDING FOR AN EFFECTIVE DATE.

The applicant seeks a favorable recommendation from the City of Wildwood Planning and Zoning Board/Special Magistrate acting as the Local Planning Agency for a Small Scale Comprehensive Plan Amendment request to change the Future Land Use Map designation from Agriculture (Sumter County) to Low Density Residential (City) for the parcel listed above on 0.442 acres of land MOL. This request is accompanied by rezoning request RZ 2404-003 (O2024-39). **The applicant seeks a favorable recommendation by the Planning and Zoning Board/Special Magistrate for Ordinance O2024-38 to be forwarded to the City Commission for further action.**

V. ADJOURNMENT

June 11, 2024 2:00 PM

PLANNING & ZONING BOARD AS LOCAL PLANNING AGENCY
CITY OF WILDWOOD, FLORIDA
REGULAR MEETING
May 7, 2024 2:00 PM
CITY HALL COMMISSION CHAMBER

(meeting taped)

I. Call to Order

Attendee Name	Title	Status
Lindsay C.T. Holt	Special Magistrate	Present
Wendy Then	Assistant Development Services Director	Present
Amanda Bondi	Planner	Present
McKenna Page	Planner	Present
Jessica Barnes	City Clerk	Present
Brian Harrie	Lieutenant	Present

Special Magistrate Holt brought the meeting to order and explained the quasi-judicial process of the meeting. She then proceeded with the swearing-in of city staff and audience members.

II. APPROVAL OF SUMMARY MINUTES

1. Planning & Zoning Board as Local Planning Agency/Special Magistrate
   Regular Meeting April 02, 2024, at 2:00 PM.
   Special Magistrate Holt saw no revisions necessary and approved the summary minutes for the April 2, 2024, meeting.

III. OLD BUSINESS

None.

IV. NEW BUSINESS

1. CP 2307-002 Densan Park Phase 4
   Special Magistrate Holt read aloud the title of CP 2307-002 Densan Park Phase 4. The item was presented by Assistant Development Services Director Then. The applicant, Dennis Ferguson with Densan Park Partners, LLC, sought a favorable recommendation from the City of Wildwood Planning and Zoning Board/Special Magistrate acting as the Local Planning Agency for a small scale comprehensive plan amendment to change the Future Land Use Map designation from Agriculture (Sumter County) to Medium Density Residential (City) for parcel D09-028 on 19.68 acres MOL.

David Springstead of Springstead Engineering was present on behalf of the owner and applicant. Springstead addressed the Special Magistrate and advised the traffic study had an error. The report mentioned an access point on CR 104, but he clarified that it would be an emergency only egress, and that the County requested the project use only the entrance on CR 101 for residents. He also stated that in the last two phases of the project, the density decreased from the originally proposed plans, and that it may happen with phase 4 as well. Lastly, he provided an overview of amenities in the existing Densan Park subdivision, and advised this phase would not add any amenities other than open space.

Resident Gail Shovlin, owner of the adjacent property, addressed the Special Magistrate with concerns regarding CR 104 and the density within the project, which were answered by Springstead. She also requested the project include a landscape buffer and would like information on the plans for the wildlife on the property. Her husband, Matthew Shovlin, also commented on the lack of wildlife, the density of the project, and advised that a contractor had damaged their fence, and it had yet to be fixed. No further comments were offered or received.

RESULT:	**Recommends Approval**
MOVER:	Special Magistrate Holt
SECONDER:	None
AYES:	Special Magistrate Holt

2. CP 2403-002 Pest Bear Office

Special Magistrate Holt read aloud the title of CP 2403-002 Pest Bear Office. The item was presented by Planner Bondi. The applicant, Megan Stover, sought a favorable recommendation from the Planning and Zoning Board acting as the Local Planning Agency/Special Magistrate for a small-scale comprehensive plan amendment to change the Future Land Use Map designation from Rural Residential (County) to Commercial (City) for parcel G15D009 on 1.86 acres MOL. The owner/applicant was not present. No comments were offered or received.

RESULT:	**Recommends Approval**
MOVER:	Special Magistrate Holt
SECONDER:	None
AYES:	Special Magistrate Holt

3. CP 2403-003 Freeman-Allen Home Site

Special Magistrate Holt read aloud the title of CP 2403-003 Freeman-Allen Home Site. The item was presented by Assistant Development Services Director Then. The applicant, James Hartley with Gooding and Batsel, PLLC, sought approval from the City of Wildwood Planning and Zoning Board/Special Magistrate acting as the Local Planning Agency for a small scale comprehensive plan amendment to change the Future Land Use Map designation from Agriculture (Sumter County) to Residential Mixed Use (City) for parcel F01-116 on 1.00 acre MOL. The owner/applicant was not present. No comments were offered or received.

RESULT:	**Recommends Approval**
MOVER:	Special Magistrate Holt
SECONDER:	None
AYES:	Special Magistrate Holt

4. CP 2403-004 Empey Home Site

   Special Magistrate Holt read aloud the title of CP 2403-004 Empey Home Site. The item was presented by Assistant Development Services Director Then. The applicant, Sarah E. Empey, sought approval from the City of Wildwood Planning and Zoning Board/Special Magistrate acting as the Local Planning Agency for a small scale comprehensive plan amendment to change the Future Land Use Map designation from Rural Residential (Sumter County) to Mobile Home Park (City) for parcel G16ED001 on 0.125 acre MOL.

   Joseph Deutsch, stepfather of the applicant, addressed the Special Magistrate with concerns about the cost and process of hooking up to city water and sewer, and that he believed the city should annex the entire subdivision into the city limits. Special Magistrate Holt asked for clarification on what he was looking for with his application. Deutsch responded that he would like approval as long as the city provides roads and storm drains. Special Magistrate Holt clarified that her decision would be on the applicant's property only, not any other property within the subdivision, nor was this meeting the proper forum to challenge city fees or impact fees. Assistant Director Then responded that the City Commission would be holding a workshop to discuss the issues Deutsch brought forward.

   Resident Lois Baker, owner of the adjacent property, addressed the Special Magistrate and said she has lived in the subdivision for many years and chooses to remain under Sumter County jurisdiction rather than be annexed into Wildwood. She also stated that it was a 55+ community.

   Resident Dale Sayotovich, owner of a nearby property within the subdivision, addressed the Special Magistrate and said he has mixed issues with being annexed and is concerned what the land use change would mean for the subdivision. He is concerned about the condition of the roads and reiterated that it is a 55+ community, which is a designation they are trying to maintain.

   Special Magistrate Holt clarified with staff that the property was within the JPA. No further comments were offered or received.

RESULT:	**Recommends Approval**
MOVER:	Special Magistrate Holt
SECONDER:	None
AYES:	Special Magistrate Holt

5. CP 2404-001 301 Lots

   Special Magistrate Holt read aloud the title of CP 2404-001 301 Lots. The item was presented by Planner Bondi. The applicant, Danon J. Slinkard, Trustee of the Blue Water Trust UTD, sought a favorable recommendation from the Planning and Zoning Board acting as the Local Planning Agency/Special Magistrate for a small-scale comprehensive plan amendment to change the Future Land Use Map designation from Rural Residential (County) and Residential Mixed Use (City) to General Commercial (City) for parcels D30-020 and D30-026 on 0.66 acres MOL. The owner and applicant, Danon Slinkard, was present on behalf of the project. No comments were offered or received.

RESULT:	**Recommends Approval**
MOVER:	Special Magistrate Holt

SECONDER:	None
AYES:	Special Magistrate Holt

V. ADJOURNMENT

The meeting adjourned at 2:32 p.m.

RESULT:	**Adjourned**
MOVER:	Special Magistrate Holt
SECONDER:	None
AYES:	Special Magistrate Holt

PLANNING & ZONING BOARD AS LOCAL
PLANNING AGENCY
CITY OF WILDWOOD, FLORIDA

SEAL

_____
Date

_____
Lindsay C.T. Holt,
Special Magistrate
City of Wildwood, Florida

PLANNING & ZONING BOARD AS LOCAL PLANNING AGENCY OF THE CITY OF WILDWOOD

EXECUTIVE SUMMARY

SUBJECT: **CP 2309-002 Wildwood East**

REQUESTED ACTION: The applicant seeks a favorable recommendation by the Planning and Zoning Board/Special Magistrate for Ordinance O2024-18 to be forwarded to the City Commission for further action.

CONTRACT: Vendor/Entity:

Effective Date: Termination Date:

Managing Division/Department:

BUDGET IMPACT:

HISTORY/FACTS/ISSUES:

Case Number	CP 2309-002 Wildwood East
Ordinance Number	O2024-18
Applicant(s)	LPG Urban & Regional Planners, Inc
Owner(s)	Southwinds Commercial LTD
Property Location	The subject project is generally located approximately 0.12 miles east of the CR 144 and Powell Rd intersection, north along CR 144.
Parcel(s)	G04-013
Date	May 22, 2024

The applicant is seeking a favorable recommendation from the Planning and Zoning Board acting as the Local Planning Agency/Special Magistrate for a Small-Scale Comprehensive Plan Amendment to change the Future Land Use Map designation from Rural Residential (County) to High Density Residential (City) for the parcel listed above on 2.94 acres MOL. This request is accompanied by rezoning request RZ 2309-002 (O2024-19).

ANALYSIS: The applicant is proposing to construct a residential development and is requesting High Density Residential (HDR) land use which allows a maximum of 15 dwelling units per acre. This request is an increase in density as the current land use is within Sumter County with a maximum of 6 dwelling units for the property. With this density request it would result in a maximum of 44 dwelling units on the subject property. The project buildout is anticipated in 2026 according to the Transportation Impact Analysis.

The applicant believes the proposed amendment should be granted based on the following criteria found in Land Development Regulation (LDR) §1.7(D).

(1) Justification of the proposed amendment has been adequately presented;
The applicant submitted their justification to the City of Wildwood for the proposed request to change the Future Land Use from Rural Residential (County) to High Density Residential (City), as supported in the 2050 Comprehensive Plan Amendment. This is in line with Policy 1.2.7., “upon annexation of properties within the JPA, the City shall amend the FLUM to include the annexed property.”

(2) The proposed amendment is not inconsistent with the goals, objectives, and policies of the comprehensive plan;
The applicant finds the proposed amendment is consistent with the goals, objectives, and policies of the comprehensive plan as stated with Policy 1.1.1.a for High Density Residential future land use as it is intended to accommodate multifamily residential dwelling units at a high density. The subject property is located within an area of existing development where public infrastructure, services, and utilities are already present, approximately 639 feet from the western corner of the subject property, which is in line with Policy 1.2.1., “The City shall encourage growth and development in areas where public infrastructure, services, and utilities are already present or planned to be within 3 to 5 years.”

(3) The proposed amendment should not be considered urban sprawl or exemplify an energy-inefficient land use pattern;
This parcel is located along CR 144, a Sumter County owned and maintained minor local road with central and residential mixed use and low residential land uses surrounding the property. Objective 1.2 could be met from Policy 1.2.8., “the City shall encourage all new development and redevelopment projects to cultivate a more sustainable land development pattern,” as the properties to the north and west allow a maximum of 14 units per acre. This would include direct growth towards areas planned for urban development, thus preventing the spread of urban sprawl, and maintaining compatibility with adjacent land uses. This parcel falls within the Joint Planning Area (JPA) and is in line with Policy 1.2.5., the City is using the JPA to combat urban sprawl, provide an energy-efficient land use pattern, and manage growth in an environmentally sensitive manner.

(4) The proposed amendment will not have an adverse effect on environmentally sensitive systems;
The applicant finds the proposed amendment will not have an adverse effect on environmentally sensitive systems. An environmental assessment was done by RES in October 2022. Onsite observations identified the following land cover classifications on the subject property: FLUCCS Code, 420 – Upland Hardwood Forest and FLUCCS Code, 213 Woodland Pasture. Tree mitigation requirements will be met at the site plan stage of the development in accordance with the Land Development Regulations (LDR) 6.10. There were no wetlands or other surface waters on the site. Although no engaged species were found during the environmental assessment, it is recommended that an updated gopher tortoise survey be conducted no more than 90 days prior to construction to allow permitting and relocation in the event tortoises are found on the subject property, using FWC guidelines. A request for concurrency from the USFWS was also recommended to ensure that surveys for the Florida scrub jay would not be necessary prior to development.

(5) The proposed amendment will not adversely affect transportation, potable water, sewer, schools, or other public facilities without providing remedies to correct the system or facility.

Transportation: A minor transportation impact analysis was done by VHB and accepted by Sumter County's Public Works Department with a condition. Access to the property is proposed from Powell Rd, a four-lane divided minor local road maintained by Sumter County through the existing right-in/right-out access to the Wildwood Preserve Apartments. A driveway connection on CR 144 is to be used as emergency access and is currently gated. Although this property will be sharing the entrance of the Wildwood Preserve Apartments, the subject property is a separate entity. Cross-access easements will need to be obtained at the site plan stage. The proposed development is projected to generate 30 AM peak hour trips and 38 PM peak hour trips with a total of 245 daily trips. A deficiency was identified at the southbound left turn lane on Powell Rd at C 44A. TIA was accepted under the condition that the southbound left-turn lane on Powell Rd at C 44A is to be extended by 220 feet for a total turn lane length of 380 feet. No right-turn lane is recommended on Powell Rd based on the guidelines in the NCHRP Report 457. At the project buildout in 2026, all intersections within the TIA are projected to operate at an acceptable LOS. Policy 2.3.3., "The City shall rely on the Level of Service Standards established in the ISBA and as follows, based on peak hour, peak direction traffic volumes, to ensure that acceptable traffic conditions are maintained."

Potable Water & Sewer: City water and sewer lines are located within 1,000 feet of the subject property and connection to city utilities is required per Policy 1.3.2., "The City shall prohibit the installation of new septic tanks within all new residential, commercial, and industrial projects within the City where wastewater is available." Based on the most recent analysis of utility capacity, staff is unable to verify adequate wastewater treatment plant capacity for new applications which result in an increase in density or intensity. The subject property anticipates project buildout in 2026, adding an estimated 44 ERUs of potable water and sanitary sewer. Policy 4.2.3., "The City shall ensure that adequate wastewater supplies and facilities are available to serve new development no later than the date on which the City anticipates issuing a certificate of occupancy."

Schools: The residential development is anticipated to generate a total of 13 school-aged children.

Amanda Bondi
Planner II, Development Services

ORDINANCE NO. O2024-18

AN ORDINANCE OF THE CITY OF WILDWOOD, FLORIDA, PROPOSING A SMALL-SCALE FUTURE LAND USE MAP AMENDMENT TO THE ADOPTED COMPREHENSIVE PLAN AND FUTURE LAND USE MAP IN ACCORDANCE WITH THE COMMUNITY PLANNING ACT OF 2011, AS AMENDED; PROVIDING FOR CODIFICATION; PROVIDING FOR CONFLICT; PROVIDING FOR SEVERABILITY; AND PROVIDING FOR AN EFFECTIVE DATE.

WHEREAS, the City of Wildwood, Florida, is proposing to amend the local Comprehensive Plan and Future Land Use Map of said City, to include a land use amendment described as follows, to-wit:

G04-013
Southwinds Commercial LTD
2.94 +/-

LEGAL DESCRIPTION:

THE LAND REFERRED TO HEREIN BELOW IS SITUATED IN THE COUNTY OF SUMTER, STATE OF FLORIDA, AND DESCRIBED AS FOLLOWS:

THE WEST 198 FEET OF THE SE ¼ OF THE SW ¼ OF THE SW ¼ OF SECTION 4, TOWNSHIP 19 SOUTH, RANGE 23 EAST, SUMTER COUNTY, FLORIDA, LESS RIGHTS-OF-WAY.

This property is to be reclassified from Rural Residential (County) to High Density Residential (City)

AND WHEREAS, the City is proposing to amend the Future Land Use Map to include the future land use of property that shall pertain and be applicable to said amendment.

NOW, THEREFORE, BE IT ENACTED AND ORDAINED by the City Commission of the City of Wildwood, Florida, as follows:

SECTION 1. The adopted local Comprehensive Plan and Future Land Use Map for the City of Wildwood, Florida, are hereby amended to include the above-referenced property and proposed land use amendment as indicated above. The amendment to the Future Land Use Map of the local comprehensive plan is attached hereto as “Exhibit A” and incorporated herein by reference.

SECTION 2. All ordinances or parts of ordinances in conflict herewith, be, and the same are hereby repealed.

SECTION 3. If any section, sentence, clause or phrase of this Ordinance is held to be invalid or unconstitutional by a Court or competent jurisdiction, then said holding shall in no way effect the validity of the remaining portions of said Ordinance.

SECTION 4. This Ordinance shall take effect 31 days after its final reading by the City Commission of the City of Wildwood.

DONE AND ORDAINED this _____ day of _____, 2024, by the City Commission of the City of Wildwood, Florida.

CITY COMMISSION

CITY OF WILDWOOD, FLORIDA

_____
Ed Wolf, Mayor

ATTEST: _____
Jessica Barnes, City Clerk

First Reading: _____

Second Reading: _____

Approved as to form:

_____
City Attorney

Exhibit A



WILDWOOD FLORIDA
EST. 1877

CITY OF WILDWOOD
100 North Main Street
Wildwood, FL 34785
Phone: (352) 330-1330
www.wildwood-fl.gov

Feet
0 80 160

CP 2309-002

WILDWOOD EAST

PARCEL G04-013

MAP 1B

LOCATION MAP

SEPTEMBER 2023



WILDWOOD FLORIDA EST. 1877

CITY OF WILDWOOD
100 North Main Street
Wildwood, FL 34785
Phone: (352) 330-1330
www.wildwood-fl.gov

N

US Feet
0 55 110 220

CP 2309-002

WILDWOOD EAST

PARCEL G04-013

MAP 2A

EXISTING LAND USE

MAY 2024



WILDWOOD FLORIDA EST. 1877

CITY OF WILDWOOD
100 North Main Street
Wildwood, FL 34785
Phone: (352) 330-1330
www.wildwood-fl.gov

N

US Feet
0 55 110 220

CP 2309-002

WILDWOOD EAST

PARCEL G04-013

MAP 2B

PROPOSED LAND USE

MAY 2024

Statement of Exemption from Business Impact Estimate

Proposed ordinance's title/reference: O2024-18

A Business Impact Estimate will not be provided in accordance with section 166.041(4), Florida Statutes. Based upon the box(es) that are checked below, the City of Wildwood is of the view that a business impact estimate is not required by Section 166.041(4)(c) of the Florida Statutes for the proposed ordinance. This Statement of Exemption from Business Impact Estimate may be revised following its initial posting.

- ☐ The proposed ordinance is required for compliance with Federal or State law or regulation;
- ☐ The proposed ordinance relates to the issuance or refinancing of debt;
- ☐ The proposed ordinance relates to the adoption of budgets or budget amendments, including revenue sources necessary to fund the budget;
- ☐ The proposed ordinance is required to implement a contract or an agreement, including, but not limited to, any Federal, State, local, or private grant or other financial assistance accepted by the municipal government;
- ☐ The proposed ordinance is an emergency ordinance;
- ☐ The ordinance relates to procurement; or
- ☒ The proposed ordinance is enacted to implement the following:
    a. Part II of Chapter 163, Florida Statutes, relating to growth policy, county and municipal planning, and land development regulation, including zoning, development orders, development agreements and development permits;
    b. Sections 190.005 and 190.046, Florida Statutes, regarding community development districts;
    c. Section 553.73, Florida Statutes, relating to the Florida Building Code; or
    d. Section 633.202, Florida Statutes, relating to the Florida Fire Prevention Code.

City of Wildwood, Florida
Development Services Department
100 N. Main St., Wildwood, FL 34785
Tel: 352.330.1334 Fax: 352.330.1338
www.wildwood-fl.gov

Staff Use Only
Case No.: _____
Fee Paid: _____
Receipt No.: _____

Application for Preliminary Concurrency Determination

Applicant Name: LPG Urban & Regional Planners, LLC, Michael Rankin Phone: 352-385-1940
Address: 1162 Camp Ave., Mount Dora, FL 32757 E-mail: MichaelR@lpgurp.com
Owner Name: Southwinds Commercial LTD, Paul Missigman, Manager Phone: 407-741-8500
Address: 200 E. Canton Ave., Suite 102, Winter Park, FL 32789 E-mail: M.Gauthier@atlantichousing.com
Engineer Name: Madden, Moorhead & Stokes, Inc., David Stokes, P.E. Phone: 407-629-8330
Address: 431 E Horatio Ave., Maitland, FL 32751 E-mail: dstokes@madden-eng.com

Property Information:

PROJECT NAME*: Wildwood East

*A project name is required for all submissions. Please choose a unique name for your project.

Property Address: East of Powell Road and North of CR 144
List Parcel Number(s): G04-013
Use of Property: Single Family
Do you currently have City Utilities? ☐ Yes ☒ No Size of Property (Acres or Square Feet): 2.94 +/- acres

Required Submittal Items: All document(s) listed below can be submitted electronically in PDF format.

A.0 Application for Preliminary Concurrency Determination

Project Buildout Information:

Phasing Schedule:	Phase 1: 2025	Phase 2:	Phase 3:	Phase 4:	Total:
Residential Units:	44 MF				
Retail SF:					
Office SF:					
Institutional SF:					
Industrial SF:					

Project Demand on Facilities:

Phasing Schedule:	Phase 1: 2025	Phase 2:	Phase 3:	Phase 4:	Total:
Sewer (Avg GPD):	11,000				
Water (Avg GPD):	13,200				
Parks (Acreage):	0.294				
Refuse (cy/day):	0.26 cy/day				

Notes: _____

Signature: _____ Print Name: Michael Rankin Date: 19 Sept 2023

Note: If application is being submitted by any person other than the legal owner(s) of the property, the applicant **MUST** provide a notarized Authorized Agent Form from the owner to submit application.

Print

Sumter County Traffic Impact Analysis (TIA) - Submission #1267825

Date Submitted: 3/5/2024

First Name*	Last Name*	Email Address*
Joedel	Zaballero	jzaballero@vhb.com

Address

225 E Robinson St, Suite 300

City	State	Zip Code
Orlando	FL	32801

Phone	Alt Phone	Parcel Number
407.965.0510		Parcel Number

Sumter County Traffic Impact Analysis (TIA)

In accordance with the Interlocal Service Boundary and Joint Planning Agreement between the City of Bushnell, City of Center Hill, City of Coleman, City of Webster, and the City of Wildwood, within the municipal service area, the Cities and County agree that County will review all traffic impact studies for development accessing the City or County road networks.

Matthew Tadlock

Digitally signed by Matthew Tadlock
DN: cn=Matthew Tadlock, o=Sumter County Public Works, ou=Planning and Design, email=matthew.tadlock@sumtercountyfl.gov, c=US
Date: 2024.03.22 16:46:44 -04'00'

Sumter County Traffic Impact Analysis (TIA) acceptance, under the following condition:

• The southbound left-turn lane on Powell Road at C 44A is to be extended by 220 feet for a total turn lane length of 380 feet.

Purpose and Applicability

The purpose of the TIA is to identify the potential traffic impacts of new development on the transportation system and to develop mitigation strategies to offset those impacts according to the methodologies and provisions as described herein. These guidelines apply to all new development within Sumter County, including its municipalities, submitting building and site plans for review. The TIA requirement applies to previously approved developments that are over five years old, changing land uses within the site plan, or extending the build-out date from a previously approved TIA. Unless otherwise required by the County Administrator or designee, a TIA, as it relates to a substandard roadway section, shall not be required for any single development generating less than 50 average daily trips, as per the Trip Generation Manual, latest edition, as published by the Institute of Transportation Engineers (ITE). The following thresholds will determine the level of study that will need to be performed depending on the number of trips a development produces:

1. Applicants proposing developments that generate 50 but less than or equal to 1,000 average daily trips (ADT), according to the ITE Trip Generation Manual, current edition, must perform a Minor TIA.
2. A Major TIA shall be required for all proposed developments generating more than 1,000 ADT, as per the ITE Trip Generation Manual, current edition..

For purposes of this section, a "single development" shall include any development, parcel of land, lot, and tract, and contiguous or nearby developments, parcels, lots, or tracts that are:

1. Developed by the same or a related development or landowner;
2. Developed as part of the same zoning plan, preliminary plan, preliminary site plan, plat, or other unified or common plan of development.

These guidelines are in addition to the requirements of the access management regulations. In the event of any conflict between these guidelines and such regulations, the more stringent requirements shall apply.

Methodology Statement

Before conducting a Major TIA, a methodology statement shall be prepared by the applicant, the applicant's representative, or the applicant's engineer/consultant and submitted for review and approval by the County. Before conducting a Minor TIA, the applicant, the applicant's representative, or the applicant's engineer/consultant shall seek confirmation from County staff on the need for a methodology statement. The purpose of the methodology statement is to establish agreed-upon methodologies and assumptions before the start of the TIA. A methodology statement shall be prepared using the guidelines provided in the following paragraphs. The methodology statement will be first reviewed by County staff, if necessary, through a methodology meeting with the applicant and or the applicant's consultant. The applicant's consultant will then revise the statement based upon agreed-upon methodologies. The applicant shall ensure the consultant does not prepare a TIA without a methodology statement approved by the appropriate County representative.

Sumter County 2023 County Annual Traffic Reports
Summary Table

Click here to view the table.

Exemption

Choose File No file chosen

Applicants can submit an exemption due to a development generating less than 50 average daily trips, as per the Trip Generation Manual, latest edition, as published by the Institute of Transportation Engineers (ITE).

Please submit your Methodology Statement

Choose File No file chosen

Please submit your TIA

Atlantic Housing-Powell Rd TIA 2024-3-5.pdf

Date of Methodology Acceptance by County

12/15/2023

Applicable Jurisdiction

Please check the applicable Jurisdiction:

- [ ] City of Bushnell
- [ ] City of Center Hill
- [ ] City of Coleman
- [x] City of Wildwood
- [ ] Unincorporated Sumter County

Link

FDOT Systems Implementation Office

Link

FDOT Roadway Design - Florida Greenbook

Link

Lake-Sumter MPO

Link

FDOT Traffic Information

List of Tables

Table No.	Title	Page
Table 1	: Project Trip Generation	3
Table 2	: Existing Roadway Conditions	7
Table 3	: Intersection Capacity Analysis – Existing Conditions	8
Table 4	: Year 2024 Future Roadway Capacity Analysis	11
Table 5	: Intersection Capacity Analysis –Future Conditions	13
Table 6	: Turn Lane Queue Analysis	16

List of Figures

Figure No.	Title	Page
Figure 1	Project Location Map	2
Figure 2	Existing AM and PM Peak Hour Traffic Volumes	9
Figure 3	Future Turning Movement Volumes AM Peak Hour	14
Figure 4	Future Turning Movement Volumes PM Peak Hour	15

1

Introduction

VHB has been retained by Atlantic Housing to conduct a traffic impact study in support of the 2.97 +/- acre Development located at 5136 CR 144 (east of CR 139/Powell Road) in the City of Wildwood, Sumter County, Florida. The project location is illustrated on **Figure 1**. The purpose of this study is to fulfill the County's concurrency requirements for annexation and rezoning for the proposed development.

The analysis quantifies both the existing traffic conditions along area roadways surrounding the parcel and the projected future traffic conditions expected for the Build condition (including development of the proposed site). This document provides a detailed description of the study methodology, analysis, and key findings.

Project Description

The property is generally located on the east side of Powell Road and north of CR 144, in the City of Wildwood, Sumter County, Florida as shown in **Figure 1**.

The development proposes on Powell Road via the existing right-in/right-out access for Wildwood Preserve Apartments. The subject site and the adjacent development (Wildwood Preserve Apartments) to the west of the subject property will remain as separate entities. It should be noted that a driveway connection on CR 144 is provided for emergency access only and is currently gated to prevent public access to CR 144.

For the purposes of this analysis, the proposed Development will consist of four (4) low-rise and 40 mid-rise multi-family dwelling units with a build-out year of 2025. The project will have right-in/right-out access to CR 139/Powell Road. A preliminary site plan can be found in **Appendix A.**

Project buildout is anticipated in 2026. A conceptual plan is provided as part of the methodology in **Appendix A**.

Figure 1 Project Location Map



Project Location

Study Area

The analysis was conducted for a study area of 1,320 feet in radius and where the project consumes 3% or more of the adopted peak hour directional capacity. Per the approved methodology, the analysis considers the project impacts on the following roadways and intersections:

Roadway Segments:

- CR 139/Powell Road
    - CR 44A to CR 466A

In addition, the following intersections were analyzed for the existing and future AM and PM peak-hour conditions:

- CR 44A at CR 139/Powell Road (signalized)
- CR 142/Broken Oak Drive at CR 139/Powell Road
- Right-in/Right-out Project Entrance at CR 139/Powell Road
- Sumter County Road/CR 144/Huey Street at CR 139/Powell Road
- CR 466A and Powell Road (Signalized)

Trip Generation

Table 1 summarize the trip generation for the proposed development. The daily, AM peak hour and PM peak hour trips were calculated based on average rates contained in the Institute of Transportation Engineers' *Trip Generation*, 11th Edition. As shown in **Table 1,** the proposed build out condition is expected to generate 245 new daily trips, 30 new AM peak hour trips, and 38 new PM peak hour trips.

Table 1: Project Trip Generation

			Daily	AM Peak Period			PM Peak Period		
	ITE		Trip	In	Out		In	Out	
Land Use	Code	Intensity	Ends	Trips	Trips	Total	Trips	Trips	Total
Multi-Family Housing (Low-Rise)	220	4 DU	101	6	18	24	14	8	22
Multi-Family Housing (Mid-Rise)	221	40 DU	144	1	5	6	10	6	16
Total			**245**	**7**	**23**	**30**	**24**	**14**	**38**

Source: *ITE Trip Generation, 11th Edition*

Trip Distribution and Assignment

The distribution of site generated traffic is a function of population in surrounding areas, existing travel patterns, ease of access to the site, and traffic conditions on area roadways. Project trip distribution was based on the 2025 Central Florida Regional Planning Model (CFRPM version 7.0).

Figure 2 provides a summary of the trip distribution percentages on the nearby roadway network. The percentages from the model will be utilized to calculate the actual project traffic volumes. The CFRPM travel demand model output and adjustments can be observed in the methodology statement provided in **Appendix A**.

Figure 2 – Project Trip Distribution Map



Project Location

38 Trip Distribution

2

Existing Conditions

This section summarizes existing transportation conditions observed in the study area, including roadway and intersection geometry, existing traffic control, and daily and evening peak hour traffic volumes.

Existing Roadway Capacity Analysis

VHB conducted an assessment to determine the existing level of service of the study roadways. The level of service (LOS) of a given roadway is related to prevailing traffic volumes and to capacity, which is defined as the maximum number of vehicles that can pass through a roadway section during a specified period of time. The capacity of a roadway is determined by a number of factors including composition of traffic (cars, buses, and trucks); roadway alignment; width and number of lanes; posted travel speeds and other variables.

The level of service and remaining capacity for each of the study roadways were determined based on the *Sumter County 2022 Congestion Management Plan* database. A comparison of the AM and PM peak hour directional roadway traffic volumes was made against the roadway capacities to determine the existing level of service. The existing roadway capacity analysis was performed for all roadways within the study area as shown in **Table 2.** In summary, all study roadways operate at an acceptable level of service (LOS) for the 2023 daily, AM and PM peak hour conditions.

Table 2 : Existing Roadway Conditions

AM PEAK HOUR

		2023 Roadway Conditions - AM Peak Hour													
						2022 PHPD		2023 PHPD Volume			v/c Ratio		Remaining Capacity		
Roadway / Segment	Sta	No. of Lanes	Adopted LOS	Growth Rate	2022 AADT	NB/EB	SB/WB	NB/EB	SB/WB	PHPD Capacity	NB/EB	SB/WB	NB/EB	SB/WB	Over Capacity?
CR 139/Powell Rd															
CR 44A to CR 466A	500	4	D	2.5%	17,456	774	654	793	670	1,549	0.51	0.43	756	879	No

PM PEAK HOUR

		2022 Roadway Conditions - PM Peak Hour													
						2022 PHPD		2023 PHPD Volume			v/c Ratio		Remaining Capacity		
Roadway / Segment	Sta	No. of Lanes	Adopted LOS	Growth Rate	2022 AADT	NB/EB	SB/WB	NB/EB	SB/WB	PHPD Capacity	NB/EB	SB/WB	NB/EB	SB/WB	Over Capacity?
CR 139/Powell Rd															
CR 44A to CR 466A	500	4	D	2.5%	17,456	938	597	961	612	1,549	0.62	0.40	588	937	No

Sources: *Sumter County CMP Database 2022*
Sumter County Annual Traffic Counts 2022
VHB, Inc.

Existing Intersection Capacity Analysis

Turning movement counts (TMC) were conducted on November 29, 2023 and December 19, 2023. The peak season factor obtained from the Florida Department of Transportation (FDOT) Florida Traffic Online peak season report was 1.0 for the November 29th counts and 1.06 for the December 19th counts. TMC information, signal timing plans and the peak season report are provided in **Appendix B**. Existing Turning movement volumes are provided in **Figure 2**.

The existing intersections were evaluated using the methodology outlined in the *Highway Capacity Manual*, 6th Edition, and using the Synchro 11 Software. The results of the intersection capacity analysis for the peak hours are shown in **Table 3**. All study intersections operate at an acceptable level of service (LOS) in the AM and PM peak analyses except for the intersection of CR 466A at Powell Road. The Synchro intersection report printouts are provided in the **Appendix C**.

Table 3: Intersection Capacity Analysis – Existing Conditions

			Existing					
			AM Peak Hour			PM Peak Hour		
Intersection	Control	Approach	v/c	Delay	LOS	v/c	Delay	LOS
1: Powell Rd at CR 466A	Signal	EB	0.70	26.4	C	0.39	26.2	C
		WB	1.42	124.3	F	0.39	23.3	C
		NB	0.74	50.9	D	0.92	55.0	D
		SB	0.89	60.9	E	0.70	50.2	D
		Overall		**71.7**	**E**		**37.8**	**D**
2: Powell Rd at Broken Oak Dr	TWSC	EB	0.09	155.0	C	0.06	14.9	B
		WB	0.03	16.6	C	0.13	21.3	C
		NB	0.06	0.8	A	0.05	0.05	A
		SB	0.01	0.1	A	0.01	0.01	A
		Overall		**0.9**	**A**		**0.9**	**A**
3: Powell Rd at Huey St	Signal	EB	0.29	19.0	C	0.38	24.0	C
		WB	0.02	19.3	C	0.01	18.9	C
		NB	0.04	0.6	A	0.03	0.3	A
		SB	0.02	0.3	A	0.06	0.7	A
		Overall		**1.9**	**A**		**2.1**	**A**
4: Powell Rd at CR 44A	Signal	EB	0.14	18.6	B	0.10	19.6	B
		WB	0.34	14.5	B	0.18	18.7	B
		NB	0.82	66.1	E	0.84	63.8	E
		SB	0.79	65.8	E	0.66	55.1	E
		Overall		**46.7**	**D**		**48.8**	**D**
5: Powell Rd at Project Entrance	TWSC	WB	0.05	10.3	B	0.04	12.1	B
		NB	0.00	0.0	A	0.00	0.0	A
		SB	0.00	0.0	A	0.00	0.0	A
		Overall		**0.3**	**A**		**0.2**	**A**

Source: Synchro 11.0, HCM 6th Edition

Figure 2 Existing AM and PM Peak Hour Traffic Volumes



3

Future Conditions

To determine the impacts of the site-generated traffic volumes on the surrounding study intersections and roadway segments, future traffic conditions were analyzed. The existing traffic was projected to a future year of 2026 assuming a 2.5% annual growth rate and adding committed development trips for the background analysis. Copies of the committed development traffic studies provided by the County can be found in **Appendix D.** Project traffic from this development was added to the background traffic to develop the future build out analysis. The intersection volume derivation is documented in **Appendix E**.

Future Roadway Capacity Analysis

The future capacity analysis for the study area roadways for the proposed development can be found in **Table 4** for the AM and PM peak hour condition. The analysis concludes that all study area roadways exhibit traffic volumes lower than their respective maximum service volumes.

Table 4 : Year 2026 Future Roadway Capacity Analysis

AM PEAK HOUR

Roadway	No. of Lanes	Adopted LOS	2022 AADT	PHPD Capacity	2022 PHPD Vol NB/EB	2022 PHPD Vol SB/WB	Annual Growth Rate	2023 PHPD NB/EB	2023 PHPD SB/WB	2026 Background Volume NB/EB	2026 Background Volume SB/WB	Committed NB/EB	Committed SB/WB	v/c	Deficient?	Project Distrib	Project Volume NB/EB	Project Volume SB/WB	2024 Total Total Volume NB/EB	2024 Total Total Volume SB/WB	v/c	Remaining Capacity NB/EB	Remaining Capacity SB/WB	Deficient?	Project Deficiency?
CR 139/Powell Rd																									
CR 44A to CR 466A	4	D	17,456	1,549	774	654	2.5%	793	670	853	721	154	112	0.65	No	52.83%	12	4	1019	837	0.66	530	712	No	No

PM PEAK HOUR

Roadway	No. of Lanes	Adopted LOS	2022 AADT	PHPD Capacity	2022 PHPD Vol NB/EB	2022 PHPD Vol SB/WB	Annual Growth Rate	2023 PHPD NB/EB	2023 PHPD SB/WB	2026 Background Volume NB/EB	2026 Background Volume SB/WB	Committed NB/EB	Committed SB/WB	v/c	Deficient?	Project Distrib	Project Volume NB/EB	Project Volume SB/WB	2024 Total Total Volume NB/EB	2024 Total Total Volume SB/WB	v/c	Remaining Capacity NB/EB	Remaining Capacity SB/WB	Deficient?	Project Deficiency?
CR 139/Powell Rd																									
CR 44A to CR 466A	4	D	17,456	1,549	938	597	2.5%	961	612	1,034	658	158	157	0.77	No	52.83%	7	13	1199	828	0.77	350	721	No	No

Sources: *Sumter County CMP Database 2022*
Sumter County Annual Traffic Counts 2022
VHB, Inc.

Future Intersection Capacity Analysis

To determine the operational conditions at the study area intersections, a future conditions evaluation was conducted for the background and build future AM and PM peak hour conditions using Synchro 11 software. The results of the intersection capacity analysis for the AM and PM peak hours are shown in **Table 5**. **Figures 3 and 4** illustrate the AM and PM peak hour future traffic volumes, respectively.

The results of the intersection capacity analysis for the AM and PM peak hours are shown in **Table 6**. In the background condition, all intersections are operating at an overall acceptable LOS except for the intersection of CR 466A at Powell Road which is projected to operate at an overall LOS F with the westbound left turning movement with a v/c exceeding 1.0 during the AM Peak and the northbound right turn exceeding 1.0 during the PM Peak (overall LOS D). Background conditions include the committed construction of the eastbound left turn (to create dual left turn lanes) on CR 44A at Powell Road with signal retiming. Signal retiming at the intersection of CR 466A at Powell Road improved the overall LOS intersection to LOS D with v/c less than 1.0 for all movements. The Synchro intersection report printouts are provided in the **Appendix F**.

In the build condition, all studied intersections are projected to operate an overall acceptable LOS with no additional deficiencies beyond those identified due to background traffic conditions. The results of the intersection capacity analysis for the AM and PM peak hours are shown in **Table 6**. All studied intersections operate at an overall acceptable level of service (LOS) in the AM and PM peak analysis with v/c less than 1.0 for all movements.

Table 5 : Intersection Capacity Analysis –Future Conditions

			Background						Background Improved						Project					
			AM Peak Hour			PM Peak Hour			AM Peak Hour			PM Peak Hour			AM Peak Hour			PM Peak Hour		
Intersection	Control	Approach	v/c	Delay	LOS	v/c	Delay	LOS	v/c	Delay	LOS	v/c	Delay	LOS	v/c	Delay	LOS	v/c	Delay	LOS
1: Powell Rd at CR 466A	Signal	EB	0.83	33.6	C	0.49	30.6	C	0.83	39.6	D	0.57	37.2	D	0.83	40.3	D	0.57	37.7	D
		WB	1.77	198.9	F	0.59	27.9	C	0.89	44.5	C	0.66	33.1	C	0.89	44.9	D	0.68	33.8	C
		NB	0.82	50.0	D	1.06	74.8	E	0.89	55.9	E	0.92	46.9	D	0.89	55.7	E	0.92	46.8	D
		SB	0.91	70.4	E	0.93	70.9	E	0.90	63.3	E	0.8	50.1	D	0.89	61.2	E	0.80	49.6	D
		Overall		**98.5**	**F**		**49.6**	**D**		**49.7**	**D**		**40.8**	**D**		**49.6**	**D**		**41.0**	**D**
2: Powell Rd at Broken Oak Dr	TWSC	EB	0.14	21.1	C	0.10	20.9	C							0.15	21.9	C	0.10	21.4	C
		WB	0.53	48.6	E	0.74	68.3	F							0.57	55.3	F	0.77	75.1	F
		NB	0.08	10.1	B	0.06	0.4	A							0.10	10.2	B	0.07	9.3	A
		SB	0.09	9.6	A	0.10	1.0	A							0.09	9.7	A	0.11	11.0	B
		Overall		**3.4**	**A**		**5.2**	**A**								**3.8**	**A**		**5.6**	**A**
3: Powell Rd at Huey St	Signal	EB	0.40	26.1	D	0.55	39.0	E							0.41	27.0	B	0.58	42.7	E
		WB	0.03	24.2	C	0.02	24.3	C							0.03	24.5	D	0.02	25.0	D
		NB	0.05	10.1	B	0.04	9.4	B							0.05	0.5	C	0.04	9.5	A
		SB	0.03	9.0	A	0.10	11.3	A							0.04	0.3	A	0.12	11.5	B
		Overall		**2.1**	**A**		**2.7**	**A**								**2.2**	**A**		**3.0**	**A**
4: Powell Rd at CR 44A	Signal	EB	0.70	45.2	D	0.75	44.2	D							0.70	45.5	D	0.75	44.5	D
		WB	0.91	47.1	D	0.85	43.3	D							0.91	47.2	D	0.85	43.5	D
		NB	0.74	51.9	D	0.85	59.0	E							0.73	51.5	D	0.85	58.9	E
		SB	0.87	63.9	E	0.82	58.6	E							0.87	63.3	E	0.83	58.3	E
		Overall		**53.3**	**D**		**53.7**	**D**								**53.1**	**D**		**53.6**	**D**
5: Powell Rd at Project Entrance	TWSC	WB	0.07	11.0	B	0.06	13.6	B							0.11	11.4	B	0.09	14.2	B
		NB	0.00	0.0	A	0.00	0.0	A							0.00	0.0	A	0.00	0.0	A
		SB	0.00	0.0	A	0.00	0.0	A							0.00	0.0	A	0.00	0.0	A
		Overall		**0.3**	**A**		**0.2**	**A**								**0.4**	**A**		**0.3**	**A**

Source: Synchro 11.0, HCM 6th Edition

Figure 3 Future Turning Movement Volumes AM Peak Hour



Figure 4 Future Turning Movement Volumes PM Peak Hour



Project Turn Lane Analysis

An intersection queue analysis was performed for turning movements at the study intersections where project trips are present. The analysis compares the existing storage length to the 95th percentile queues for future build conditions in the AM and PM peak periods. It should be noted that the existing conditions assumes that the planned northbound left turn lanes extension at the intersection of Powell Road at CR 466A from 335 feet to 510 feet. The Synchro movement queue printouts are provided in the **Appendix F**.

Table 6 shows a background deficiency for the southbound left on Powell Road at CR 44A; however, the deficiency is due to the background traffic. The full access median at the commercial driveway north of CR 44A does not meet spacing requirements for a full or directional access with less than 350' feet from CR 44A (measured center to center). It is recommended that the commercial full access be closed, and the left turn lane extended to the recommended 380 feet. No additional length is needed due to the project.

For the project entrance, a northbound right turn lane is not recommended on Powell Road based on the guidelines in the *NCHRP Report 457* for through lane and turning volumes. Right turn lane analysis sheets are provided in **Appendix G**.

It should be noted that deceleration lengths were based on the Florida Design Manual (FDM) Exhibit 212 using a design speed of 40 miles per hour.

Table 6: Turn Lane Queue Analysis

Intersection	Control	Movement	Existing Length (ft)	Decel Length (ft)[1]	95th %-ile (Veh)	Queue Length (ft)	Total Length (ft)	Deficient Length?	95th %-ile (Veh)	Queue Length (ft)	Total Length (ft)	Deficient Length?	Addl Length due to project
1: Powell Rd at CR 466A	Signal	WBL	675	155	13.2	350	505	No	13.3	350	505	No	--
		NBL[2]	510	155	12.8	325	480	No	12.7	325	480	No	--
2: Powell Rd at Broken Oak Dr	TWSC	NBL	260	155	0.3	50	205	No	0.3	50	205	No	--
		SBL	260	155	0.3	50	205	No	0.5	50	205	No	--
3: Powell Rd at Huey St	TWSC	SBL	320	155	0.3	50	205	No	0.4	50	205	No	--
4: Powell Rd at CR 44A	Signal	SBL	160	155	8.1	225	380	Yes	8.1	225	380	Yes	0
		EBL	370	155	3.7	100	255	No	3.7	100	255	No	--
		WBR	1010	155	7.4	200	355	No	7.5	200	355	No	--

Notes:

[1] *Deceleration (Decel) Length is based on the FDM 212*

[2] *A left turn lane extension to 510 feet is currently planned per the County*

4

Conclusions

This traffic analysis has been performed to assess the impacts of the proposed Townhomes at Powell development comprised of 44 multifamily development fronting on Powell Road. The subject property is located on Powell Road north of CR 144 with a buildout year of 2026. Access is provided via Powell Road via the existing right-in/right-out access for Wildwood Preserve Apartments. The following is a summary of study findings:

- The proposed development is expected to generate 245 daily trips, 30 AM peak hour trips, and 24 PM peak hour trips.
- The existing roadway capacity analysis was performed for all roadways within the study area and were determined to operate at an acceptable Level of Service (LOS) .
- All studied intersections under existing conditions operate at an overall acceptable LOS in the AM and PM peak analysis except for the intersection of Powell Road at CR 466A which is operating at an overall LOS E with a v/c ratio exceeding 1.0 for the westbound left turning movement.
- The future roadway capacity analysis was performed for all roadways within the study area and were determined to operate at an acceptable Level of Service (LOS) with and without the proposed project.
- In the background condition, all intersections are operating at an overall acceptable LOS except for the intersection of Powell Road at CR 466A which is operating at an LOS E with a v/c ratio exceeding 1.0 for the westbound left turning movement. Retiming of the signal (due to background conditions) resulted in the intersection operating at an acceptable LOS D with v/c ratios less than 1.0 for all movements.
- In the build condition, all studied intersections are projected to operate an overall acceptable LOS and v/c less than 1.0 for all movements.
- A background deficiency was identified for the southbound left on Powell Road at CR 44A. The full access median at the commercial driveway north of CR 44A does not meet spacing requirements for a full or directional access with less than 350 feet from CR 44A (measured center to center). It is recommended that the commercial full access be closed, and the left turn lane extended to the recommended 380 feet. No additional length is needed due to the project.
- For the project entrance on Powell Road, a northbound right turn lane is not recommended on Powell Road based on the guidelines in the NCHRP Report 457.

- The proposed development does not adversely impact traffic operations in the vicinity of the site.

APPENDICES

APPENDIX A

Methodology

Print

Sumter County Traffic Impact Analysis (TIA) - Submission #71448

Date Submitted: 12/7/2023

First Name*	Last Name*	Email Address*
Joedel	Zaballero	jzaballero@vhb.com

Address

225 E Robinson St, Suite 300

City	State	Zip Code
Orlando	FL	32801

Phone	Alt Phone	Parcel Number
407.965.0510		G04-013

Sumter County Traffic Impact Analysis (TIA)

In accordance with the Interlocal Service Boundary and Joint Planning Agreement between the City of Bushnell, City of Center Hill, City of Coleman, City of Webster, and the City of Wildwood, within the municipal service area, the Cities and County agree that County will review all traffic impact studies for development accessing the City or County road networks.

Purpose and Applicability

The purpose of the TIA is to identify the potential traffic impacts of new development on the transportation system and to develop mitigation strategies to offset those impacts according to the methodologies and provisions as described herein. These guidelines apply to all new development within Sumter County, including its municipalities, submitting building and site plans for review. The TIA requirement applies to previously approved developments that are over five years old, changing land uses within the site plan, or extending the build-out date from a previously approved TIA. Unless otherwise required by the County Administrator or designee, a TIA, as it relates to a substandard roadway section, shall not be required for any single development generating less than 50 average daily trips, as per the Trip Generation Manual, latest edition, as published by the Institute of Transportation Engineers (ITE). The following thresholds will determine the level of study that will need to be performed depending on the number of trips a development produces:

1. Applicants proposing developments that generate 50 but less than or equal to 1,000 average daily trips (ADT), according to the ITE Trip Generation Manual, current edition, must perform a Minor TIA.
2. A Major TIA shall be required for all proposed developments generating more than 1,000 ADT, as per the ITE Trip Generation Manual, current edition..

For purposes of this section, a "single development" shall include any development, parcel of land, lot, and tract, and contiguous or nearby developments, parcels, lots, or tracts that are:

1. Developed by the same or a related development or landowner;
2. Developed as part of the same zoning plan, preliminary plan, preliminary site plan, plat, or other unified or common plan of development.

These guidelines are in addition to the requirements of the access management regulations. In the event of any conflict between these guidelines and such regulations, the more stringent requirements shall apply.

Methodology Statement

Before conducting a Major TIA, a methodology statement shall be prepared by the applicant, the applicant's representative, or the applicant's engineer/consultant and submitted for review and approval by the County. Before conducting a Minor TIA, the applicant, the applicant's representative, or the applicant's engineer/consultant shall seek confirmation from County staff on the need for a methodology statement. The purpose of the methodology statement is to establish agreed-upon methodologies and assumptions before the start of the TIA. A methodology statement shall be prepared using the guidelines provided in the following paragraphs. The methodology statement will be first reviewed by County staff, if necessary, through a methodology meeting with the applicant and or the applicant's consultant. The applicant's consultant will then revise the statement based upon agreed-upon methodologies. The applicant shall ensure the consultant does not prepare a TIA without a methodology statement approved by the appropriate County representative.

Sumter County 2022 County Annual Traffic Reports
Summary Table

Click here to view the table.

Exemption

Choose File No file chosen

Applicants can submit an exemption due to a development generating less than 50 average daily trips, as per the Trip Generation Manual, latest edition, as published by the Institute of Transportation Engineers (ITE).

Please submit your Methodology Statement

64294.01_Wildwood-Atlantic Housing_Methodology.pdf

Please submit your TIA

Choose File No file chosen

Date of Methodology Acceptance by County

Sumter County Traffic Impact Analysis (TIA) Methodology acceptance, as noted:

Applicable Jurisdiction

Please check the applicable Jurisdiction:

- [ ] City of Bushnell
- [ ] City of Center Hill
- [ ] City of Coleman
- [x] City of Wildwood
- [ ] Unincorporated Sumter County

Link

FDOT Systems Implementation Office

Link

FDOT Roadway Design - Florida Greenbook

Link

Lake-Sumter MPO

Link

FDOT Traffic Information

Memorandum

To: Sumter County
Public Works Department

Date: December 7, 2023

Project #: 64294.01

From: Joedel Zaballero, PE, PTOE

Re: Wildwood Residential Annexation & Rezone
Traffic Impact Analysis Methodology

Purpose

The purpose of this document is to outline the proposed methodology for the Traffic Impact Analysis (TIA) to be prepared in support of the 2.97 +/- acre Development located at 5136 CR 144 (east of CR 139/Powell Road) in the City of Wildwood, Sumter County, Florida. The methodology is consistent with the requirements of the City of Wildwood and Sumter County for a Minor TIA.

The project Traffic Assessment Methodology is separated into the following eight (8) sections:

- Project Description
- Primary Impact Area/Study Area
- Data Collection / Existing Conditions
- Minimum Acceptable Level of Service
- Background Traffic
- Planned and/or Programmed Improvements
- Trip Generation
- Trip Distribution
- Transportation Assessment
- Capacity Analysis
- Report

Section 1: Project Description

The property is generally located on the east side of Powell Road and north of CR 144, in the City of Wildwood, Sumter County, Florida as shown in **Figure 1**.

The development proposes on Powell Road via the existing right-in/right-out access for Wildwood Preserve Apartments. The subject site and the adjacent development (Wildwood Preserve Apartments) to the west of the subject property will remain as separate entities. It should be noted that a driveway connection on CR 144 is provided for emergency access only and is currently gated to prevent public access to CR 144.

For the purposes of this analysis, the proposed Development will consist of four (4) low-rise and 40 mid-rise multi-family dwelling units with a build-out year of 2025. The project will have right-in/right-out access to CR 139/Powell Road. A preliminary site plan can be found in **Attachment A**.

Project buildout is anticipated in 2026.

Project Location

Source: Bing Maps 20223

\\vhb.com\gbl\proj\Orlando\64294.01 Atlantic-Wildwood Rezone\tech\Traffic Study\Figures

Memorandum

Section 2: Primary Impact Area/Study Area

Per the requirements from the Sumter County Traffic Impact Study Methodology, the primary impact area will include all roadway segments that are adjacent to the development, along with the segments where project's peak hour trips consume more than 3% of the roadway's generalized peak hour two-way maximum service volume or more than 70 peak hour two-way trips. All major intersections that are part of the impacted roadways within 1,320 feet of the site access will also be included. A summary of the roadway segment area screening is provided in **Table 2**.

Table 1: Roadway Segments Screening

Roadway Segment	Sta	No. of Lanes	Adopted LOS	% Project Distrib	Daily			PM Peak Hour Peak Direction (PHPD)						Adj to Site	Incl. in Study	Significance (Yes/No)
					Daily Cap	Project Trips	% Signif-icance	PHPD Cap	NB/EB	Project Trips NB/EB	Project Trips SB/WB	% Significance NB/EB	% Significance SB/WB			
CR 139/Powell Rd																
CR 44A to CR 466A	500	4	D	52.83%	30,780	129	0.4%	1,549	Out	7	13	0.5%	0.8%	Y	Y	No
CR 466A																
US 301 to CR 139/Powell Rd	40	2	D	2.41%	14,763	6	0.0%	713	In	1	0	0.1%	0.0%	N	N	No
CR 139/Powell Rd to Buena Vista Bv	41	4	D	35.50%	37,810	87	0.2%	1,900	Out	5	9	0.3%	0.5%	N	N	No
CR 44A																
US 301 to CR 139/Powell Rd	1120	2	D	0.00%	13,320	0	0.0%	675	In	0	0	0.0%	0.0%	N	N	No
CR 139/Powell Rd to Buena Vista Bv	9	4	D	4.57%	30,780	11	0.0%	1,549	Out	1	1	0.1%	0.1%	N	N	No

Sources: *Sumter County CMP Database 2022*
VHB, Inc.

The following roadway segments will be analyzed for the PM peak hour as part of this study:

- CR 139/Powell Road
  - SR 44A to CR 466A

Use AM peak hour as well per Sumter County TIA Guidelines.

The following intersections will be analyzed for the AM and PM peak hour as part of this study:

- CR 142/Broken Oak Drive at CR 139/Powell Road
- Right-in/Right-out Project Entrance at CR 139/Powell Road
- Sumter County Road/CR 144/Huey Street at CR 139/Powell Road

Include the intersections of Powell Rd/C 466A and Powell Rd/C 44A as these are major intersections that are part of the impacted roadway.

Section 3: Data Collection/Existing Conditions

The Year 2023 existing roadway conditions analysis will document the current status of the roadways and intersections identified within the primary impact area. Existing roadway counts will be identified using the latest traffic information provided by Sumter County. VHB will identify the existing intersection volumes by conducting AM and PM peak hour turning movement counts for a single weekday condition. The data will be collected from 7:00-9:00 AM and 4:00-6:00 PM. The turning movement counts (TMCs) will be provided in the report.

Section 4: Minimum Acceptable Level of Service

The level of service capacities and adopted standards used in this evaluation are proposed to be consistent with the *2022 Sumter County CMP* database (see Attachment B) and/or the FDOT 2023 *Multimodal Quality/Level of Service (Q/LOS) Handbook*.

Memorandum

Section 5: Background Traffic

Projected traffic includes the project trips, background traffic volumes, and/or committed trips generated by approved developments within the study area, if applicable. Committed trips from the following development projects will be included as part of background traffic:

- Parkview at Brownwood
- Highfield at Twisted Oaks
- Powell Plaza
- NE 81st Blvd Subdivision
- Solamar at Wildwood (formerly known as Wildwood Residential)
- Townhomes at Powell

Below is a summary of the vested trips are provided below in **Table 3**:

Table 2: Roadway Segments – Vested Trips

	Vested Traffic													
	Parkview at Brownwood		Highfield at Twisted Oaks		Powell Plaza		NE 81st Blvd Subdivision		Solamar at Wildwood (fka Wildwood Residential)		Townhomes at Powell		Total Vested	
Roadway	NB/EB	SB/WB	NB/EB	SB/WB	NB/EB	SB/WB	NB/EB	SB/WB	NB/EB	SB/WB	NB/EB	SB/WB	NB/EB	SB/WB
CR 139/Powell Rd														
CR 44A to CR 466A	44	55	18	10	19	11	3	1	19	11	30	20	133	108

Sources:

Parkview at Brownwood TIA, TMC, 1/18/2021
Highfield at Twisted Oaks TIA. TMC, 1/6/2022
Powell Plaza, TEM, 10/2020
NE 81st Blvd Subdivision, MPH, 8/19/2021
Solamar at Wildwood (fka Wildwood Residential) Methodology, TMC, 2/15/2021
Townhomes at Powell Supplemental Traffic Analysis, VHB, 10/3/223

Projected background traffic for the buildout year of 2026 will be calculated using the higher volumes calculated based on the annual growth rates from the Sumter County CMP or 2.5% annual growth plus committed trips. **Table 3** summarizes the growth rate comparison and support to use a 2.5% growth rate plus committed trips.

Table 3: Growth Rate Comparison

	2022 PHPD Volume		Annual Growth Rate	2026 Background PM PHPD Volume					
				Initial BG		Committed Dev		Total Volume	
Growth Scenario	**NB/EB**	**SB/WB**		**NB/EB**	**SB/WB**	**NB/EB**	**SB/WB**	**NB/EB**	**SB/WB**
6% growth (CMP)	938	597	6.0%	1,163	740	0	0	1163	740
2.5%+Committed Dev	938	597	2.5%	1,032	657	133	108	1165	765

A seasonal factor based on the 2022 FDOT Florida Traffic Online will be applied to TMC data for future background conditions at the study area intersections.

Section 6: Planned, Programmed and Committed Projects

Referencing the Sumter County Transportation Improvement Plan (TIP) and the FDOT Five Year Work program, there are no planned, programmed and/or committed roadway widening or intersection improvement projects in the proposed study roadway segment or intersections within the next three (3) years.

Section 7: Trip Generation

The project traffic volumes for the proposed development will be generated using the trip generation rates/equations outlined in the Institute of Transportation Engineers (ITE) Trip Generation Manual (11th Edition). Internal capture and pass-by trip opportunities do not apply to this site. A summary of the trip generation is provided in **Table 4** and relevant sheets from the Trip Generation Manual are provided as **Attachment B**.

Table 4: Trip Generation Summary

				AM Peak Period			PM Peak Period		
Land Use	ITE Code	Intensity	Daily Trip Ends	In Trips	Out Trips	Total	In Trips	Out Trips	Total
Multi-Family Housing (Low-Rise)	220	4 DU	101	6	18	24	14	8	22
Multi-Family Housing (Mid-Rise)	221	40 DU	144	1	5	6	10	6	16
Total			**245**	**7**	**23**	**30**	**24**	**14**	**38**

Source: *ITE Trip Generation, 11th Edition*

Section 8: Trip Distribution

The project traffic trip distribution will be established using the Central Florida Regional Planning Model (CFRPM) version 7.0 model utilizing the 2025 network. The proposed distribution is shown in **Figure 2** and will be summarized in the final report. Raw model output is provided in **Attachment C**.

Section 9: Transportation Assessment

Include AM peak hour as well.

As a result of the trip generation, trip distribution, and trip assignment previously mentioned, VHB will evaluate the adjacent transportation system to determine the necessary improvements and timing requirements to accommodate the project at (present) existing year 2023 and at future 2026 traffic conditions.

A roadway capacity analysis of the study roadway segments will be conducted for the PM peak hour under existing and projected conditions. The roadway capacity analysis will be based on service volumes and capacities obtained from *2022 Sumter County CMP* database, the 2022 Florida Department of Transportation (FDOT) District 5 Level of Service Open Data Hub, and/or the FDOT *2023 Quality/Level of Service (Q/LOS) Handbook*.

The study intersections will be analyzed for both AM and PM peak hours under existing and projected conditions using Synchro 11 based on the methodology outlined in Highway Capacity Manual (HCM), 6th Edition. The intersection analysis will include turn lane and access analyses.

Offsite and access improvements necessary to support the proposed development at buildout will be identified in the study. An intersection queue analysis will be conducted for any proposed turn lanes. The applicant is seeking approval

for the entire project. In addition, VHB will determine the necessary Mitigation Plan, if any is required, to accommodate the project.

Section 10: Report

A traffic impact analysis report detailing the methods and findings of the study, including all associated graphics, tables, calculations, and supporting information, will be prepared for submittal to the City of Wildwood and Sumter County.

Attachments:

Attachment A – Concept Plan
Attachment B – ITE Trip Generation Sheets
Attachment C – CFRPM Model Output



38% Project Distribution

Project Location

Source: Bing Maps 20223

\\vhb.com\gbl\proj\Orlando\64294.01 Atlantic-Wildwood Rezone\tech\Traffic Study\Figures



WILDWOOD EAST CONCEPT #8
07/07/2023

15 Studio
15 1Br+Den UNITS
6 2 Br UNITS
4 2 Br Carriage Units
6 3 Br UNITS
46 TOTAL UNITS

124 TOTAL PARKING (Incl. 10 Garage and 10 Tandem
83 TOTAL FOR THIS PHASE ASSUMING 1.8:1
−4 LOST SPACES IN PHASE 1

37 ADDITIONAL FOR PHASE 1

Multifamily Housing (Low-Rise)
Not Close to Rail Transit (220)

Vehicle Trip Ends vs: Dwelling Units
On a: Weekday

Setting/Location: General Urban/Suburban
Number of Studies: 22
Avg. Num. of Dwelling Units: 229
Directional Distribution: 50% entering, 50% exiting

Vehicle Trip Generation per Dwelling Unit

Average Rate	Range of Rates	Standard Deviation
6.74	2.46 - 12.50	1.79

Data Plot and Equation



Fitted Curve Equation: T = 6.41(X) + 75.31

R^2= 0.86

Multifamily Housing (Low-Rise)
Not Close to Rail Transit (220)

Vehicle Trip Ends vs: Dwelling Units
On a: Weekday,
Peak Hour of Adjacent Street Traffic,
One Hour Between 7 and 9 a.m.
Setting/Location: General Urban/Suburban
Number of Studies: 49
Avg. Num. of Dwelling Units: 249
Directional Distribution: 24% entering, 76% exiting

Vehicle Trip Generation per Dwelling Unit

Average Rate	Range of Rates	Standard Deviation
0.40	0.13 - 0.73	0.12

Data Plot and Equation



Multifamily Housing (Low-Rise)
Not Close to Rail Transit (220)

Vehicle Trip Ends vs: Dwelling Units
On a: Weekday,
Peak Hour of Adjacent Street Traffic,
One Hour Between 4 and 6 p.m.
Setting/Location: General Urban/Suburban
Number of Studies: 59
Avg. Num. of Dwelling Units: 241
Directional Distribution: 63% entering, 37% exiting

Vehicle Trip Generation per Dwelling Unit

Average Rate	Range of Rates	Standard Deviation
0.51	0.08 - 1.04	0.15

Data Plot and Equation



Multifamily Housing (Mid-Rise)
Not Close to Rail Transit (221)

Vehicle Trip Ends vs: Dwelling Units
On a: Weekday

Setting/Location: General Urban/Suburban
Number of Studies: 11
Avg. Num. of Dwelling Units: 201
Directional Distribution: 50% entering, 50% exiting

Vehicle Trip Generation per Dwelling Unit

Average Rate	Range of Rates	Standard Deviation
4.54	3.76 - 5.40	0.51

Data Plot and Equation



Multifamily Housing (Mid-Rise)
Not Close to Rail Transit (221)

Vehicle Trip Ends vs: Dwelling Units
On a: Weekday,
Peak Hour of Adjacent Street Traffic,
One Hour Between 7 and 9 a.m.
Setting/Location: General Urban/Suburban
Number of Studies: 30
Avg. Num. of Dwelling Units: 173
Directional Distribution: 23% entering, 77% exiting

Vehicle Trip Generation per Dwelling Unit

Average Rate	Range of Rates	Standard Deviation
0.37	0.15 - 0.53	0.09

Data Plot and Equation



Multifamily Housing (Mid-Rise)
Not Close to Rail Transit (221)

Vehicle Trip Ends vs: Dwelling Units
On a: Weekday,
Peak Hour of Adjacent Street Traffic,
One Hour Between 4 and 6 p.m.
Setting/Location: General Urban/Suburban
Number of Studies: 31
Avg. Num. of Dwelling Units: 169
Directional Distribution: 61% entering, 39% exiting

Vehicle Trip Generation per Dwelling Unit

Average Rate	Range of Rates	Standard Deviation
0.39	0.19 - 0.57	0.08

Data Plot and Equation



Sumter County CMP Database

SEGMENT ID	COUNTY STATION	FDOT STATION	DATA SOURCE	SPEED LIMIT	SEGMENT LENGTH (MI)	ROAD NAME	FROM	TO	LANES (2022)	LANES (2027)	URBAN / RURAL	DIVIDED / UNDIVIDED	MAINTAINING AGENCY	JURISDICTION	ADOPTED LOS STANDARD	DAILY SERVICE VOLUME	2022 AADT	2022 DAILY V/C	2022 DAILY LOS	PEAK HOUR DIRECTIONAL SERVICE VOLUME	2022 PEAK HOUR NB/EB VOLUME	2022 PEAK HOUR SB/WB VOLUME	2022 PEAK HOUR V/C	2022 PEAK HOUR LOS	GROWTH RATE	DAILY SERVICE VOLUME (2027)	2027 AADT	2027 DAILY V/C	2027 DAILY LOS	PEAK HOUR DIRECTIONAL SERVICE VOLUME (2027)	2027 PEAK HOUR NB/EB VOLUME	2027 PEAK HOUR SB/WB VOLUME	2027 PEAK HOUR V/C	2027 PEAK HOUR LOS
4000	177		SUMTER	20	1.61	ST. CHARLES	BUENA VISTA BLVD	AMBERJACK TERR	2	2	URBAN	UNDIVIDED	COUNTY	UNINCORPORATED SUMTER COUNTY	D	13,320	4,638	0.35	C	675	264	259	0.39	C	1.00%	13,320	4,875	0.37	C	675	277	272	0.41	C
4010	176		SUMTER	20	0.66	ST. CHARLES	AMBERJACK TERR	BAILEY TRL	2	2	URBAN	UNDIVIDED	COUNTY	UNINCORPORATED SUMTER COUNTY	D	13,320	8,132	0.61	D	675	463	403	0.69	D	1.00%	13,320	8,547	0.64	D	675	487	424	0.72	D
4020	178		SUMTER	20	0.83	ST. CHARLES	BAILEY TRL	BUENA VISTA BLVD	2	2	URBAN	UNDIVIDED	COUNTY	UNINCORPORATED SUMTER COUNTY	D	13,320	11,586	0.87	D	675	627	519	0.93	D	1.50%	13,320	12,481	0.94	D	675	675	559	1.00	D
4030	183		SUMTER	20	0.55	TAMARIND GROVE RUN	DIVINDING CREEK PATH	ST. CHARLES PL	2	2	URBAN	UNDIVIDED	COUNTY	UNINCORPORATED SUMTER COUNTY	D	10,360	3,339	0.32	C	525	143	169	0.32	C	1.00%	10,360	3,509	0.34	C	525	150	178	0.34	C
4040	11		SUMTER	20	0.71	BUTTONWOOD RUN	HARDING PATH	ST. CHARLES PL	2	2	URBAN	UNDIVIDED	COUNTY	UNINCORPORATED SUMTER COUNTY	D	10,360	5,707	0.55	D	525	280	340	0.65	D	1.00%	10,360	5,998	0.58	D	525	294	357	0.68	D
4050	148		SUMTER	20	0.57	PENNECAMP DR	MEADOWLARK AVE	ST. CHARLES PL	2	2	URBAN	UNDIVIDED	COUNTY	UNINCORPORATED SUMTER COUNTY	D	10,360	4,706	0.45	C	525	240	252	0.48	C	1.00%	10,360	4,946	0.48	C	525	252	265	0.50	D
4060	181		SUMTER	20	0.57	STILLWATER TRL	MORSE BLVD	LOCKHART AVE	2	2	URBAN	UNDIVIDED	COUNTY	UNINCORPORATED SUMTER COUNTY	D	10,360	5,533	0.53	D	525	294	253	0.56	D	1.00%	10,360	5,815	0.56	D	525	309	266	0.59	D
4070	2020-270		SUMTER	20	1.08	STILLWATER TRL	LOCKHART AVE	ODELL CIRCLE	2	2	URBAN	UNDIVIDED	COUNTY	UNINCORPORATED SUMTER COUNTY	D	10,360	2,965	0.29	C	525	144	184	0.35	C	1.00%	10,360	3,116	0.30	C	525	151	193	0.37	C
4830	129		SUMTER	30	1.18	HILLSBOROUGH TRL	BUENA VISTA BLVD	ANNA MARIA AVE	2	2	URBAN	UNDIVIDED	COUNTY	UNINCORPORATED SUMTER COUNTY	D	13,320	12,224	0.92	D	675	507	580	0.86	D	3.75%	13,320	14,694	1.10	F	675	609	697	1.03	E
4835	130		SUMTER	55	1.34	HILLSBOROUGH TRL	ANNA MARIA AVE	MORSE BLVD	2	2	URBAN	UNDIVIDED	COUNTY	UNINCORPORATED SUMTER COUNTY	D	15,930	7,338	0.46	C	792	415	341	0.52	C	1.00%	15,930	7,712	0.48	C	792	436	358	0.55	C
4860	1		SUMTER	35	0.60	ANNA MARIA AVE	HILLSBOROUGH TRL	PINELLAS PL	2	2	URBAN	UNDIVIDED	COUNTY	UNINCORPORATED SUMTER COUNTY	D	10,360	3,976	0.38	C	525	199	197	0.38	C	1.00%	10,360	4,179	0.40	C	525	209	207	0.40	C
4870	88		SUMTER	35	0.85	CHARLOTTE CRT	HILLSBOROUGH TRL	PINELLAS PL	2	2	URBAN	UNDIVIDED	COUNTY	UNINCORPORATED SUMTER COUNTY	D	10,360	3,349	0.32	C	525	153	181	0.34	C	4.00%	10,360	4,075	0.39	C	525	186	220	0.42	C
4880	149		SUMTER	35	0.90	PINELLAS PL	BUENA VISTA BLVD	ANNA MARIA AVE	2	2	URBAN	UNDIVIDED	COUNTY	UNINCORPORATED SUMTER COUNTY	D	13,320	9,148	0.69	D	675	432	494	0.73	D	1.00%	13,320	9,615	0.72	D	675	454	519	0.77	D
4885	150		SUMTER	35	1.52	PINELLAS PL	ANNA MARIA AVE	MORSE BLVD	2	3	URBAN	UNDIVIDED	COUNTY	UNINCORPORATED SUMTER COUNTY	D	13,320	12,534	0.94	D	675	609	594	0.90	D	5.00%	13,320	15,997	1.20	F	675	777	758	1.15	F
4890	182		SUMTER	35	1.84	TALLEY RIDGE DR	BUENA VISTA BLVD	BUENA VISTA BLVD	2	2	URBAN	UNDIVIDED	COUNTY	UNINCORPORATED SUMTER COUNTY	D	10,360	3,958	0.38	C	525	242	175	0.46	C	1.00%	10,360	4,160	0.40	C	525	254	184	0.48	C
4910	2020-491		NO COUNT	35	0.82	OAK FOREST DR	SOUTHERN TRACE	TALLEY RIDGE RD	2	2	URBAN	UNDIVIDED	COUNTY	UNINCORPORATED SUMTER COUNTY	D	10,360	-	-	-	525	-	-	-	-	-	10,360	-	-	-	525	-	-	-	-
4915	172		SUMTER	35	0.83	SOUTHERN TRACE	CR 466	BUENA VISTA BLVD	2	3	URBAN	UNDIVIDED	COUNTY	UNINCORPORATED SUMTER COUNTY	D	10,360	5,995	0.58	D	525	318	303	0.61	D	5.00%	10,360	7,651	0.74	D	525	406	387	0.77	D
4920	147		SUMTER	35	0.79	PARR DR	BELVEDERE BLVD	BUENA VISTA BLVD	2	2	URBAN	UNDIVIDED	COUNTY	UNINCORPORATED SUMTER COUNTY	D	13,320	3,876	0.29	C	675	258	195	0.38	C	1.00%	13,320	4,074	0.31	C	675	271	205	0.40	C
4930	2020-493		SUMTER	35	0.53	TRIGGERFISH RUN	BUTTONWOOD RUN	PENNECAMP DR	2	2	URBAN	UNDIVIDED	COUNTY	UNINCORPORATED SUMTER COUNTY	D	10,360	1,339	0.13	C	525	59	69	0.13	C	6.25%	10,360	1,814	0.18	C	525	80	93	0.18	C
5000	2		SUMTER	25	0.93	BAILEY TRL	BUENA VISTA BLVD N	SUNSET RIDGE DR	2	2	URBAN	UNDIVIDED	COUNTY	UNINCORPORATED SUMTER COUNTY	D	13,320	8,045	0.60	D	675	389	400	0.59	D	1.00%	13,320	8,455	0.63	D	675	409	420	0.62	D
5010	3		SUMTER	30	0.39	BAILEY TRL	SUNSET RIDGE DR	ST. CHARLES PL	2	2	URBAN	UNDIVIDED	COUNTY	UNINCORPORATED SUMTER COUNTY	D	13,320	9,416	0.71	D	675	492	435	0.73	D	1.00%	13,320	9,896	0.74	D	675	517	457	0.77	D
5020	4		SUMTER	20	0.50	BAILEY TRL	ST. CHARLES PL	BASSINGER CRT	2	2	URBAN	UNDIVIDED	COUNTY	UNINCORPORATED SUMTER COUNTY	D	13,320	3,848	0.29	C	675	192	187	0.28	C	1.00%	13,320	4,044	0.30	C	675	202	197	0.30	C
5030	5		SUMTER	20	0.39	BAILEY TRL	BASSINGER CRT	BUENA VISTA BLVD S	2	2	URBAN	UNDIVIDED	COUNTY	UNINCORPORATED SUMTER COUNTY	D	13,320	4,706	0.35	C	675	241	258	0.38	C	1.00%	13,320	4,946	0.37	C	675	253	271	0.40	C
5080	102	-	SUMTER	35	1.00	CR 209	CR 232	CR 462 E	2	2	URBAN	UNDIVIDED	COUNTY	WILDWOOD	D	10,360	610	0.06	C	525	42	33	0.08	C	1.00%	10,360	641	0.06	C	525	44	35	0.08	C
6000	104	-	SUMTER	30	1.26	CR 213 (WALKER RD)	SR 44	CR 44A	2	2	URBAN	UNDIVIDED	COUNTY	WILDWOOD	D	13,320	505	0.04	C	675	34	20	0.05	C	2.75%	13,320	578	0.04	C	675	39	23	0.06	C
12500	184		SUMTER	55	0.76	WOODRIDGE DR	CR 103	CR 101	2	2	URBAN	UNDIVIDED	COUNTY	UNINCORPORATED SUMTER COUNTY	D	15,930	4,177	0.26	C	792	253	190	0.32	C	1.00%	15,930	4,390	0.28	C	792	266	200	0.34	C
325310	180122	180122	FDOT	60	2.73	US 301/SR 35	CR 656	CR 478	2	2	RURAL	UNDIVIDED	STATE	UNINCORPORATED SUMTER COUNTY	C	8,600	5,770	0.67	C	450	191	259	0.58	C	1.25%	8,600	6,140	0.71	C	450	203	276	0.61	C
3221000	99	-	SUMTER	25	1.40	CR 156	US 301/SR 35	SR 44	2	2	URBAN	UNDIVIDED	COUNTY	WILDWOOD	D	10,360	1,396	0.13	C	525	59	57	0.11	C	5.50%	10,360	1,825	0.18	C	525	77	74	0.15	C
3223000	113		SUMTER	45	3.53	CR 673	SR 93/I-75	CR 674	2	2	RURAL	UNDIVIDED	COUNTY	UNINCORPORATED SUMTER COUNTY	C	15,700	3,508	0.22	B	820	130	168	0.20	B	5.50%	15,700	4,585	0.29	B	820	170	220	0.27	B
3224000	96		SUMTER	30	1.37	CR 121	CR 462	CR 114	2	2	URBAN	UNDIVIDED	COUNTY	WILDWOOD	D	10,360	4,174	0.40	C	525	257	155	0.49	C	6.00%	10,360	5,586	0.54	D	525	344	207	0.66	D
3229000	120	-	SUMTER	35	2.08	CR 727	SR 50	CR 721	2	2	RURAL	UNDIVIDED	COUNTY	UNINCORPORATED SUMTER COUNTY	C	9,030	245	0.03	C	469	19	10	0.04	C	5.00%	9,030	313	0.03	C	469	24	13	0.05	C
3231000	121	118009	FDOT	35	0.83	CR 728	CR 469	LAKE COUNTY BOUNDARY	2	2	URBAN	UNDIVIDED	COUNTY	UNINCORPORATED SUMTER COUNTY	D	10,360	611	0.06	C	525	31	40	0.08	C	1.00%	10,360	642	0.06	C	525	33	42	0.08	C
3245100	105	-	SUMTER	45	1.56	CR 229	SR 44	CR 462	2	2	URBAN	UNDIVIDED	COUNTY	UNINCORPORATED SUMTER COUNTY	D	12,390	4,654	0.38	C	616	210	217	0.35	C	5.00%	15,930	5,940	0.37	C	792	268	277	0.35	C
3245110	106	-	SUMTER	45	2.26	CR 229	CR 462	CR 466	2	2	URBAN	UNDIVIDED	COUNTY	UNINCORPORATED SUMTER COUNTY	D	24,200	3,893	0.16	B	1,200	190	179	0.16	B	4.00%	24,200	4,736	0.20	B	1,200	231	218	0.19	B
3248000	90		SUMTER	35	0.29	CR 101	CR 466	WOODRIDGE DR	4	4	URBAN	DIVIDED	COUNTY	WILDWOOD	D	29,160	7,098	0.24	C	1,467	376	317	0.26	C	1.00%	29,160	7,460	0.26	C	1,467	395	333	0.27	C
3248102	101	-	SUMTER	35	1.25	CR 209	CR 216	CR 466	2	2	URBAN	UNDIVIDED	COUNTY	WILDWOOD	D	10,360	1,363	0.13	C	525	109	80	0.21	C	5.00%	10,360	1,740	0.17	C	525	139	102	0.26	C
3248105	100	-	SUMTER	45	1.51	CR 209	CR 462 E	CR 216	2	2	URBAN	UNDIVIDED	WILDWOOD	UNINCORPORATED SUMTER COUNTY	D	12,390	2,491	0.20	C	616	266	220	0.43	C	5.00%	12,390	3,179	0.26	C	616	339	281	0.55	C
3248110	103		SUMTER	35	1.26	CR 209	CR 466	CR 202	2	2	URBAN	UNDIVIDED	COUNTY	WILDWOOD	D	10,360	1,272	0.12	C	525	191	40	0.36	C	1.00%	10,360	1,337	0.13	C	525	201	42	0.38	C
3248400	94		SUMTER	35	1.31	CR 104	US 301/SR 35	CR 101	2	2	URBAN	UNDIVIDED	COUNTY	UNINCORPORATED SUMTER COUNTY	C	5,110	3,208	0.63	C	259	108	242	0.93	C	2.75%	5,110	3,674	0.72	C	259	124	277	1.07	D
3253100	85307	85307	FDOT	60	0.61	US 301/SR 35	HERNANDO COUNTY BOUNDARY	CR 656	2	2	RURAL	UNDIVIDED	STATE	UNINCORPORATED SUMTER COUNTY	C	8,600	4,560	0.53	B	450	188	222	0.49	B	1.00%	8,600	4,793	0.56	C	450	198	233	0.52	B
3253110	180042	180042	FDOT	30	0.18	US 301/SR 35 (NOBLE AVE)	CR 48 (FLORIDA ST)	CR 476 (NOBLE AVE)	2	2	RURAL	UNDIVIDED	STATE	BUSHNELL	C	10,320	3,770	0.37	C	536	190	168	0.35	C	1.00%	10,320	3,962	0.38	C	536	200	177	0.37	C
3253130	180117	180117	FDOT	30	0.13	US 301/SR 35 (NOBLE AVE)	SR 48 (MAIN ST)	CR 48 (FLORIDA ST)	2	2	URBAN	UNDIVIDED	STATE	BUSHNELL	D	11,840	8,820	0.74	D	600	304	403	0.67	D	1.00%	11,840	9,270	0.78	D	600	320	424	0.71	D
3253140	180112	180112	FDOT	60	3.01	US 301/SR 35	CR 478	CR 476 (SEMINOLE AVE)	2	2	URBAN	UNDIVIDED	STATE	BUSHNELL	D	14,160	6,400	0.45	C	704	322	286	0.46	C	1.00%	14,160	6,726	0.48	C	704	338	301	0.48	C
3253150	180117	180117	FDOT	45	0.53	US 301/SR 35	CR 476 (SEMINOLE AVE)	SR 48 (MAIN ST)	4	4	URBAN	UNDIVIDED	STATE	BUSHNELL	D	37,810	8,820	0.23	C	1,900	304	403	0.21	C	1.00%	37,810	9,270	0.25	C	1,900	320	424	0.22	C
3253170	180088	180088	FDOT	45	0.45	US 301/SR 35	CR 470 E (S)	SR 471	2	2	URBAN	UNDIVIDED	STATE	UNINCORPORATED SUMTER COUNTY	D	18,585	4,850	0.26	C	924	244	217	0.26	C	1.00%	18,585	5,097	0.27	C	924	256	228	0.28	C
3253180	180083	180083	FDOT	45	0.11	US 301/SR 35	SR 471	CR 470 E (N)	2	2	URBAN	UNDIVIDED	STATE	UNINCORPORATED SUMTER COUNTY	D	18,585	16,640	0.90	C	924	838	743	0.91	C	5.00%	18,585	21,237	1.14	F	924	1,070	948	1.16	F
3253190	180041	180041	FDOT	35	3.06	US 301/SR 35	CR 470 E (N)	CR 514 (WARM SPRINGS AVE)	2	2	URBAN	UNDIVIDED	STATE	COLEMAN	D	15,540	8,831	0.57	D	788	445	394	0.56	D	1.00%	15,540	9,282	0.60	D	788	468	414	0.59	D
3253200	180041: 180077	180041: 180077	FDOT	45	1.24	US 301/SR 35 (WARM SPRINGS AVE	CR 514 (WARM SPRING AVE)	CR 468	2	2	URBAN	UNDIVIDED	STATE	COLEMAN	D	14,160	13,465	0.95	D	704	695	616	0.99	D	1.00%	14,160	14,152	1.00	D	704	730	647	1.04	F
3253210	180077	180077	FDOT	55	2.73	US 301/SR 35	CR 468	SR 91/FLORIDAS TURNPIKE	2	2	URBAN	UNDIVIDED	STATE	WILDWOOD	D	17,700	18,760	1.06	F	880	945	838	1.07	F	3.75%	17,700	22,551	1.27	F	880	1,136	1,007	1.29	F
3253220	180077: 180006	180077: 180006	FDOT	45	0.18	US 301/SR 35 (MAIN ST)	SR 91/FLORIDAS TURNPIKE	CR 156 (CLAY DRAIN RD)	2	2	URBAN	DIVIDED	STATE	WILDWOOD	D	25,410	19,435	0.76	D	1,260	952	845	0.76	D	1.50%	25,410	20,937	0.82	D	1,260	1,026	910	0.81	D
3253230	180006	180006	FDOT	45	0.51	US 301/SR 35 (MAIN ST)	CR 156 (CLAY DRAIN RD)	SR 44	4	4	URBAN	DIVIDED	STATE	WILDWOOD	D	41,790	20,110	0.48	C	2,100	959	851	0.46	C	1.00%	41,790	21,136	0.51	C	2,100	1,008	894	0.48	C
3253240	185016	185016	FDOT	40	0.79	US 301/SR 35 (MAIN ST)	SR 44	CR 44A	4	4	URBAN	DIVIDED	STATE	WILDWOOD	D	39,800	23,700	0.60	C	2,000	1,130	1,003	0.57	C	1.00%	39,800	24,909	0.63	C	2,000	1,188	1,054	0.59	C
3253250	180026	180026	FDOT	35	0.54	US 301/SR 35 (MAIN ST)	CR 44A	CR 466A (CLEVELAND AVE)	4	4	URBAN	DIVIDED	STATE	WILDWOOD	D	32,400	25,900	0.80	D	1,630	1,102	969	0.68	D	4.75%	32,400	32,664	1.01	E	1,630	1,390	1,222	0.85	D
3253270	180002	180002	FDOT	45	0.26	US 301/SR 35	CR 462 S	CR 462 (N)	4	4	URBAN	DIVIDED	STATE	UNINCORPORATED SUMTER COUNTY	D	39,800	26,460	0.66	C	2,000	1,262	1,119	0.63	C	1.00%	39,800	27,810	0.70	C	2,000	1,326	1,176	0.66	C
3253280	180002: 180206	180002: 180206	FDOT	55	1.01	US 301/SR 35	CR 462 N	CR 222	4	4	URBAN	DIVIDED	STATE	WILDWOOD	D	39,800	26,120	0.66	C	2,000	1,256	1,114	0.63	C	1.00%	39,800	27,452	0.69	C	2,000	1,320	1,170	0.66	C
3253290	180206	180206	FDOT	45	0.50	US 301/SR 35	CR 222	CR 472	4	4	URBAN	DIVIDED	STATE	WILDWOOD	D	39,800	26,200	0.66	C	2,000	1,250	1,108	0.63	C	1.00%	39,800	27,536	0.69	C	2,000	1,314	1,165	0.66	C
3269100	118		SUMTER	35	0.51	CR 721	SR 471	CR 727	2	2	URBAN	UNDIVIDED	COUNTY	UNINCORPORATED SUMTER COUNTY	D	10,360	696	0.07	C	525	40	31	0.08	C	1.00%	10,360	732	0.07	C	525	42	33	0.08	C
3290000	97		WILDWOOD	35	1.17	CR 139 (POWELL RD)	CR 44A	CR 466A	4	4	URBAN	DIVIDED	COUNTY	WILDWOOD	D	30,780	17,456	0.57	D	1,549	938	597	0.61	D	6.00%	30,780	23,360	0.76	D	1,549	1,255	799	0.81	D
3293100	124		SUMTER	40	0.46	CR 747	CR 478 E	CR 730	2	2	RURAL	UNDIVIDED	COUNTY	UNINCORPORATED SUMTER COUNTY	C	9,030	718	0.08	C	469	25	53	0.11	C	1.50%	9,030	773	0.09	C	469	27	57	0.12	C
3293110	123		SUMTER	40	2.01	CR 747	CR 730	CR 48	2	2	URBAN	UNDIVIDED	COUNTY	UNINCORPORATED SUMTER COUNTY	D	15,930	1,248	0.08	C	792	104	65	0.13	C	4.50%	15,930	1,555	0.10	C	792	130	81	0.16	C
3297000	112	-	SUMTER	35	1.85	CR 625	CR 476	CR 48	2	2	RURAL	UNDIVIDED	COUNTY	UNINCORPORATED SUMTER COUNTY	C	9,030	362	0.04	C	469	19	16	0.04	C	1.00%	9,030	380	0.04	C	469	20	17	0.04	C
3300000	164		SUMTER	35	0.36	BUENA VISTA BLVD	CR 472 (RAINEY TRL)	BELVEDERE BLVD	4	4	URBAN	DIVIDED	COUNTY	UNINCORPORATED SUMTER COUNTY	D	29,160	18,780	0.64	D	1,467	940	896	0.64	D	1.00%	29,160	19,738	0.68	D	1,467	988	942	0.67	D
3301000	111		SUMTER	45	0.73	CR 616 (HAYES RD)	CR 476	CR 48	2	2	URBAN	UNDIVIDED	COUNTY	UNINCORPORATED SUMTER COUNTY	D	12,390	5,016	0.40	C	616	198	218	0.35	C	2.00%	12,390	5,538	0.45	C	616	219	241	0.39	C
3525100	48		SUMTER	55	1.03	CR 475 N	SR 44	CR 462	2	2	URBAN	UNDIVIDED	COUNTY	UNINCORPORATED SUMTER COUNTY	D	24,200	5,588	0.23	B	1,200	239	319	0.27	B	4.25%	24,200	6,881	0.28	B	1,200	294	393	0.33	B
3525110	2020-76		SUMTER	50	3.18	CR 475 N	CR 462	CR 466	2	2	URBAN	UNDIVIDED	COUNTY	UNINCORPORATED SUMTER COUNTY	D	24,200	6,242	0.26	B	1,200	350	173	0.29	B	7.50%	24,200	8,962	0.37	B	1,200	502	248	0.42	B
3526000	45		SUMTER	55	4.45	CR 470 N	SR 44	CR 412	2	2	RURAL	UNDIVIDED	COUNTY	UNINCORPORATED SUMTER COUNTY	C	8,600	3,592	0.42	B	450	177	183	0.41	B	5.50%	8,600	4,695	0.55	C	450	231	239	0.53	B
3528120	15		WILDWOOD	35	1.47	CR 44A	US 301/SR 35	CR 139	2	2	URBAN	UNDIVIDED	COUNTY	WILDWOOD	D	13,320	3,462	0.26	C	675	178	144	0.26	C	1.00%	13,320	3,639	0.27	C	675	187	151	0.28	C
3529000	64		SUMTER	55	6.39	CR 478A	SR 50	SR 471	2	2	URBAN	UNDIVIDED	COUNTY	WEBSTER	D	24,200	801	0.03	B	1,200	34	52	0.04	B	1.00%	24,200	842	0.03	B	1,200	36	55	0.05	B
3530000	44		SUMTER	45	0.79	CR 470 N	CR 412	CR 416 (N)	2	2	URBAN	UNDIVIDED	COUNTY	UNINCORPORATED SUMTER COUNTY	D	24,200	3,990	0.16	B	1,200	207	168	0.17	B	1.00%	24,200	4,194	0.17	B	1,200	218	177	0.18	B
3532000	83		SUMTER	55	4.72	CR 575	CR 663	CR 48	2	2	RURAL	UNDIVIDED	COUNTY	UNINCORPORATED SUMTER COUNTY	C	8,600	836	0.10	B	450	36	43	0.10	B	4.00%	8,600	1,017	0.12	B	450	44	52	0.12	B
3533100	33		SUMTER	30	1.15	CR 466A	US 301/SR 35	CR 462/CR 139	2	2	URBAN	DIVIDED	COUNTY	WILDWOOD	D	14,763	9,784	0.66	D	713	381	440	0.62	D	1.50%	14,763	10,540	0.71	D	713	410	474	0.66	D
3534100	67		SUMTER	35	3.30	CR 478 E	SR 471	CR 707	2	2	URBAN	UNDIVIDED	COUNTY	CENTER HILL	D	24,200	2,048	0.08	B	1,200	95	97	0.08	B	2.50%	24,200	2,317	0.10	B	1,200	107	110	0.09	B
3534110	66		SUMTER	55	2.77	CR 478 E (VIRGINIA AVE)	CR 707	CR 48 E	2	2	URBAN	UNDIVIDED	COUNTY	CENTER HILL	D	24,200	1,224	0.05	B	1,200	38	81	0.07	B	3.25%	24,200	1,436	0.06	B	1,200	45	95	0.08	B
3535100	70		SUMTER	55	3.67	CR 478 W	US 301/SR 35	CR 747	2	2	URBAN	UNDIVIDED	COUNTY	UNINCORPORATED SUMTER COUNTY	D	24,200	2,816	0.12	B	1,200	119	128	0.11	B	2.75%	24,200	3,225	0.13	B	1,200	136	147	0.12	B
3535110	68		SUMTER	55	1.26	CR 478 E	CR 747	SR 471	2	2	URBAN	UNDIVIDED	COUNTY	WEBSTER	D	24,200	375	0.02	B	1,200	35	18	0.03	B	1.00%	24,200	394	0.02	B	1,200	37	19	0.03	B
3537100	2020-18		SUMTER	45	1.39	CR 466	CR 475	CR 229	2	2	URBAN	UNDIVIDED	COUNTY	UNINCORPORATED SUMTER COUNTY	D	24,200	6,963	0.29	B	1,200	297	190	0.25	B	4.25%	24,200	8,574	0.35	B	1,200	366	234	0.31	B
3537120	49		SUMTER	55	2.20	CR 475 N	CR 466	MARION COUNTY BOUNDARY	2	2	URBAN	UNDIVIDED	COUNTY	UNINCORPORATED SUMTER COUNTY	D	24,200	7,106	0.29	B	1,200	350	308	0.29	B	4.50%	24,200	8,855	0.37	B	1,200	436	384	0.36	B
3537130	23		SUMTER	35	0.99	CR 466	CR 209	US 301/SR 35	2	2	URBAN	DIVIDED	COUNTY	WILDWOOD	D	14,763	9,970	0.68	D	713	362	477	0.67	D	3.00%	14,763	11,558	0.78	D	713	420	553	0.78	D
3537140	24	187004	SUMTER	45	0.27	CR 466	US 301/SR 35	CR 105	4	4	URBAN	DIVIDED	COUNTY	UNINCORPORATED SUMTER COUNTY	D	35,820	25,468	0.71	C	1,800	1,010	1,148	0.64	C	1.00%	35,820	26,767	0.75	C	1,800	1,062	1,207	0.67	C
3537150	25		SUMTER	45	0.78	CR 466	CR 103	CR 101	4	4	URBAN	DIVIDED	COUNTY	UNINCORPORATED SUMTER COUNTY	D	35,820	24,251	0.68	C	1,800	1,121	1,131	0.63	C	1.00%	35,820	25,488	0.71	C	1,800	1,178	1,189	0.66	C
3537160	27		SUMTER	45	2.30	CR 466	BUENA VISTA BLVD	MORSE BLVD	4	4	URBAN	DIVIDED	COUNTY	UNINCORPORATED SUMTER COUNTY	D	35,820	23,320	0.65	C	1,800	979	1,006	0.56

Sumter County CMP Database

SEGMENT ID	COUNTY STATION	FDOT STATION	DATA SOURCE	SPEED LIMIT	SEGMENT LENGTH (MI)	ROAD NAME	FROM	TO	LANES (2022)	LANES (2027)	URBAN / RURAL	DIVIDED / UNDIVIDED	MAINTAINING AGENCY	JURISDICTION	ADOPTED LOS STANDARD	DAILY SERVICE VOLUME	2022 AADT	2022 DAILY V/C	2022 DAILY LOS	PEAK HOUR DIRECTIONAL SERVICE VOLUME	2022 PEAK HOUR NB/EB VOLUME	2022 PEAK HOUR SB/WB VOLUME	2022 PEAK HOUR V/C	2022 PEAK HOUR LOS	GROWTH RATE	DAILY SERVICE VOLUME (2027)	2027 AADT	2027 DAILY V/C	2027 DAILY LOS	PEAK HOUR DIRECTIONAL SERVICE VOLUME (2027)	2027 PEAK HOUR NB/EB VOLUME	2027 PEAK HOUR SB/WB VOLUME	2027 PEAK HOUR V/C	2027 PEAK HOUR LOS
3542100	16		SUMTER	45	2.01	CR 462	CR 475	CR 229	2	2	URBAN	UNDIVIDED	COUNTY	UNINCORPORATED SUMTER COUNTY	D	24,200	844	0.03	B	1,200	19	72	0.06	B	1.00%	24,200	887	0.04	B	1,200	20	76	0.06	B
3542120	21		SUMTER	45	1.05	CR 462	CR 229	CR 223	2	2	URBAN	UNDIVIDED	COUNTY	UNINCORPORATED SUMTER COUNTY	D	24,200	1,651	0.07	B	1,200	66	104	0.09	B	1.00%	24,200	1,735	0.07	B	1,200	69	109	0.09	B
3542130	17		SUMTER	45	1.34	CR 462	CR 223	CR 209	2	2	URBAN	UNDIVIDED	COUNTY	UNINCORPORATED SUMTER COUNTY	D	24,200	2,842	0.12	B	1,200	111	250	0.21	B	3.00%	24,200	3,295	0.14	B	1,200	129	290	0.24	B
3542150	18		SUMTER	55	1.01	CR 462	CR 209	US 301/SR 35	2	2	URBAN	UNDIVIDED	COUNTY	WILDWOOD	D	24,200	3,348	0.14	B	1,200	112	286	0.24	B	1.00%	24,200	3,519	0.15	B	1,200	118	301	0.25	B
3543100	46		SUMTER	35	0.75	CR 472	US 301/SR 35	CR 117	2	2	URBAN	UNDIVIDED	COUNTY	WILDWOOD	D	14,060	6,086	0.43	C	713	329	218	0.46	C	3.25%	14,060	7,141	0.51	D	713	386	256	0.54	D
3545100	972210	972210	FDOT	70	3.35	SR 91/FLORIDAS TURNPIKE	SR 93/I-75	US 301/SR 35	4	4	RURAL	FREEWAY	STATE	WILDWOOD	C	48,000	42,410	0.88	C	2,770	2,654	1,799	0.96	C	1.00%	48,000	44,573	0.93	C	2,770	2,789	1,891	1.01	D
3545110	972200	972200	FDOT	70	7.32	SR 91/FLORIDAS TURNPIKE	US 301/SR 35	LAKE COUNTY BOUNDARY	4	4	RURAL	FREEWAY	STATE	WILDWOOD	C	48,000	46,882	0.98	C	2,770	2,609	2,314	0.94	C	1.00%	48,000	49,273	1.03	D	2,770	2,742	2,432	0.99	C
3546100	180208	180208	FDOT	70	1.78	SR 93/I-75	HERNANDO COUNTY BOUNDARY	CR 673	6	6	RURAL	FREEWAY	STATE	UNINCORPORATED SUMTER COUNTY	C	69,000	53,169	0.77	C	3,990	1,870	2,044	0.51	B	1.00%	69,000	55,881	0.81	C	3,990	1,965	2,148	0.54	B
3546120	180194	180194	FDOT	70	5.91	SR 93/I-75	CR 673	CR 48	6	6	RURAL	FREEWAY	STATE	BUSHNELL	C	69,000	53,464	0.77	C	3,990	2,508	2,378	0.63	B	1.25%	69,000	56,890	0.82	C	3,990	2,668	2,530	0.67	B
3546130	180358	180358	FDOT	70	6.43	SR 93/I-75	CR 48 (FLORIDA ST)	CR 470 E	6	6	RURAL	FREEWAY	STATE	BUSHNELL	C	69,000	55,771	0.81	C	3,990	3,145	2,711	0.79	C	2.75%	69,000	63,874	0.93	C	3,990	3,602	3,105	0.90	C
3546140	189920	189920	FDOT	70	7.71	SR 93/I-75	CR 470 E	SR 91/FLORIDAS TURNPIKE	6	6	RURAL	FREEWAY	STATE	UNINCORPORATED SUMTER COUNTY	C	69,000	54,359	0.79	C	3,990	3,054	2,654	0.77	C	1.00%	69,000	57,132	0.83	C	3,990	3,210	2,789	0.80	C
3546150	180186	180186	FDOT	70	0.82	SR 93/I-75	SR 91/FLORIDAS TURNPIKE	SR 44	6	6	RURAL	FREEWAY	STATE	UNINCORPORATED SUMTER COUNTY	C	69,000	91,014	1.32	E	3,990	5,122	4,434	1.28	E	1.00%	69,000	95,657	1.39	F	3,990	5,383	4,660	1.35	E
3546180	180188	180188	FDOT	70	6.37	SR 93/I-75	SR 44	MARION COUNTY BOUNDARY	6	6	RURAL	FREEWAY	STATE	UNINCORPORATED SUMTER COUNTY	C	69,000	70,250	1.02	D	3,990	3,954	3,423	0.99	C	1.00%	69,000	73,833	1.07	D	3,990	4,156	3,598	1.04	D
3547105	180209	180209	FDOT	45	0.51	US 27/US 441/SR 500	MARION COUNTY BOUNDARY	BUENOS AIRES BLVD	6	6	URBAN	DIVIDED	STATE	UNINCORPORATED SUMTER COUNTY	D	59,900	37,300	0.62	C	3,020	1,301	1,757	0.58	C	1.00%	59,900	39,203	0.65	C	3,020	1,367	1,847	0.61	C
3547120	180209	180209	FDOT	45	0.51	US 27/US 441/SR 500	BUENOS AIRES BLVD	MORSE BLVD	6	6	URBAN	DIVIDED	STATE	UNINCORPORATED SUMTER COUNTY	D	59,900	37,300	0.62	C	3,020	1,301	1,757	0.58	C	1.00%	59,900	39,203	0.65	C	3,020	1,367	1,847	0.61	C
3549100	60		SUMTER	55	1.34	CR 476 W	HERNANDO COUNTY BOUNDARY	CR 575	2	2	URBAN	UNDIVIDED	COUNTY	UNINCORPORATED SUMTER COUNTY	C	18,000	5,028	0.28	B	890	168	250	0.28	B	4.25%	18,000	6,191	0.34	B	890	207	308	0.35	B
3549110	61		SUMTER	45	2.01	CR 476 W	CR 575	CR 476B	2	2	URBAN	UNDIVIDED	COUNTY	UNINCORPORATED SUMTER COUNTY	C	18,000	5,905	0.33	B	890	180	310	0.35	B	3.25%	18,000	6,929	0.38	B	890	211	364	0.41	B
3549120	62		SUMTER	45	1.55	CR 476 W	CR 476B	CR 625	2	2	URBAN	UNDIVIDED	COUNTY	UNINCORPORATED SUMTER COUNTY	C	18,000	5,405	0.30	B	890	173	290	0.33	B	2.25%	18,000	6,041	0.34	B	890	193	324	0.36	B
3549130	56		SUMTER	45	1.82	CR 476 W	CR 625	CR 616	2	2	URBAN	UNDIVIDED	COUNTY	BUSHNELL	D	24,200	5,802	0.24	B	1,200	186	327	0.27	B	1.75%	24,200	6,328	0.26	B	1,200	203	357	0.30	B
3549140	63		SUMTER	45	2.34	CR 476 W	CR 616	US 301/SR 35	2	2	URBAN	UNDIVIDED	COUNTY	BUSHNELL	D	24,200	5,572	0.23	B	1,200	223	328	0.27	B	4.00%	24,200	6,779	0.28	B	1,200	271	399	0.33	B
3549160	54		SUMTER	30	0.27	CR 476 (SEMINOLE AVE)	US 301/SR 35	CR 48	2	2	URBAN	UNDIVIDED	COUNTY	BUSHNELL	D	10,360	5,832	0.56	D	525	220	355	0.68	D	5.00%	10,360	7,443	0.72	D	525	281	453	0.86	D
3550100	43		SUMTER	45	2.90	CR 470 N	CR 416 N	CR 479	2	2	URBAN	UNDIVIDED	COUNTY	UNINCORPORATED SUMTER COUNTY	D	24,200	6,930	0.29	B	1,200	405	198	0.34	B	1.00%	24,200	7,283	0.30	B	1,200	426	208	0.36	B
3550110	39		SUMTER	55	2.48	CR 470 E	SR 93/I-75	US 301/SR 35	2	2	URBAN	UNDIVIDED	COUNTY	UNINCORPORATED SUMTER COUNTY	D	24,200	17,029	0.70	C	1,200	685	685	0.57	C	1.50%	24,200	18,345	0.76	D	1,200	738	738	0.62	C
3551100	180201	180201	FDOT	45	1.15	SR 44	US 301/SR 35	CR 139	4	4	URBAN	DIVIDED	STATE	WILDWOOD	D	41,790	17,810	0.43	C	2,100	692	941	0.45	C	1.00%	41,790	18,718	0.45	C	2,100	727	989	0.47	C
3551130	180102	180102	FDOT	45	2.59	SR 44	CR 44A	US 301/SR 35	4	4	URBAN	DIVIDED	STATE	UNINCORPORATED SUMTER COUNTY	D	41,790	18,510	0.44	C	2,100	662	988	0.47	C	1.00%	41,790	19,454	0.47	C	2,100	696	1,038	0.49	C
3552100	180203	180203	FDOT	60	2.92	SR 44	CITRUS COUNTY BOUNDARY	CR 470 N	4	4	RURAL	DIVIDED	STATE	UNINCORPORATED SUMTER COUNTY	C	44,900	12,640	0.28	B	2,350	636	564	0.27	B	1.00%	44,900	13,285	0.30	B	2,350	668	593	0.28	B
3552110	180203: 180202	180203: 180202	FDOT	60	3.67	SR 44	CR 470 N	CR 475	4	4	RURAL	DIVIDED	STATE	UNINCORPORATED SUMTER COUNTY	C	44,900	11,690	0.26	B	2,350	589	522	0.25	B	1.00%	44,900	12,286	0.27	B	2,350	619	549	0.26	B
3552120	180202	180202	FDOT	60	1.73	SR 44	CR 475	SR 93/I-75	4	4	RURAL	DIVIDED	STATE	UNINCORPORATED SUMTER COUNTY	C	44,900	10,740	0.24	B	2,350	541	480	0.23	B	1.00%	44,900	11,288	0.25	B	2,350	569	504	0.24	B
3552130	180102	180102	FDOT	45	1.00	SR 44	SR 93/I-75	CR 44A	4	4	URBAN	DIVIDED	STATE	UNINCORPORATED SUMTER COUNTY	D	66,200	18,510	0.28	B	3,280	662	988	0.30	B	1.00%	66,200	19,454	0.29	B	3,280	696	1,038	0.32	B
3553100	2020-378		SUMTER	35	0.27	CR 48	CR 478 (VIRGINIA AVE)	CR 469	2	2	RURAL	UNDIVIDED	COUNTY	CENTER HILL	D	21,300	6,975	0.33	B	1,110	188	333	0.30	B	2.00%	21,300	7,701	0.36	B	1,110	208	368	0.33	B
3553130	71		SUMTER	30	0.51	CR 48 (FLORIDA ST)	US 301/SR 35 (NOBLE AVE)	CR 476 W	2	2	URBAN	UNDIVIDED	BUSHNELL	BUSHNELL	D	10,360	3,626	0.35	C	525	164	219	0.42	C	1.25%	10,360	3,858	0.37	C	525	175	233	0.44	C
3553140	37		SUMTER	55	2.75	CR 469	CR 728	CR 48 E	2	2	RURAL	UNDIVIDED	COUNTY	CENTER HILL	D	9,940	4,863	0.49	C	518	193	166	0.37	C	4.50%	9,940	6,060	0.61	C	518	241	207	0.47	C
3553150	38		SUMTER	55	2.90	CR 469	SR 50	CR 728	2	2	URBAN	UNDIVIDED	COUNTY	UNINCORPORATED SUMTER COUNTY	D	12,390	4,567	0.37	C	616	192	160	0.31	C	5.00%	12,390	5,829	0.47	C	616	245	204	0.40	C
3553160	72		SUMTER	35	0.59	CR 48	CR 476 W	CR 557	2	2	RURAL	UNDIVIDED	COUNTY	BUSHNELL	D	21,300	8,713	0.41	B	1,110	388	460	0.41	B	4.50%	21,300	10,858	0.51	C	1,110	484	573	0.52	C
3553170	75	187001	SUMTER	55	1.75	CR 48	CR 557	CR 747	2	2	RURAL	UNDIVIDED	COUNTY	BUSHNELL	D	21,300	8,341	0.39	B	1,110	339	452	0.41	B	4.00%	21,300	10,148	0.48	B	1,110	412	550	0.50	C
3553180	73	187001	SUMTER	45	1.26	CR 48	CR 747	SR 471	2	2	URBAN	UNDIVIDED	COUNTY	BUSHNELL	D	24,200	7,301	0.30	B	1,200	308	346	0.29	B	3.50%	24,200	8,671	0.36	B	1,200	366	411	0.34	B
3553190	76		SUMTER	55	1.45	CR 48	SR 471	CR 567	2	2	URBAN	UNDIVIDED	COUNTY	UNINCORPORATED SUMTER COUNTY	D	24,200	7,340	0.30	B	1,200	310	336	0.28	B	4.50%	24,200	9,147	0.38	B	1,200	386	419	0.35	B
3553200	77		SUMTER	55	1.82	CR 48	CR 567	CR 569 (NORTH AVE)	2	2	RURAL	UNDIVIDED	COUNTY	CENTER HILL	D	21,300	8,608	0.40	B	1,110	350	381	0.34	B	4.25%	21,300	10,599	0.50	C	1,110	431	469	0.42	B
3553210	77		ADJACENT	55	1.82	CR 48	CR 569 (NORTH AVE)	CR 478 (VIRGINIA AVE)	2	2	RURAL	UNDIVIDED	COUNTY	CENTER HILL	D	21,300	8,608	0.40	B	1,110	350	381	0.34	B	4.25%	21,300	10,599	0.50	C	1,110	431	469	0.42	B
3554120	180016: 180009	180016: 180009	FDOT	40	1.00	SR 48 (CR 48 W)	CR 609	CR 311 (N WEST ST)	4	4	RURAL	DIVIDED	STATE	BUSHNELL	D	30,400	12,055	0.40	C	1,580	594	527	0.38	C	1.75%	30,400	13,147	0.43	C	1,580	648	575	0.41	C
3554130	174	180009	SUMTER	40	0.52	SR 48 (CR 48 W)	CR 311 (N WEST ST)	CR 475 S (MAIN ST)	4	4	RURAL	DIVIDED	STATE	BUSHNELL	D	30,400	13,215	0.43	C	1,580	578	554	0.37	C	1.00%	30,400	13,889	0.46	C	1,580	607	582	0.38	C
3554140	175	180207	FDOT	40	0.25	SR 48 (MAIN ST N)	US 301/SR 35	SR 48	4	4	URBAN	UNDIVIDED	STATE	BUSHNELL	D	39,800	12,551	0.32	C	2,000	450	627	0.31	C	5.75%	39,800	16,599	0.42	C	2,000	595	829	0.41	C
3555100	80		SUMTER	45	0.54	CR 48	CITRUS COUNTY BOUNDARY	CR 575	2	2	RURAL	UNDIVIDED	COUNTY	UNINCORPORATED SUMTER COUNTY	C	8,600	4,814	0.56	C	450	158	239	0.53	B	1.00%	8,600	5,060	0.59	C	450	166	251	0.56	C
3555110	74		SUMTER	45	5.16	CR 48	CR 575	CR 625	2	2	RURAL	UNDIVIDED	COUNTY	UNINCORPORATED SUMTER COUNTY	C	8,600	5,671	0.66	C	450	283	214	0.63	C	2.75%	8,600	6,495	0.76	C	450	324	245	0.72	C
3555120	81		SUMTER	45	1.77	CR 48	CR 625	CR 616	2	2	URBAN	UNDIVIDED	COUNTY	BUSHNELL	D	24,200	6,286	0.26	B	1,200	231	320	0.27	B	2.50%	24,200	7,112	0.29	B	1,200	261	362	0.30	B
3555130	2020-105		SUMTER	45	0.48	CR 48	CR 616	CR 313	4	4	URBAN	DIVIDED	COUNTY	BUSHNELL	D	35,820	7,398	0.21	C	1,800	349	346	0.19	C	1.00%	35,820	7,775	0.22	C	1,800	367	364	0.20	C
3556100	78		SUMTER	35	2.93	CR 48	CR 469	CR 558	2	2	URBAN	UNDIVIDED	COUNTY	CENTER HILL	D	24,200	5,600	0.23	B	1,200	174	299	0.25	B	1.25%	24,200	5,959	0.25	B	1,200	185	318	0.27	B
3556110	79		SUMTER	55	0.20	CR 48	CR 558	LAKE COUNTY BOUNDARY	2	2	URBAN	UNDIVIDED	COUNTY	UNINCORPORATED SUMTER COUNTY	D	24,200	4,221	0.17	B	1,200	118	231	0.19	B	2.00%	24,200	4,660	0.19	B	1,200	130	255	0.21	B
3557110	36		SUMTER	45	1.02	CR 468 (WARM SPRINGS AVE)	US 301/SR 35	CR 513	4	4	RURAL	DIVIDED	COUNTY	WILDWOOD	D	27,360	11,776	0.43	C	1,422	477	568	0.40	C	5.75%	27,360	15,574	0.57	C	1,422	631	751	0.53	C
3557120	2020-52		SUMTER	55	1.74	CR 468 (WARM SPRINGS AVE)	CR 513	CR 501	4	4	RURAL	DIVIDED	COUNTY	WILDWOOD	D	27,360	15,107	0.55	C	1,422	378	548	0.39	C	7.75%	27,360	21,941	0.80	C	1,422	549	796	0.56	C
3557130	35		SUMTER	55	2.00	CR 468	CR 501	SANDALWOOD DR	4	4	RURAL	DIVIDED	COUNTY	UNINCORPORATED SUMTER COUNTY	D	28,880	24,291	0.84	C	1,501	1,092	1,078	0.73	C	2.00%	28,880	26,819	0.93	C	1,501	1,206	1,190	0.80	C
3557140	34		SUMTER	45	0.90	CR 468 (WARM SPRINGS AVE)	SANDALWOOD DR	SR 44	4	4	URBAN	DIVIDED	COUNTY	WILDWOOD	D	37,810	24,892	0.66	C	1,900	1,125	1,003	0.59	C	7.00%	37,810	34,912	0.92	C	1,900	1,578	1,407	0.83	C
3558110	180061	180061	FDOT	35	0.26	SR 471	CR 478 E (S)	CR 478 E (N)	2	2	URBAN	UNDIVIDED	STATE	WEBSTER	D	24,200	7,631	0.32	B	1,200	384	341	0.32	B	1.00%	24,200	8,021	0.33	B	1,200	404	358	0.34	B
3558120	181001	181001	FDOT	35	1.26	SR 471	CR 478 (N)	CR 722	2	2	URBAN	UNDIVIDED	STATE	WEBSTER	D	24,200	7,400	0.31	B	1,200	373	330	0.31	B	1.00%	24,200	7,777	0.32	B	1,200	392	347	0.33	B
3558140	181001	181001	FDOT	55	1.26	SR 471	CR 722	CR 48 E	2	2	URBAN	UNDIVIDED	STATE	UNINCORPORATED SUMTER COUNTY	D	24,200	7,400	0.31	B	1,200	373	330	0.31	B	1.00%	24,200	7,777	0.32	B	1,200	392	347	0.33	B
3558150	181003	181003	FDOT	55	1.01	SR 471	CR 48 E	CR 476	2	2	URBAN	UNDIVIDED	STATE	UNINCORPORATED SUMTER COUNTY	D	24,200	7,220	0.30	B	1,200	255	340	0.28	B	4.75%	24,200	9,106	0.38	B	1,200	322	429	0.36	B
3558170	180020	180020	FDOT	55	2.27	SR 471	SR 50	CR 721	2	2	RURAL	UNDIVIDED	STATE	UNINCORPORATED SUMTER COUNTY	C	8,600	6,250	0.73	C	450	315	279	0.70	C	2.75%	8,600	7,158	0.83	C	450	361	320	0.80	C
3558180	180061	180061	FDOT	55	1.01	SR 471	CR 721	CR 478A	2	2	URBAN	UNDIVIDED	STATE	UNINCORPORATED SUMTER COUNTY	D	24,200	7,631	0.32	B	1,200	384	341	0.32	B	1.00%	24,200	8,021	0.33	B	1,200	404	358	0.34	B
3558190	180061	180061	FDOT	35	0.50	SR 471	CR 478A	CR 478 E (S)	2	2	URBAN	UNDIVIDED	STATE	WEBSTER	D	24,200	7,631	0.32	B	1,200	384	341	0.32	B	1.00%	24,200	8,021	0.33	B	1,200	404	358	0.34	B
3559100	180204	180204	FDOT	60	2.40	SR 50	HERNANDO COUNTY BOUNDARY	CR 478A	2	4	RURAL	UNDIVIDED	STATE	UNINCORPORATED SUMTER COUNTY	C	8,600	7,020	0.82	C	450	274	290	0.64	C	1.00%	44,900	7,378	0.16	B	2,350	288	305	0.13	B
3559110	180021	180021	FDOT	60	1.77	SR 50	CR 478A	SR 471	2	2	RURAL	UNDIVIDED	STATE	UNINCORPORATED SUMTER COUNTY	C	8,600	6,890	0.80	C	450	347	308	0.77	C	1.00%	8,600	7,241	0.84	C	450	365	324	0.81	C
3560110	180118	180118	FDOT	55	6.08	SR 50	SR 471	CR 469	2	2	RURAL	UNDIVIDED	STATE	UNINCORPORATED SUMTER COUNTY	C	8,600	7,990	0.93	C	450	287	369	0.82	C	1.00%	8,600	8,398	0.98	C	450	302	388	0.86	C
3560120	180017	180017	FDOT	55	0.35	SR 50	CR 469	LAKE COUNTY BOUNDARY	2	2	RURAL	UNDIVIDED	STATE	UNINCORPORATED SUMTER COUNTY	C	8,600	10,357	1.20	D	450	521	462	1.16	D	1.00%	8,600	10,885	1.27	D	450	548	486	1.22	D
4000100	92		SUMTER	35	1.46	CR 102	US 301/SR 35	CR 101	2	2	URBAN	UNDIVIDED	COUNTY	UNINCORPORATED SUMTER COUNTY	D	24,200	1,256	0.05	B	1,200	33	89	0.07	B	5.00%	24,200	1,603	0.07	B	1,200	42	114	0.10	B
4002000	91		SUMTER	35	1.97	CR 101	WOODRIDGE DR	CR 102	2	2	URBAN	UNDIVIDED	COUNTY	UNINCORPORATED SUMTER COUNTY	D	24,200	4,597	0.19	B	1,200	316	146	0.26	B	4.25%	24,200	5,661	0.23	B	1,200	389	180	0.32	B
4008000	107	-	SUMTER	40	1.75	CR 237	CR 222	CR 466	2	2	URBAN	UNDIVIDED	COUNTY	UNINCORPORATED SUMTER COUNTY	D	12,390	560	0.05	C	616	43	25	0.07	C	5.00%	12,390	715	0.06	C	616	55	32	0.09	C
4009000	109	188030	FDOT	45	0.26	MARSH BEND TRAIL / CR 501	CR 470E	CR 500	2	2	URBAN	UNDIVIDED	COUNTY	WILDWOOD	D	12,390	6,079	0.49	C	616	288	278	0.47	C	5.00%	41,930	7,759	0.19	C	2,114	368	355	0.17	C
5000000	136		SUMTER	35	0.51	BUENA VISTA BLVD	EL CAMINO REAL	MARION COUNTY BOUNDARY	4	4	URBAN	DIVIDED	COUNTY	UNINCORPORATED SUMTER COUNTY	D	29,160	14,555	0.50	D	1,467	706	666	0.48	D	1.00%	29,160	15,297	0.52	D	1,467	742	700	0.51	D
5000110	10		SUMTER	30	0.29	BUENOS AIRES BLVD	EL CAMINO REAL	US 27/US 441/SR 500	4	4	URBAN	UNDIVIDED	COUNTY	UNINCORPORATED SUMTER COUNTY	D	29,160	9,956	0.34	C	1,467	429	548	0.37	C	1.00%	29,160	10,464	0.36	C	1,467	451	576	0.39	C
5000300	128		SUMTER	35	0.54	EL CAMINO REAL	BUENA VISTA BLVD	ENRIQUE DR	4	4	URBAN	DIVIDED	COUNTY	UNINCORPORATED SUMTER COUNTY	D	29,160	15,151	0.52	D	1,467	703	770	0.52	D	1.00%	29,160	15,924	0.55	D	1,467	739	809	0.55	D
5000390	127		SUMTER	35	1.83	EL CAMINO REAL	ENRIQUE DR	BUENOS AIRES BLVD	4	4	URBAN	DIVIDED	COUNTY	UNINCORPORATED SUMTER COUNTY	D	29,160	16,992	0.58	D	1,467	807	827	0.56	D	1.00%	29,160	17,859	0.61	D	1,467	848	869	0.59	D
5000420	138		SUMTER	35	1.82	MORSE BLVD N	RIO GRANDE AVE	EL CAMINO REAL	2	2	URBAN	UNDIVIDED	COUNTY	UNINCORPORATED SUMTER COUNTY	F	N/A	10,260	0.01	D	N/A	472	502	N/A	D	1.00%	N/A	10,783	N/A	E	N/A	496	528	N/A	E
5000430	137		SUMTER	35	1.00	MORSE BLVD N	CR 466	RIO GRANDE AVE	2	2	URBAN	UNDIVIDED	COUNTY	UNINCORPORATED SUMTER COUNTY	F	N/A	16,966	0.02	F	N/A	782	827	N/A	F	1.00%	N/A	17,831	N/A	F	N/A	822	869	N/A	F
5000500	151		SUMTER	25	0.32	RIO GRANDE AVE	MORSE BLVD N	LAKE COUNTY BOUNDARY	2	2	URBAN	UNDIVIDED	COUNTY	UNINCORPORATED SUMTER COUNTY	D	10,360	7,804	0.75	D	525	379	418	0.80	D	1.00%	10,360	8,202	0.79	D	525	398	439	0.84	D
5000700	125		SUMTER	20	0.29	EL CAMINO REAL/PAIGE PLACE	MORSE BLVD N	LAKE COUNTY BOUNDARY	2	2	URBAN	DIVIDED	COUNTY	UNINCORPORATED SUMTER COUNTY	D	14,763	11,224	0.76	D	713	540	548	0.77	D	1.00%	14,763	11,797	0.80	D	713	568	576	0.81	D
5999990	126		SUMTER	35	0.59	EL CAMINO REAL	BUENOS AIRES BLVD	MORSE BLVD (N)	4	4	URBAN	DIVIDED	COUNTY	UNINCORPORATED SUMTER COUNTY	D	29,160	11,556	0.40	C	1,467	506	567	0.39	C	1.00%	29,160	12,145	0.42	C	1,467	532	596	0.41	C
6000001	154		SUMTER	55	0.22	MORSE BLVD S	SR 44	KRISTINE WAY	4	4	URBAN	DIVIDED	COUNTY	UNINCORPORATED SUMTER COUNTY	D	35,820	16,624	0.46	C	1,800	734	772	0.43	C	8.75%	35,820	25,286	0.71	C	1,800	1,116	1,174	0.65	C
6000002	155		SUMTER	55	1.63	MORSE BLVD S	KRISTINE WAY	HILLSBOROUGH TRL	4	4	URBAN	DIVIDED	COUNTY	UNINCORPORATED SUMTER COUNTY	D	35,820	19,101	0.53	C	1,800	826	929	0.52	C	5.25%	35,820	24,670	0.69	C	1,800	1,067	1,200	0.67	C
6000003	132		SUMTER	35	0.96	MORSE BLVD	HILLSBOROUGH TRL	PINELLAS PL	4	4	URBAN	DIVIDED	COUNTY	UNINCORPORATED SUMTER COUNTY	D	29,160	16,973	0.58	D	1,467	780	825	0.56	D	4.25%	29,160	20,900	0.72	D	1,467	960	1,016	0.69	D
6000004	133		SUMTER	35	0.36	MORSE BLVD	PINELLAS PL	CR 466A	4	4	URBAN	DIVIDED	COUNTY	UNINCORPORATED SUMTER COUNTY	D	29,160	17,949	0.62	D	1,467	825	888	0.61	D	1.00%	29,160	18,865	0.65	D	1,467	867	933	0.64	D
6000005	158		SUMTER	35	0.39	BUENA

Sumter County CMP Database

SEGMENT ID	COUNTY STATION	FDOT STATION	DATA SOURCE	SPEED LIMIT	SEGMENT LENGTH (MI)	ROAD NAME	FROM	TO	LANES (2022)	LANES (2027)	URBAN / RURAL	DIVIDED / UNDIVIDED	MAINTAINING AGENCY	JURISDICTION	ADOPTED LOS STANDARD	DAILY SERVICE VOLUME	2022 AADT	2022 DAILY V/C	2022 DAILY LOS	PEAK HOUR DIRECTIONAL SERVICE VOLUME	2022 PEAK HOUR NB/EB VOLUME	2022 PEAK HOUR SB/WB VOLUME	2022 PEAK HOUR V/C	2022 PEAK HOUR LOS	GROWTH RATE	DAILY SERVICE VOLUME (2027)	2027 AADT	2027 DAILY V/C	2027 DAILY LOS	PEAK HOUR DIRECTIONAL SERVICE VOLUME (2027)	2027 PEAK HOUR NB/EB VOLUME	2027 PEAK HOUR SB/WB VOLUME	2027 PEAK HOUR V/C	2027 PEAK HOUR LOS
6000065	85		SUMTER	30	0.97	CANAL ST	BONITA BLVD	ODELL CIR (N)	2	2	URBAN	UNDIVIDED	COUNTY	UNINCORPORATED SUMTER COUNTY	D	13,320	6,251	0.47	C	675	287	332	0.49	C	1.50%	13,320	6,734	0.51	D	675	309	358	0.53	D
6000070	2020-198		SUMTER	35	0.76	CANAL ST	ODELL CIR N	STILLWATER TRL	2	2	URBAN	UNDIVIDED	COUNTY	UNINCORPORATED SUMTER COUNTY	D	13,320	5,804	0.44	C	675	258	274	0.41	C	2.50%	13,320	6,567	0.49	C	675	292	310	0.46	C
6000080	0		NO COUNT	25	0.62	CHURCHILL DOWNS	BELEVEDERE BLVD	MORVEN PARKWAY	2	2	URBAN	UNDIVIDED	COUNTY	UNINCORPORATED SUMTER COUNTY	D	13,320	-	-	-	675	-	-	-	-	-	13,320	-	-	-	675	-	-	-	-
6000085	89		SUMTER	35	2.00	NE 90TH ST (CR 100)	TERMINUS (LAKE ELLA RD)	CR 466	2	2	URBAN	UNDIVIDED	COUNTY	UNINCORPORATED SUMTER COUNTY	D	10,360	3,362	0.32	C	525	137	162	0.31	C	7.25%	10,360	4,771	0.46	C	525	194	230	0.44	C
6000090	188040	188040	FDOT	35	0.23	LYNNHAVEN LN	CR 472	CHURCHILL DOWNS	2	2	URBAN	UNDIVIDED	COUNTY	UNINCORPORATED SUMTER COUNTY	D	13,320	1,920	0.14	C	675	164	149	0.24	C	1.00%	13,320	2,018	0.15	C	675	172	157	0.25	C
6000095	0		NO COUNT	35	0.30	LYNNHAVEN LN	CHURCHILL DOWNS	BELVEDERE BLVD	2	2	URBAN	UNDIVIDED	COUNTY	UNINCORPORATED SUMTER COUNTY	D	13,320	-	-	-	675	-	-	-	-	-	13,320	-	-	-	675	-	-	-	-
6000100	145		SUMTER	25	0.44	ODELL CIR	BUENA VISTA BLVD S	BACKWATER WAY	2	2	URBAN	UNDIVIDED	COUNTY	UNINCORPORATED SUMTER COUNTY	D	13,320	6,500	0.49	C	675	296	396	0.59	D	1.00%	13,320	6,832	0.51	D	675	311	416	0.62	D
6000105	143		SUMTER	35	0.38	ODELL CIR	CANAL ST S	ARVIN LN	2	2	URBAN	UNDIVIDED	COUNTY	UNINCORPORATED SUMTER COUNTY	D	13,320	7,015	0.53	D	675	379	366	0.56	D	1.00%	13,320	7,373	0.55	D	675	398	385	0.59	D
6000110	141		SUMTER	25	0.51	ODELL CIR	MORSE BLVD N (S)	STILLWATER TRL	2	2	URBAN	UNDIVIDED	COUNTY	UNINCORPORATED SUMTER COUNTY	D	13,320	6,191	0.46	C	675	278	352	0.52	D	1.00%	13,320	6,507	0.49	C	675	292	370	0.55	D
6000115	146		SUMTER	30	1.55	ODELL CIR	STILLWATER TRL	MORSE BLVD N (N)	2	2	URBAN	UNDIVIDED	COUNTY	UNINCORPORATED SUMTER COUNTY	D	13,320	11,040	0.83	D	675	574	578	0.86	D	1.75%	13,320	12,040	0.90	D	675	626	630	0.93	D
6000120	140		SUMTER	30	0.31	ODELL CIR	MORSE BLVD N	CANAL ST (N)	2	2	URBAN	UNDIVIDED	COUNTY	UNINCORPORATED SUMTER COUNTY	D	13,320	5,173	0.39	C	675	293	256	0.43	C	1.00%	13,320	5,437	0.41	C	675	308	269	0.46	C
6000125	139		SUMTER	30	0.36	ODELL CIR	CANAL ST	BUENA VISTA BLVD (N)	2	2	URBAN	UNDIVIDED	COUNTY	UNINCORPORATED SUMTER COUNTY	D	13,320	4,669	0.35	C	675	265	268	0.40	C	1.00%	13,320	4,907	0.37	C	675	279	282	0.42	C
6000130	180		SUMTER	20	0.39	STILLWATER TRL	CANAL ST	MORSE BLVD	4	4	URBAN	DIVIDED	COUNTY	UNINCORPORATED SUMTER COUNTY	D	29,160	10,488	0.36	C	1,467	459	539	0.37	C	1.00%	29,160	11,023	0.38	C	1,467	482	566	0.39	C
6000135	179		SUMTER	35	0.35	STILLWATER TRL	BUENA VISTA BLVD	CANAL ST	4	4	URBAN	DIVIDED	COUNTY	UNINCORPORATED SUMTER COUNTY	D	29,160	10,322	0.35	C	1,467	459	516	0.35	C	1.00%	29,160	10,849	0.37	C	1,467	482	542	0.37	C
6000145	98		SUMTER	35	0.51	CR 139 (POWELL RD)	SR 44	CR 44A	4	4	URBAN	DIVIDED	COUNTY	WILDWOOD	D	30,780	12,446	0.40	C	1,549	482	629	0.41	C	4.50%	30,780	15,510	0.50	D	1,549	601	784	0.51	D
32230001	114		SUMTER	40	0.63	CR 673	CR 674	US 301/SR 35	2	2	RURAL	UNDIVIDED	COUNTY	UNINCORPORATED SUMTER COUNTY	C	15,700	2,532	0.16	B	820	103	125	0.15	B	3.00%	15,700	2,935	0.19	B	820	119	145	0.18	B
32531601	180088	180088	FDOT	50	5.60	US 301/SR 35	CR 542	CR 470 E (S)	2	2	URBAN	UNDIVIDED	STATE	UNINCORPORATED SUMTER COUNTY	D	24,200	4,850	0.20	B	1,200	244	217	0.20	B	1.00%	24,200	5,097	0.21	B	1,200	256	228	0.21	B
32531602	180001 180042	180001 180042	FDOT	55	1.36	US 301/SR 35	CR 476 (NOBLE AVE)	CR 542	2	2	URBAN	UNDIVIDED	STATE	BUSHNELL	D	14,160	4,160	0.29	C	704	210	186	0.30	C	1.00%	14,160	4,372	0.31	C	704	220	195	0.31	C
32532601	185008	185008	FDOT	40	1.28	US 301/SR 35	CR 466A (CLEVELAND AVE)	CR 462 (S)	4	4	URBAN	DIVIDED	STATE	WILDWOOD	D	39,800	30,650	0.77	C	2,000	1,249	1,093	0.62	C	7.25%	39,800	43,493	1.09	F	2,000	1,772	1,551	0.89	C
32533001	180210	180210	FDOT	45	1.26	US 301/SR 35	CR 472	CR 466	4	4	URBAN	DIVIDED	STATE	WILDWOOD	D	41,790	31,100	0.74	C	2,100	1,311	1,013	0.62	C	2.75%	41,790	35,618	0.85	C	2,100	1,501	1,160	0.71	C
32533101	180100	180100	FDOT	45	0.75	US 301/SR 35	CR 466	CR 204	4	4	URBAN	DIVIDED	STATE	WILDWOOD	D	39,800	19,580	0.49	C	2,000	1,173	729	0.59	C	1.00%	39,800	20,579	0.52	C	2,000	1,233	766	0.62	C
32533102	180100	180100	FDOT	45	1.52	US 301/SR 35	CR 204	MARION COUNTY BOUNDARY	4	4	URBAN	DIVIDED	STATE	WILDWOOD	D	39,800	19,580	0.49	C	2,000	1,173	729	0.59	C	1.00%	39,800	20,579	0.52	C	2,000	1,233	766	0.62	C
33000001	163		SUMTER	20	0.33	BUENA VISTA BLVD	BELVEDERE BLVD	TALL TREES LN	4	4	URBAN	DIVIDED	COUNTY	UNINCORPORATED SUMTER COUNTY	D	29,160	18,280	0.63	D	1,467	955	845	0.65	D	1.00%	29,160	19,212	0.66	D	1,467	1,004	888	0.68	D
33000002	162		SUMTER	35	0.23	BUENA VISTA BLVD	TALL TREES LN	LAUREL MANOR DR	4	4	URBAN	DIVIDED	COUNTY	UNINCORPORATED SUMTER COUNTY	D	29,160	18,301	0.63	D	1,467	914	814	0.62	D	1.50%	29,160	19,715	0.68	D	1,467	985	877	0.67	D
33000003	156		SUMTER	35	0.15	BUENA VISTA BLVD	LAUREL MANOR DR	CR 466	4	4	URBAN	DIVIDED	COUNTY	UNINCORPORATED SUMTER COUNTY	D	29,160	15,658	0.54	D	1,467	725	729	0.50	D	1.00%	29,160	16,457	0.56	D	1,467	762	766	0.52	D
35270001	188014	188014	FDOT	55	2.45	CR 470 E	US 301/SR 35	NE 50TH WAY	2	0	URBAN	UNDIVIDED	COUNTY	UNINCORPORATED SUMTER COUNTY	D	24,200	8,380	0.35	B	1,200	422	374	0.35	B	2.25%	0	9,366	-	-	0	472	418	-	-
35270002	40		SUMTER	55	1.49	CR 470 E	NE 50TH WAY	CR 501	2	0	URBAN	UNDIVIDED	COUNTY	WILDWOOD	D	24,200	15,678	0.65	C	1,200	647	465	0.54	C	5.50%	0	20,491	-	-	0	846	608	-	-
35270003	41		SUMTER	55	2.56	CR 470 E	CR 501	LAKE COUNTY BOUNDARY	2	0	URBAN	UNDIVIDED	COUNTY	WILDWOOD	D	24,200	15,563	0.64	C	1,200	691	529	0.58	C	5.50%	0	20,340	-	-	0	903	691	-	-
35281102	12		SUMTER	35	1.54	CR 44A	SR 44 W	CR 213	2	2	URBAN	UNDIVIDED	COUNTY	UNINCORPORATED SUMTER COUNTY	D	24,200	1,599	0.07	B	1,200	65	103	0.09	B	7.50%	24,200	2,296	0.09	B	1,200	93	148	0.12	B
35281103	2020-1100		WILDWOOD	35	1.13	CR 44A	CR 213	US 301/SR 35	2	2	URBAN	UNDIVIDED	COUNTY	WILDWOOD	D	24,200	16,341	0.68	C	1,200	406	725	0.60	C	8.00%	24,200	24,010	0.99	D	1,200	597	1,065	0.89	D
35281301	13	-	SUMTER	35	0.52	CR 44A	CR 139	BUENA VISTA BLVD	4	4	URBAN	DIVIDED	COUNTY	WILDWOOD	D	30,780	7,827	0.25	C	1,549	307	374	0.24	C	1.00%	30,780	8,226	0.27	C	1,549	323	393	0.25	C
35281302	14		SUMTER	25	2.80	CR 44A	BUENA VISTA BLVD	SR 44 (E)	2	2	URBAN	UNDIVIDED	COUNTY	UNINCORPORATED SUMTER COUNTY	D	24,200	3,155	0.13	B	1,200	119	174	0.15	B	9.25%	24,200	4,910	0.20	B	1,200	185	271	0.23	B
35310001	187006	187006	SUMTER	35	0.43	CR 475 S (MAIN STREET)	SR 48 W	JUMPER DR S	4	4	URBAN	UNDIVIDED	COUNTY	BUSHNELL	D	30,780	6,470	0.21	C	1,549	326	289	0.21	C	1.00%	30,780	6,800	0.22	C	1,549	343	304	0.22	C
35310002	52		SUMTER	45	0.57	CR 475 S (MAIN STREET)	JUMPER DR S	CR 542 W	4	4	URBAN	UNDIVIDED	COUNTY	BUSHNELL	D	37,810	5,951	0.16	C	1,900	286	258	0.15	C	1.00%	37,810	6,255	0.17	C	1,900	301	271	0.16	C
35310003	51	-	CONSTRUCTION	55	1.27	CR 475 S (MAIN STREET)	CR 542 W	CR 532 W	2	2	URBAN	UNDIVIDED	COUNTY	BUSHNELL	D	24,200	5,681	0.23	B	1,200	308	223	0.26	B	2.25%	24,200	6,350	0.26	B	1,200	344	249	0.29	B
35310004	50	-	CONSTRUCTION	55	3.69	CR 475 S (MAIN STREET)	CR 532 W	CR 470 E	2	2	URBAN	UNDIVIDED	COUNTY	BUSHNELL	D	24,200	5,297	0.22	B	1,200	314	214	0.26	B	2.25%	24,200	5,920	0.24	B	1,200	351	239	0.29	B
35320001	84	188011	FDOT	55	1.60	CR 575	CR 476	CR 663	2	2	RURAL	UNDIVIDED	COUNTY	UNINCORPORATED SUMTER COUNTY	C	15,700	1,053	0.07	B	820	42	61	0.07	B	1.00%	15,700	1,107	0.07	B	820	44	64	0.08	B
35331101	29		SUMTER	45	0.75	CR 466A	CR 462/CR 139	CR 133 (NE 57TH Dr)	4	4	URBAN	DIVIDED	COUNTY	WILDWOOD	D	37,810	26,935	0.71	C	1,900	1,095	1,277	0.67	C	4.50%	37,810	33,566	0.89	C	1,900	1,365	1,591	0.84	C
35331102	30		SUMTER	45	0.68	CR 466A	CR 133 (NE 57TH DR)	BUENA VISTA BLVD	4	4	URBAN	DIVIDED	COUNTY	WILDWOOD	D	37,810	28,605	0.76	C	1,900	1,270	1,305	0.69	C	3.75%	37,810	34,386	0.91	C	1,900	1,527	1,569	0.83	C
35331103	31		ADJACENT	45	1.07	CR 466A	BUENA VISTA BLVD	CANAL ST	4	4	URBAN	DIVIDED	COUNTY	UNINCORPORATED SUMTER COUNTY	D	37,810	19,155	0.51	C	1,900	879	858	0.46	C	1.00%	37,810	20,132	0.53	C	1,900	924	902	0.49	C
35331104	31		SUMTER	45	1.07	CR 466A	CANAL ST	MORSE BLVD	4	4	URBAN	DIVIDED	COUNTY	UNINCORPORATED SUMTER COUNTY	D	37,810	19,155	0.51	C	1,900	879	858	0.46	C	1.00%	37,810	20,132	0.53	C	1,900	924	902	0.49	C
35331105	32	187031	SUMTER	45	0.61	CR 466A	MORSE BLVD	LAKE COUNTY BOUNDARY	4	4	URBAN	DIVIDED	COUNTY	UNINCORPORATED SUMTER COUNTY	D	37,810	21,232	0.56	C	1,900	785	1,026	0.54	C	1.00%	37,810	22,315	0.59	C	1,900	825	1,078	0.57	C
35371401	2020-25		SUMTER	45	0.25	CR 466	CR 105	CR 103	4	4	URBAN	DIVIDED	COUNTY	UNINCORPORATED SUMTER COUNTY	D	35,820	20,116	0.56	C	1,800	848	1,000	0.56	C	1.00%	35,820	21,142	0.59	C	1,800	891	1,051	0.58	C
35380001	58		SUMTER	45	1.55	CR 476	CR 476 E	CR 476 W	2	2	URBAN	UNDIVIDED	COUNTY	UNINCORPORATED SUMTER COUNTY	C	18,000	2,299	0.13	B	890	141	70	0.16	B	1.00%	18,000	2,416	0.13	B	890	148	74	0.17	B
35411002	187003	187003	FDOT	45	1.14	CR 462	CR 121	CR 134	2	2	URBAN	UNDIVIDED	COUNTY	UNINCORPORATED SUMTER COUNTY	F	N/A	11,070	0.01	B	N/A	528	468	N/A	B	5.75%	N/A	14,640	N/A	C	N/A	698	619	N/A	C
35411003	20		SUMTER	45	0.50	CR 462	CR 134	CR 466A	2	2	URBAN	UNDIVIDED	COUNTY	WILDWOOD	F	N/A	13,377	0.01	C	N/A	733	433	N/A	C	4.50%	N/A	16,670	N/A	C	N/A	913	540	N/A	D
35411101	2020-12	-	SUMTER	35	0.85	CR 462	CR 131	CR 121	2	2	URBAN	UNDIVIDED	COUNTY	WILDWOOD	F	N/A	14,230	0.01	C	N/A	2,265	2,671	N/A	F	5.00%	N/A	18,161	N/A	D	N/A	2,891	3,409	N/A	F
35431101	2020-800		WILDWOOD	35	0.93	CR 472	CR 117	LYNN HAVEN LN	2	2	URBAN	UNDIVIDED	COUNTY	UNINCORPORATED SUMTER COUNTY	D	14,060	7,718	0.55	D	713	271	372	0.52	D	4.75%	14,060	9,733	0.69	D	713	342	469	0.66	D
35431102	47		SUMTER	35	0.82	CR 472	LYNN HAVEN LN	BUENA VISTA BLVD	2	2	URBAN	UNDIVIDED	COUNTY	UNINCORPORATED SUMTER COUNTY	D	13,320	7,136	0.54	D	675	278	365	0.54	D	2.75%	13,320	8,173	0.61	D	675	318	418	0.62	D
35480001	180197	180197	FDOT	60	16.73	SR 471	POLK COUNTY BOUNDARY	SR 50	2	2	RURAL	UNDIVIDED	STATE	UNINCORPORATED SUMTER COUNTY	C	8,600	4,080	0.47	B	450	156	170	0.38	B	4.25%	8,600	5,024	0.58	C	450	192	209	0.46	B
35501001	42		SUMTER	35	1.78	CR 470 N	CR 479	SR 93/I-75	2	2	URBAN	UNDIVIDED	COUNTY	UNINCORPORATED SUMTER COUNTY	D	24,200	8,454	0.35	B	1,200	494	249	0.41	B	1.00%	24,200	8,885	0.37	B	1,200	519	262	0.43	B
35511201	180201	180201	FDOT	45	0.63	SR 44	CR 139	BUENA VISTA BLVD	4	4	URBAN	DIVIDED	STATE	WILDWOOD	D	41,790	17,810	0.43	C	2,100	692	941	0.45	C	1.00%	41,790	18,718	0.45	C	2,100	727	989	0.47	C
35511202	180005	180005	FDOT	55	2.94	SR 44	BUENA VISTA BLVD	CR 468	4	4	URBAN	DIVIDED	STATE	UNINCORPORATED SUMTER COUNTY	D	41,790	21,620	0.52	C	2,100	1,031	915	0.49	C	1.50%	41,790	23,291	0.56	C	2,100	1,111	986	0.53	C
35541001	82		SUMTER	45	0.18	CR 48 (FLORIDA ST)	CR 313	SR 93/I-75	4	4	URBAN	DIVIDED	COUNTY	BUSHNELL	D	37,810	18,941	0.50	C	1,900	641	628	0.34	C	6.25%	37,810	25,648	0.68	C	1,900	868	850	0.46	C
35541002	173	180016	SUMTER	40	0.32	SR 48 (CR 48 W)	SR 93/I-75	CR 609	4	4	RURAL	DIVIDED	STATE	BUSHNELL	D	31,920	17,514	0.55	C	1,659	650	696	0.42	C	3.50%	31,920	20,801	0.65	C	1,659	772	827	0.50	C
35581601	180089	180089	FDOT	55	6.29	SR 471	CR 476	US 301/SR 35	2	2	URBAN	UNDIVIDED	STATE	UNINCORPORATED SUMTER COUNTY	D	24,200	5,400	0.22	B	1,200	272	241	0.23	B	1.00%	24,200	5,675	0.23	B	1,200	286	253	0.24	B
40010001	2020-278		SUMTER	35	0.24	CR 103	CR 466 E	WOODRIDGE DR	4	4	URBAN	DIVIDED	COUNTY	WILDWOOD	D	30,780	3,485	0.11	C	1,549	154	188	0.12	C	2.25%	30,780	3,895	0.13	C	1,549	172	210	0.14	C
40090001	108		SUMTER	55	2.43	MARSH BEND TRAIL / CR 501	CR 500	CORBIN TRL	2	2	URBAN	UNDIVIDED	COUNTY	WILDWOOD	D	24,200	11,703	0.48	C	1,200	516	474	0.43	B	8.25%	59,900	17,395	0.29	C	3,020	767	705	0.25	C
40090002	108		ADJACENT	55	0.48	MARSH BEND TRAIL / CR 501	CORBIN TRL	CR 468 (WARM SPRINGS AVE)	4	4	URBAN	DIVIDED	COUNTY	WILDWOOD	D	35,820	11,703	0.33	C	1,800	516	474	0.29	C	8.25%	35,820	17,395	0.49	C	1,800	767	705	0.43	C
40090003	131		SUMTER	25	1.20	MARSH BEND TRAIL	CR 468 (WARM SPRINGS AVE)	DUNHAM DR	2	2	URBAN	DIVIDED	COUNTY	WILDWOOD	D	14,763	7,639	0.52	D	713	368	433	0.61	D	5.00%	14,763	9,750	0.66	D	713	470	553	0.78	D
50000101	135		SUMTER	35	0.49	BUENA VISTA BLVD	CR 466	SADDLEBROOK LN	4	4	URBAN	DIVIDED	COUNTY	UNINCORPORATED SUMTER COUNTY	D	29,160	17,841	0.61	D	1,467	765	810	0.55	D	1.00%	29,160	18,751	0.64	D	1,467	804	851	0.58	D
50000102	134		SUMTER	35	1.39	BUENA VISTA BLVD	SADDLEBROOK LN	EL CAMINO REAL	4	4	URBAN	DIVIDED	COUNTY	UNINCORPORATED SUMTER COUNTY	D	29,160	19,234	0.66	D	1,467	855	890	0.61	D	1.00%	29,160	20,215	0.69	D	1,467	899	935	0.64	D
59999951	171		SUMTER	35	0.50	MORSE BLVD N	CR 466A	ODELL CIR S. END	4	4	URBAN	DIVIDED	COUNTY	UNINCORPORATED SUMTER COUNTY	D	29,160	23,375	0.80	D	1,467	1,080	1,128	0.77	D	1.00%	29,160	24,567	0.84	D	1,467	1,135	1,186	0.81	D
59999952	161		SUMTER	35	0.54	MORSE BLVD N	ODELL CIR S. END	BONITA BLVD	4	4	URBAN	DIVIDED	COUNTY	UNINCORPORATED SUMTER COUNTY	D	29,160	15,263	0.52	D	1,467	721	729	0.50	D	1.00%	29,160	16,042	0.55	D	1,467	758	766	0.52	D
59999953	170		SUMTER	35	1.12	MORSE BLVD N	BONITA BLVD	ODELL CIR N. END	4	4	URBAN	DIVIDED	COUNTY	UNINCORPORATED SUMTER COUNTY	D	29,160	12,929	0.44	C	1,467	609	550	0.42	C	1.00%	29,160	13,589	0.47	D	1,467	640	578	0.44	C
59999954	160		SUMTER	35	0.86	MORSE BLVD N	ODELL CIR N. END	STILLWATER TRL	4	4	URBAN	DIVIDED	COUNTY	UNINCORPORATED SUMTER COUNTY	D	29,160	15,312	0.53	D	1,467	745	646	0.51	D	1.00%	29,160	16,093	0.55	D	1,467	783	679	0.53	D
59999955	159		SUMTER	35	0.98	MORSE BLVD N	STILLWATER TRL	CR 466	4	4	URBAN	DIVIDED	COUNTY	UNINCORPORATED SUMTER COUNTY	D	29,160	23,474	0.81	D	1,467	1,105	1,082	0.75	D	1.00%	29,160	24,671	0.85	D	1,467	1,161	1,137	0.79	D
60000051	169		SUMTER	35	0.42	BUENA VISTA BLVD	ST. CHARLES PL	ODELL CIR S. END	4	4	URBAN	DIVIDED	COUNTY	UNINCORPORATED SUMTER COUNTY	D	29,160	15,651	0.54	D	1,467	735	773	0.53	D	1.00%	29,160	16,449	0.56	D	1,467	772	812	0.55	D
60000052	168		SUMTER	35	0.68	BUENA VISTA BLVD	ODELL CIR S. END	BONITA BLVD	4	4	URBAN	DIVIDED	COUNTY	UNINCORPORATED SUMTER COUNTY	D	29,160	12,583	0.43	C	1,467	617	640	0.44	C	1.00%	29,160	13,225	0.45	D	1,467	648	673	0.46	D
60000053	157		SUMTER	35	0.94	BUENA VISTA BLVD	BONITA BLVD	ODELL CIR N. END	4	4	URBAN	DIVIDED	COUNTY	UNINCORPORATED SUMTER COUNTY	D	29,160	13,597	0.47	D	1,467	683	702	0.48	D	1.00%	29,160	14,291	0.49	D	1,467	718	738	0.50	D
60000054	167		SUMTER	35	0.61	BUENA VISTA BLVD	ODELL CIR N. END	STILLWATER TRL	4	4	URBAN	DIVIDED	COUNTY	UNINCORPORATED SUMTER COUNTY	D	29,160	21,217	0.73	D	1,467	1,033	1,071	0.73	D	1.00%	29,160	22,299	0.76	D	1,467	1,086	1,126	0.77	D
60000055	166		SUMTER	35	0.58	BUENA VISTA BLVD	STILLWATER TRL	TEMBERRY FOREST DR	4	4	URBAN	DIVIDED	COUNTY	UNINCORPORATED SUMTER COUNTY	D	29,160	17,165	0.59	D	1,467	856	909	0.62	D	1.00%	29,160	18,041	0.62	D	1,467	900	955	0.65	D
60000056	165		SUMTER	35	0.93	BUENA VISTA BLVD	TEMBERRY FOREST DR	C-472 (RAINEY TRL)	4	4	URBAN	DIVIDED	COUNTY	UNINCORPORATED SUMTER COUNTY	D	29,160	20,459	0.70	D	1,467	988	998	0.68	D	1.00%	29,160	21,503	0.74	D	1,467	1,038	1,049	0.72	D
60000201	0		NO COUNT	30	0.12	MARIPOSA WAY	500 FT SOUTH MARIPOSA WAY	MORSE BLVD N	2	2	URBAN	UNDIVIDED	COUNTY	UNINCORPORATED SUMTER COUNTY	D	13,320	-	-	-	675	-	-	-	-	-	13,320	-	-	-	675	-	-	-	-
60000801	188037	188037	FDOT	25	1.12	CHURCHILL DOWNS	MORVEN PARKWAY	LYNNHAVEN LN	2	2	URBAN	UNDIVIDED	COUNTY	UNINCORPORATED SUMTER COUNTY	D	13,320	1,120	0.08	C	675	83	86	0.13	C	1.00%	13,320	1,177	0.09	C	675	87	90	0.13	C
60001001	144		SUMTER	30	0.38	ODELL CIR	BACKWATER WAY	CANAL ST S	2	2	URBAN	UNDIVIDED	COUNTY	UNINCORPORATED SUMTER COUNTY	D	13,320	6,792	0.51	D	675	346	366	0.54	D	1.00%	13,320	7,138	0.54	D	675	364	385	0.57	D
60001051	142		SUMTER	25	0.52	ODELL CIR	ARVIN LN	MORSE BLVD N (S)	2	2	URBAN	UNDIVIDED	COUNTY	UNINCORPORATED SUMTER COUNTY	D	13,320	7,857	0.59	D	675	441	364	0.65	D	1.00%	13,320	8,258	0.62	D	675	463	383	0.69	D
355113021	180005	180005	WILDWOOD	55	1.26	SR 44	CR 468	LAKE COUNTY BOUNDARY	4	4	URBAN	DIVIDED	STATE	UNINCORPORATED SUMTER COUNTY	D	39,800	21,620	0.54	C	2,000	1,031	915	0.52	C	1.50%	39,800	23,291	0.59	C	2,000	1,111	986	0.56	C
400100012	93		SUMTER	35	2.01	CR 103	WOODRIDGE DR	CR 102	2	2	URBAN	UNDIVIDED	COUNTY	WILDWOOD	D	10,360	3,938	0.38	C	525	192	179	0.37	C	2.75%	10,360	4,510	0.44	C	525	220	205	0.42	C

APPENDIX B

Turning Movement County, Signal Timing Plans, Peak Season Report

VEHICLE TURNING MOVEMENT COUNT

SECTION:	64294.01	**CITY:**	Wildwood	**COUNTY:**	Sumter
STATE ROUTE:	CR 139-Powell Road	**INTERSECTING ROUTE:**	CR 466A	**MILEPOST:**	3.982
OBSERVER:	VHB	**DATE OF COUNT:**	1/0/00	**COMPLETED BY:**	VV
WEATHER:	Good	**ROAD CONDITION:**	Good	**DATE COMPLETED:**	12/12/23
		COUNT PERIODS:			

ALL VEHICLES / ALL MOVEMENTS

Direction	Northbound						Southbound							Eastbound						Westbound							
Start Time	NBU	NBL	NBT	NBR	NBRTOR	Total	SBU	SBL	SBT	SBR	SBRTOR	Total	NS Total	EBU	EBL	EBT	EBR	EBRTOR	Total	WBU	WBL	WBT	WBR	WBRTOR	Total	EW Total	Grand Total
7:00 AM	2	11	25	19	18	75	0	22	68	9	0	99	174	0	17	51	15	0	83	0	56	56	18	8	138	221	395
7:15 AM	1	5	40	12	19	77	0	33	72	8	1	114	191	0	13	62	26	6	107	2	78	64	18	17	179	286	477
7:30 AM	0	15	46	20	29	110	0	29	72	10	1	112	222	0	23	76	24	0	123	0	92	41	21	10	164	287	509
7:45 AM	1	13	69	31	17	131	0	39	67	7	0	113	244	0	25	100	27	0	152	0	84	64	29	24	201	353	597
Total	**4**	**44**	**180**	**82**	**83**	**393**	**0**	**123**	**279**	**34**	**2**	**438**	**831**	**0**	**78**	**289**	**92**	**6**	**465**	**2**	**310**	**225**	**86**	**59**	**682**	**1,147**	**1,978**
8:00 AM	0	19	42	28	26	115	0	31	45	8	0	84	199	0	20	64	23	3	110	0	59	64	17	4	144	254	453
8:15 AM	2	25	44	14	26	111	0	37	49	11	0	97	208	0	18	107	32	3	160	0	96	85	18	14	213	373	581
8:30 AM	4	18	53	24	36	135	0	52	64	9	4	129	264	0	14	103	11	0	128	0	72	77	24	14	187	315	579
8:45 AM	6	28	56	21	33	144	0	46	57	14	1	118	262	0	14	104	16	3	137	0	85	88	23	10	206	343	605
Total	**12**	**90**	**195**	**87**	**121**	**505**	**0**	**166**	**215**	**42**	**5**	**428**	**933**	**0**	**66**	**378**	**82**	**9**	**535**	**0**	**312**	**314**	**82**	**42**	**750**	**1,285**	**2,218**
4:00 PM	15	39	65	38	61	218	0	54	42	12	2	110	328	0	15	125	19	0	159	0	83	83	44	6	216	375	703
4:15 PM	9	49	85	33	57	233	0	42	41	9	1	93	326	0	21	136	22	0	179	0	75	125	26	11	237	416	742
4:30 PM	7	51	78	26	45	207	0	41	49	17	2	109	316	0	16	117	22	1	156	0	85	94	58	7	244	400	716
4:45 PM	8	29	78	28	64	207	0	41	35	11	3	90	297	0	20	105	20	0	145	1	65	113	37	11	227	372	669
Total	**39**	**168**	**306**	**125**	**227**	**865**	**0**	**178**	**167**	**49**	**8**	**402**	**1,267**	**0**	**72**	**483**	**83**	**1**	**639**	**1**	**308**	**415**	**165**	**35**	**924**	**1,563**	**2,830**
5:00 PM	8	52	93	62	38	253	1	28	45	11	0	85	338	0	13	99	17	4	133	1	77	99	26	32	235	368	706
5:15 PM	5	34	79	36	31	185	0	42	35	10	1	88	273	1	11	87	15	2	116	3	78	92	27	27	227	343	616
5:30 PM	5	24	79	25	33	166	0	38	40	13	3	94	260	0	17	90	10	3	120	0	56	120	23	32	231	351	611
5:45 PM	6	31	59	31	31	158	0	34	33	12	1	80	238	0	15	81	8	6	110	0	46	91	17	14	168	278	516
Total	**24**	**141**	**310**	**154**	**133**	**762**	**1**	**142**	**153**	**46**	**5**	**347**	**1,109**	**1**	**56**	**357**	**50**	**15**	**479**	**4**	**257**	**402**	**93**	**105**	**861**	**1,340**	**2,449**
AM	12	102	195	208	121	505	0	166	215	47	5	428	933	0	66	378	91	9	535	0	312	314	124	42	750	1285	0.91652893
AM Truck	0	4	9	5	5	23	0	7	15	4	0	26	49	0	12	15	3	0	30	0	9	9	1	1	20	50	
AM Truck %	0.0%	3.9%	4.6%	2.4%	4.1%	4.6%	0.0%	4.2%	7.0%	8.5%	0.0%	6.1%	5.3%	0.0%	18.2%	4.0%	3.3%	0.0%	5.6%	0.0%	2.9%	2.9%	0.8%	2.4%	2.7%	3.9%	
PM	32	213	334	353	204	900	1	153	170	54	6	377	1277	0	70	457	86	5	613	2	304	431	208	61	943	1556	0.9545148
PM Truck	0	0	10	1	2	13	0	0	6	1	0	7	20	0	5	4	2	0	11	0	1	7	3	0	11	22	
PM Truck %	0.0%	0.0%	3.0%	0.3%	1.0%	1.4%	0.0%	0.0%	3.5%	1.9%	0.0%	1.9%	1.6%	0.0%	7.1%	0.9%	2.3%	0.0%	1.8%	0.0%	0.3%	1.6%	1.4%	0.0%	1.2%	1.4%	

VEHICLE TURNING MOVEMENT COUNT

SECTION:	64294.01	**CITY:**	Wildwood	**COUNTY:**	Sumter
STATE ROUTE:	CR 139-Powell Road	**INTERSECTING ROUTE:**	CR 466A	**MILEPOST:**	3.982
OBSERVER:	VHB	**DATE OF COUNT:**	1/0/00	**COMPLETED BY:**	VV
WEATHER:	Good	**ROAD CONDITION:**	Good	**DATE COMPLETED:**	12/12/23
		COUNT PERIODS:			

HEAVY VEHICLES (TRUCKS + BUSSES)

Direction	Northbound						Southbound							Eastbound						Westbound							
Start Time	NBU	NBL	NBT	NBR	NBRTOR	Total	SBU	SBL	SBT	SBR	SBRTOR	Total	NS Total	EBU	EBL	EBT	EBR	EBRTOR	Total	WBU	WBL	WBT	WBR	WBRTOR	Total	EW Total	Grand Total
7:00 AM	0	1	3	2	1	7	0	0	3	0	0	3	10	0	5	1	0	0	6	0	2	1	1	0	4	10	20
7:15 AM	0	0	1	2	1	4	0	0	0	1	0	1	5	0	0	2	1	0	3	0	4	3	0	0	7	10	15
7:30 AM	0	2	3	1	0	6	0	2	2	0	0	4	10	0	1	1	0	0	2	0	1	0	0	0	1	3	13
7:45 AM	0	0	3	0	0	3	0	1	5	2	0	8	11	0	2	5	1	0	8	0	2	2	2	2	8	16	27
Total	**0**	**3**	**10**	**5**	**2**	**20**	**0**	**3**	**10**	**3**	**0**	**16**	**36**	**0**	**8**	**9**	**2**	**0**	**19**	**0**	**9**	**6**	**3**	**2**	**20**	**39**	**75**
8:00 AM	0	2	0	2	3	7	0	1	3	0	0	4	11	0	1	3	1	0	5	0	2	2	0	0	4	9	20
8:15 AM	0	1	2	0	0	3	0	3	4	2	0	9	12	0	2	3	0	0	5	0	3	3	1	0	7	12	24
8:30 AM	0	0	3	1	2	6	0	2	4	0	0	6	12	0	4	4	0	0	8	0	1	2	0	0	3	11	23
8:45 AM	0	1	4	2	0	7	0	1	4	2	0	7	14	0	5	5	2	0	12	0	3	2	0	1	6	18	32
Total	**0**	**4**	**9**	**5**	**5**	**23**	**0**	**7**	**15**	**4**	**0**	**26**	**49**	**0**	**12**	**15**	**3**	**0**	**30**	**0**	**9**	**9**	**1**	**1**	**20**	**50**	**99**
4:00 PM	0	1	1	1	0	3	0	0	1	0	0	1	4	0	0	3	0	0	3	0	0	0	1	0	1	4	8
4:15 PM	0	0	1	0	2	3	0	0	1	0	0	1	4	0	0	2	0	0	2	0	0	3	0	0	3	5	9
4:30 PM	0	0	5	0	0	5	0	0	2	1	0	3	8	0	2	0	1	0	3	0	1	0	2	0	3	6	14
4:45 PM	0	0	4	0	0	4	0	0	1	0	0	1	5	0	3	1	1	0	5	0	0	0	0	0	0	5	10
Total	**0**	**1**	**11**	**1**	**2**	**15**	**0**	**0**	**5**	**1**	**0**	**6**	**21**	**0**	**5**	**6**	**2**	**0**	**13**	**0**	**1**	**3**	**3**	**0**	**7**	**20**	**41**
5:00 PM	0	0	0	1	0	1	0	0	2	0	0	2	3	0	0	1	0	0	1	0	0	4	1	0	5	6	9
5:15 PM	0	0	1	0	0	1	0	1	1	0	0	2	3	0	1	0	0	0	1	0	2	1	0	0	3	4	7
5:30 PM	0	0	2	1	0	3	0	2	0	0	0	2	5	0	0	1	0	0	1	0	0	2	0	1	3	4	9
5:45 PM	0	0	0	0	0	0	0	1	0	0	0	1	1	0	0	1	0	0	1	0	1	1	0	1	3	4	5
Total	**0**	**0**	**3**	**2**	**0**	**5**	**0**	**4**	**3**	**0**	**0**	**7**	**12**	**0**	**1**	**3**	**0**	**0**	**4**	**0**	**3**	**8**	**1**	**2**	**14**	**18**	**30**

FLORIDA DEPARTMENT OF TRANSPORTATION

PEDESTRIANS & BICYCLES COMBINED

SECTION	64294.01	**CITY**	Wildwood
STATE ROUTE	CR 139-Powell Road	**INTERSECTING ROUTE**	CR 466A
OBSERVER	VHB	**DATE OF COUNT**	1/0/00
COUNTY	Sumter	**WEATHER**	Good
MILEPOST	3.982	**COMPLETED BY**	VV
COUNT HOURS		**DATE**	12/12/23

12-1	1-2	2-3	3-4	4-5	5-6	6-7	7-8	8-9	9-10	10-11	11-12	12-13	13-14	14-15	15-16	16-17	17-18	18-19	19-20	20-21	21-22	22-23	23-24	Total
0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	**0**
0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	**0**
0	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**0**

12-1	0	0	**0**
1-2	0	0	**0**
2-3	0	0	**0**
3-4	0	0	**0**
4-5	0	0	**0**
5-6	0	0	**0**
6-7	0	0	**0**
7-8	0	0	**0**
8-9	1	0	**1**
9-10	0	0	**0**
10-11	0	0	**0**
11-12	0	0	**0**
12-13	0	0	**0**
13-14	0	0	**0**
14-15	0	0	**0**
15-16	0	0	**0**
16-17	0	1	**1**
17-18	0	0	**0**
18-19	0	0	**0**
19-20	0	0	**0**
20-21	0	0	**0**
21-22	0	0	**0**
22-23	0	0	**0**
23-24	0	0	**0**
Total	**1**	**1**	**2**

NORTH APPROACH
CR 139-Powell Road

WEST APPROACH
CR 139-Powell Road

CR 466A
EAST APPROACH

12-1	0	0	**0**
1-2	0	0	**0**
2-3	0	0	**0**
3-4	0	0	**0**
4-5	0	0	**0**
5-6	0	0	**0**
6-7	0	0	**0**
7-8	0	0	**0**
8-9	0	1	**1**
9-10	0	0	**0**
10-11	0	0	**0**
11-12	0	0	**0**
12-13	0	0	**0**
13-14	0	0	**0**
14-15	0	0	**0**
15-16	0	0	**0**
16-17	0	0	**0**
17-18	0	0	**0**
18-19	0	0	**0**
19-20	0	0	**0**
20-21	0	0	**0**
21-22	0	0	**0**
22-23	0	0	**0**
23-24	0	0	**0**
Total	**0**	**1**	**1**

CR 139-Powell Road
SOUTH APPROACH

12-1	1-2	2-3	3-4	4-5	5-6	6-7	7-8	8-9	9-10	10-11	11-12	12-13	13-14	14-15	15-16	16-17	17-18	18-19	19-20	20-21	21-22	22-23	23-24	Total
0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	**1**
0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	**1**
0	**0**	**0**	**0**	**0**	**0**	**0**	**1**	**1**	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**2**

VEHICLE TURNING MOVEMENT COUNT

SECTION:	64294.01	**CITY:**	Wildwood	**COUNTY:**	Sumter
STATE ROUTE:	CR 139-Powell Road	**INTERSECTING ROUTE:**	CR 142	**MILEPOST:**	3.982
OBSERVER:	VHB	**DATE OF COUNT:**	1/0/00	**COMPLETED BY:**	VV
WEATHER:	Good	**ROAD CONDITION:**	Good	**DATE COMPLETED:**	11/29/23
		COUNT PERIODS:			

ALL VEHICLES / ALL MOVEMENTS

Direction	Northbound						Southbound							Eastbound						Westbound							
Start Time	NBU	NBL	NBT	NBR	NBRTOR	Total	SBU	SBL	SBT	SBR	SBRTOR	Total	NS Total	EBU	EBL	EBT	EBR	EBRTOR	Total	WBU	WBL	WBT	WBR	WBRTOR	Total	EW Total	Grand Total
7:00 AM	3	4	80	3	0	90	0	0	153	1	0	154	244	0	4	0	4	0	8	0	3	0	1	0	4	12	256
7:15 AM	6	2	92	2	0	102	0	1	162	0	0	163	265	0	4	0	4	0	8	0	0	0	0	0	0	8	273
7:30 AM	4	4	135	4	0	147	0	0	160	0	0	160	307	0	4	0	7	0	11	0	0	0	1	0	1	12	319
7:45 AM	3	5	146	12	0	166	0	3	178	2	0	183	349	0	2	0	1	0	3	0	3	0	2	0	5	8	357
Total	**16**	**15**	**453**	**21**	**0**	**505**	**0**	**4**	**653**	**3**	**0**	**660**	**1,165**	**0**	**14**	**0**	**16**	**0**	**30**	**0**	**6**	**0**	**4**	**0**	**10**	**40**	**1,205**
8:00 AM	4	1	123	2	0	130	1	1	142	3	0	147	277	0	2	0	5	0	7	0	0	0	1	0	1	8	285
8:15 AM	5	1	100	1	0	107	1	2	144	1	0	148	255	0	2	0	3	0	5	0	1	0	0	0	1	6	261
8:30 AM	4	3	138	3	0	148	1	0	144	2	0	147	295	0	1	0	3	0	4	0	0	0	1	0	1	5	300
8:45 AM	2	2	139	1	0	144	0	3	148	0	0	151	295	0	4	0	4	0	8	0	1	0	0	0	1	9	304
Total	**15**	**7**	**500**	**7**	**0**	**529**	**3**	**6**	**578**	**6**	**0**	**593**	**1,122**	**0**	**9**	**0**	**15**	**0**	**24**	**0**	**2**	**0**	**2**	**0**	**4**	**28**	**1,150**
4:00 PM	2	0	192	0	0	194	0	0	142	0	0	142	336	0	3	0	5	0	8	0	1	0	0	0	1	9	345
4:15 PM	2	8	197	3	0	210	1	1	136	5	0	143	353	0	5	0	3	0	8	0	5	0	2	0	7	15	368
4:30 PM	6	5	202	0	0	213	0	1	139	5	0	145	358	0	0	0	4	0	4	1	5	0	2	0	8	12	370
4:45 PM	2	2	193	2	0	199	1	0	141	1	0	143	342	0	4	0	0	0	4	0	5	0	2	0	7	11	353
Total	**12**	**15**	**784**	**5**	**0**	**816**	**2**	**2**	**558**	**11**	**0**	**573**	**1,389**	**0**	**12**	**0**	**12**	**0**	**24**	**1**	**16**	**0**	**6**	**0**	**23**	**47**	**1,436**
5:00 PM	3	3	232	2	0	240	0	0	123	5	0	128	368	0	2	0	2	0	4	0	6	0	2	0	8	12	380
5:15 PM	2	5	189	2	0	198	1	1	141	2	0	145	343	0	5	0	1	0	6	0	3	0	1	0	4	10	353
5:30 PM	2	0	183	1	0	186	1	3	146	6	0	156	342	0	5	0	0	0	5	0	3	0	1	0	4	9	351
5:45 PM	0	2	118	0	0	120	0	1	135	3	0	139	259	0	2	0	2	0	4	0	1	1	1	0	3	7	266
Total	**7**	**10**	**722**	**5**	**0**	**744**	**2**	**5**	**545**	**16**	**0**	**568**	**1,312**	**0**	**14**	**0**	**5**	**0**	**19**	**0**	**13**	**1**	**5**	**0**	**19**	**38**	**1,350**
AM	17	29	496	20	0	545	1	6	642	5	0	653	1198	0	12	0	17	0	29	0	3	0	4	0	7	36	0.86414566
AM Truck	0	0	17	0	0	17	0	0	25	0	0	25	42	0	1	0	0	0	1	0	2	0	0	0	2	3	
AM Truck %	0.0%	0.0%	3.4%	0.0%	0.0%	3.1%	0.0%	0.0%	3.9%	0.0%	0.0%	3.8%	3.5%	0.0%	8.3%	0.0%	0.0%	0.0%	3.4%	0.0%	66.7%	0.0%	0.0%	0.0%	28.6%	8.3%	
PM	13	31	824	7	0	862	2	4	539	16	0	559	1421	0	11	0	9	0	20	1	22	0	8	0	30	50	0.9677632
PM Truck	0	0	14	0	0	14	0	0	10	0	0	10	24	0	0	0	0	0	0	0	0	0	0	0	0	0	
PM Truck %	0.0%	0.0%	1.7%	0.0%	0.0%	1.6%	0.0%	0.0%	1.9%	0.0%	0.0%	1.8%	1.7%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	

VEHICLE TURNING MOVEMENT COUNT

SECTION:	64294.01	**CITY:**	Wildwood	**COUNTY:**	Sumter
STATE ROUTE:	CR 139-Powell Road	**INTERSECTING ROUTE:**	CR 142	**MILEPOST:**	3.982
OBSERVER:	VHB	**DATE OF COUNT:**	1/0/00	**COMPLETED BY:**	VV
WEATHER:	Good	**ROAD CONDITION:**	Good	**DATE COMPLETED:**	11/29/23
		COUNT PERIODS:			

HEAVY VEHICLES (TRUCKS + BUSSES)

Direction	Northbound						Southbound							Eastbound						Westbound							
Start Time	NBU	NBL	NBT	NBR	NBRTOR	Total	SBU	SBL	SBT	SBR	SBRTOR	Total	NS Total	EBU	EBL	EBT	EBR	EBRTOR	Total	WBU	WBL	WBT	WBR	WBRTOR	Total	EW Total	Grand Total
7:00 AM	0	1	5	1	0	7	0	0	8	0	0	8	15	0	1	0	0	0	1	0	0	0	0	0	0	1	16
7:15 AM	0	0	3	0	0	3	0	0	8	0	0	8	11	0	1	0	0	0	1	0	0	0	0	0	0	1	12
7:30 AM	0	0	6	0	0	6	0	0	3	0	0	3	9	0	0	0	0	0	0	0	0	0	0	0	0	0	9
7:45 AM	0	0	4	0	0	4	0	0	8	0	0	8	12	0	0	0	0	0	0	0	2	0	0	0	2	2	14
Total	**0**	**1**	**18**	**1**	**0**	**20**	**0**	**0**	**27**	**0**	**0**	**27**	**47**	**0**	**2**	**0**	**0**	**0**	**2**	**0**	**2**	**0**	**0**	**0**	**2**	**4**	**51**
8:00 AM	0	0	4	0	0	4	0	0	6	0	0	6	10	0	0	0	0	0	0	0	0	0	0	0	0	0	10
8:15 AM	0	0	3	0	0	3	0	0	3	0	0	3	6	0	0	0	0	0	0	0	0	0	0	0	0	0	6
8:30 AM	1	0	4	0	0	5	0	0	3	1	0	4	9	0	1	0	0	0	1	0	0	0	0	0	0	1	10
8:45 AM	0	1	7	0	0	8	0	0	4	0	0	4	12	0	1	0	1	0	2	0	0	0	0	0	0	2	14
Total	**1**	**1**	**18**	**0**	**0**	**20**	**0**	**0**	**16**	**1**	**0**	**17**	**37**	**0**	**2**	**0**	**1**	**0**	**3**	**0**	**0**	**0**	**0**	**0**	**0**	**3**	**40**
4:00 PM	0	0	1	0	0	1	0	0	4	0	0	4	5	0	0	0	1	0	1	0	0	0	0	0	0	1	6
4:15 PM	0	0	2	0	0	2	0	0	4	0	0	4	6	0	0	0	0	0	0	0	0	0	0	0	0	0	6
4:30 PM	0	0	3	0	0	3	0	0	3	0	0	3	6	0	0	0	0	0	0	0	0	0	0	0	0	0	6
4:45 PM	0	0	9	0	0	9	0	0	2	0	0	2	11	0	0	0	0	0	0	0	0	0	0	0	0	0	11
Total	**0**	**0**	**15**	**0**	**0**	**15**	**0**	**0**	**13**	**0**	**0**	**13**	**28**	**0**	**0**	**0**	**1**	**0**	**1**	**0**	**0**	**0**	**0**	**0**	**0**	**1**	**29**
5:00 PM	0	0	0	0	0	0	0	0	1	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1
5:15 PM	0	1	1	0	0	2	0	0	3	0	0	3	5	0	0	0	0	0	0	0	0	0	0	0	0	0	5
5:30 PM	0	0	1	0	0	1	0	0	1	0	0	1	2	0	0	0	0	0	0	0	0	0	0	0	0	0	2
5:45 PM	0	0	1	0	0	1	0	0	1	0	0	1	2	0	0	0	0	0	0	0	0	0	0	0	0	0	2
Total	**0**	**1**	**3**	**0**	**0**	**4**	**0**	**0**	**6**	**0**	**0**	**6**	**10**	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**10**

FLORIDA DEPARTMENT OF TRANSPORTATION

PEDESTRIANS & BICYCLES COMBINED

SECTION	64294.01	**CITY**	Wildwood
STATE ROUTE	CR 139-Powell Road	**INTERSECTING ROUTE**	CR 142
OBSERVER	VHB	**DATE OF COUNT**	1/0/00
COUNTY	Sumter	**WEATHER**	Good
MILEPOST	3.982	**COMPLETED BY**	VV
COUNT HOURS		**DATE**	11/29/23

12-1	1-2	2-3	3-4	4-5	5-6	6-7	7-8	8-9	9-10	10-11	11-12	12-13	13-14	14-15	15-16	16-17	17-18	18-19	19-20	20-21	21-22	22-23	23-24	Total
0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	**0**
0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	**0**
0	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**0**

12-1	0	0	**0**
1-2	0	0	**0**
2-3	0	0	**0**
3-4	0	0	**0**
4-5	0	0	**0**
5-6	0	0	**0**
6-7	0	0	**0**
7-8	0	0	**0**
8-9	0	0	**0**
9-10	0	0	**0**
10-11	0	0	**0**
11-12	0	0	**0**
12-13	0	0	**0**
13-14	0	0	**0**
14-15	0	0	**0**
15-16	0	0	**0**
16-17	1	6	**7**
17-18	1	2	**3**
18-19	0	0	**0**
19-20	0	0	**0**
20-21	0	0	**0**
21-22	0	0	**0**
22-23	0	0	**0**
23-24	0	0	**0**
Total	**2**	**8**	**10**

NORTH APPROACH
CR 139-Powell Road

WEST APPROACH
CR 139-Powell Road

CR 142
EAST APPROACH

CR 139-Powell Road
SOUTH APPROACH

12-1	0	0	**0**
1-2	0	0	**0**
2-3	0	0	**0**
3-4	0	0	**0**
4-5	0	0	**0**
5-6	0	0	**0**
6-7	0	0	**0**
7-8	0	0	**0**
8-9	0	0	**0**
9-10	0	0	**0**
10-11	0	0	**0**
11-12	0	0	**0**
12-13	0	0	**0**
13-14	0	0	**0**
14-15	0	0	**0**
15-16	0	0	**0**
16-17	0	0	**0**
17-18	0	0	**0**
18-19	0	0	**0**
19-20	0	0	**0**
20-21	0	0	**0**
21-22	0	0	**0**
22-23	0	0	**0**
23-24	0	0	**0**
Total	**0**	**0**	**0**

12-1	1-2	2-3	3-4	4-5	5-6	6-7	7-8	8-9	9-10	10-11	11-12	12-13	13-14	14-15	15-16	16-17	17-18	18-19	19-20	20-21	21-22	22-23	23-24	Total
0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	**0**
0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	**0**
0	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**0**

VEHICLE TURNING MOVEMENT COUNT

SECTION:	64294.01	**CITY:**	Wildwood	**COUNTY:**	Sumter
STATE ROUTE:	CR 139-Powell Road	**INTERSECTING ROUTE:**	CR 144 Huey St	**MILEPOST:**	3.982
OBSERVER:	VHB	**DATE OF COUNT:**	1/0/00	**COMPLETED BY:**	VV
WEATHER:	Good	**ROAD CONDITION:**	Good	**DATE COMPLETED:**	11/29/23
		COUNT PERIODS:			

ALL VEHICLES / ALL MOVEMENTS

Direction	Northbound						Southbound							Eastbound						Westbound							
Start Time	NBU	NBL	NBT	NBR	NBRTOR	Total	SBU	SBL	SBT	SBR	SBRTOR	Total	NS Total	EBU	EBL	EBT	EBR	EBRTOR	Total	WBU	WBL	WBT	WBR	WBRTOR	Total	EW Total	Grand Total
7:00 AM	0	3	79	0	0	82	3	1	134	24	0	162	244	0	6	0	5	0	11	0	2	1	0	0	3	14	258
7:15 AM	0	4	82	0	0	86	4	0	141	24	0	169	255	0	13	0	10	0	23	0	2	1	1	0	4	27	282
7:30 AM	0	10	126	0	0	136	3	0	156	17	0	176	312	0	16	1	6	0	23	0	0	0	0	0	0	23	335
7:45 AM	0	9	140	0	0	149	1	0	168	14	0	183	332	0	12	0	9	0	21	0	0	0	0	0	0	21	353
Total	**0**	**26**	**427**	**0**	**0**	**453**	**11**	**1**	**599**	**79**	**0**	**690**	**1,143**	**0**	**47**	**1**	**30**	**0**	**78**	**0**	**4**	**2**	**1**	**0**	**7**	**85**	**1,228**
8:00 AM	0	5	122	0	0	127	5	1	137	22	0	165	292	0	7	0	10	0	17	0	0	0	0	0	0	17	309
8:15 AM	0	6	90	1	0	97	1	0	120	33	0	154	251	0	21	0	15	0	36	0	1	3	1	0	5	41	292
8:30 AM	0	7	114	0	0	121	1	1	128	25	0	155	276	0	33	0	11	0	44	0	0	0	1	0	1	45	321
8:45 AM	0	7	139	0	0	146	0	1	151	11	0	163	309	0	8	0	9	0	17	0	1	0	0	0	1	18	327
Total	**0**	**25**	**465**	**1**	**0**	**491**	**7**	**3**	**536**	**91**	**0**	**637**	**1,128**	**0**	**69**	**0**	**45**	**0**	**114**	**0**	**2**	**3**	**2**	**0**	**7**	**121**	**1,249**
4:00 PM	0	11	193	1	0	205	1	1	128	22	0	152	357	0	13	0	11	0	24	0	0	3	1	0	4	28	385
4:15 PM	0	5	177	0	0	182	5	0	131	12	0	148	330	0	38	0	15	0	53	0	0	0	0	0	0	53	383
4:30 PM	0	5	189	0	0	194	5	2	144	15	0	166	360	0	22	0	2	0	24	0	1	0	0	0	1	25	385
4:45 PM	0	8	177	1	0	186	4	0	141	5	0	150	336	0	12	0	6	0	18	0	0	0	1	0	1	19	355
Total	**0**	**29**	**736**	**2**	**0**	**767**	**15**	**3**	**544**	**54**	**0**	**616**	**1,383**	**0**	**85**	**0**	**34**	**0**	**119**	**0**	**1**	**3**	**2**	**0**	**6**	**125**	**1,508**
5:00 PM	0	7	264	2	0	273	7	0	118	12	0	137	410	0	6	0	5	0	11	0	0	1	0	0	1	12	422
5:15 PM	0	7	197	1	0	205	3	1	132	13	0	149	354	0	15	0	7	0	22	0	0	2	0	0	2	24	378
5:30 PM	0	7	168	2	0	177	5	1	133	14	0	153	330	0	15	0	11	0	26	0	2	0	2	0	4	30	360
5:45 PM	0	9	111	2	0	122	4	2	118	15	0	139	261	0	10	0	5	0	15	0	1	1	0	0	2	17	278
Total	**0**	**30**	**740**	**7**	**0**	**777**	**19**	**4**	**501**	**54**	**0**	**578**	**1,355**	**0**	**46**	**0**	**28**	**0**	**74**	**0**	**3**	**4**	**2**	**0**	**9**	**83**	**1,438**
AM	0	30	478	1	0	509	10	11	581	86	0	678	1187	0	56	1	40	0	97	0	1	3	1	0	5	102	0.91288952
AM Truck	0	1	14	0	0	15	0	0	19	5	0	24	39	0	0	0	1	0	1	0	0	1	0	0	1	2	
AM Truck %	0.0%	3.3%	2.9%	0.0%	0.0%	2.9%	0.0%	0.0%	3.3%	5.8%	0.0%	3.5%	3.3%	0.0%	0.0%	0.0%	2.5%	0.0%	1.0%	0.0%	0.0%	33.3%	0.0%	0.0%	20.0%	2.0%	
PM	0	25	807	3	0	835	21	23	534	44	0	601	1436	0	78	0	28	0	106	0	1	1	1	0	3	109	0.9152844
PM Truck	0	0	16	0	0	16	0	0	7	3	0	10	26	0	1	0	1	0	2	0	0	0	0	0	0	2	
PM Truck %	0.0%	0.0%	2.0%	0.0%	0.0%	1.9%	0.0%	0.0%	1.3%	6.8%	0.0%	1.7%	1.8%	0.0%	1.3%	0.0%	3.6%	0.0%	1.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	1.8%	

VEHICLE TURNING MOVEMENT COUNT

SECTION:	64294.01	**CITY:**	Wildwood	**COUNTY:**	Sumter
STATE ROUTE:	CR 139-Powell Road	**INTERSECTING ROUTE:**	CR 144 Huey St	**MILEPOST:**	3.982
OBSERVER:	VHB	**DATE OF COUNT:**	1/0/00	**COMPLETED BY:**	VV
WEATHER:	Good	**ROAD CONDITION:**	Good	**DATE COMPLETED:**	11/29/23
		COUNT PERIODS:			

HEAVY VEHICLES (TRUCKS + BUSSES)

Direction	Northbound						Southbound							Eastbound						Westbound							
Start Time	NBU	NBL	NBT	NBR	NBRTOR	Total	SBU	SBL	SBT	SBR	SBRTOR	Total	NS Total	EBU	EBL	EBT	EBR	EBRTOR	Total	WBU	WBL	WBT	WBR	WBRTOR	Total	EW Total	Grand Total
7:00 AM	0	0	6	0	0	6	0	0	7	1	0	8	14	0	0	0	0	0	0	0	0	0	0	0	0	0	14
7:15 AM	0	0	4	0	0	4	0	0	7	0	0	7	11	0	0	0	0	0	0	0	0	0	0	0	0	0	11
7:30 AM	0	0	6	0	0	6	0	0	3	1	0	4	10	0	0	0	0	0	0	0	0	0	0	0	0	0	10
7:45 AM	0	0	2	0	0	2	0	0	9	1	0	10	12	0	0	0	0	0	0	0	0	0	0	0	0	0	12
Total	**0**	**0**	**18**	**0**	**0**	**18**	**0**	**0**	**26**	**3**	**0**	**29**	**47**	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**47**
8:00 AM	0	0	3	0	0	3	0	0	5	1	0	6	9	0	0	0	0	0	0	0	0	0	0	0	0	0	9
8:15 AM	0	1	3	0	0	4	0	0	2	2	0	4	8	0	0	0	1	0	1	0	0	1	0	0	1	2	10
8:30 AM	0	1	6	0	0	7	0	1	5	0	0	6	13	0	0	0	0	0	0	0	0	0	1	0	1	1	14
8:45 AM	0	0	9	0	0	9	0	0	6	0	0	6	15	0	2	0	0	0	2	0	0	0	0	0	0	2	17
Total	**0**	**2**	**21**	**0**	**0**	**23**	**0**	**1**	**18**	**3**	**0**	**22**	**45**	**0**	**2**	**0**	**1**	**0**	**3**	**0**	**0**	**1**	**1**	**0**	**2**	**5**	**50**
4:00 PM	0	0	2	0	0	2	0	0	3	2	0	5	7	0	0	0	0	0	0	0	0	0	0	0	0	0	7
4:15 PM	0	0	5	0	0	5	0	0	4	0	0	4	9	0	0	0	0	0	0	0	0	0	0	0	0	0	9
4:30 PM	0	0	4	0	0	4	0	0	2	1	0	3	7	0	0	0	0	0	0	0	0	0	0	0	0	0	7
4:45 PM	0	0	6	0	0	6	0	0	1	1	0	2	8	0	1	0	1	0	2	0	0	0	0	0	0	2	10
Total	**0**	**0**	**17**	**0**	**0**	**17**	**0**	**0**	**10**	**4**	**0**	**14**	**31**	**0**	**1**	**0**	**1**	**0**	**2**	**0**	**0**	**0**	**0**	**0**	**0**	**2**	**33**
5:00 PM	0	0	1	0	0	1	0	0	0	1	0	1	2	0	0	0	0	0	0	0	0	0	0	0	0	0	2
5:15 PM	0	0	2	0	0	2	0	0	2	1	0	3	5	0	0	0	0	0	0	0	0	0	0	0	0	0	5
5:30 PM	0	0	1	0	0	1	0	0	1	0	0	1	2	0	0	0	0	0	0	0	0	0	0	0	0	0	2
5:45 PM	0	1	1	0	0	2	0	0	1	0	0	1	3	0	0	0	0	0	0	0	0	0	0	0	0	0	3
Total	**0**	**1**	**5**	**0**	**0**	**6**	**0**	**0**	**4**	**2**	**0**	**6**	**12**	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**12**

FLORIDA DEPARTMENT OF TRANSPORTATION

PEDESTRIANS & BICYCLES COMBINED

SECTION	64294.01	**CITY**	Wildwood
STATE ROUTE	CR 139-Powell Road	**INTERSECTING ROUTE**	CR 144 Huey St
OBSERVER	VHB	**DATE OF COUNT**	1/0/00
COUNTY	Sumter	**WEATHER**	Good
MILEPOST	3.982	**COMPLETED BY**	VV
COUNT HOURS		**DATE**	11/29/23

12-1	1-2	2-3	3-4	4-5	5-6	6-7	7-8	8-9	9-10	10-11	11-12	12-13	13-14	14-15	15-16	16-17	17-18	18-19	19-20	20-21	21-22	22-23	23-24	Total
0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	**0**
0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	**2**
0	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**1**	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**1**	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**2**

12-1	0	0	**0**
1-2	0	0	**0**
2-3	0	0	**0**
3-4	0	0	**0**
4-5	0	0	**0**
5-6	0	0	**0**
6-7	0	0	**0**
7-8	0	0	**0**
8-9	0	0	**0**
9-10	0	0	**0**
10-11	0	0	**0**
11-12	0	0	**0**
12-13	0	0	**0**
13-14	0	0	**0**
14-15	0	0	**0**
15-16	0	0	**0**
16-17	0	2	**2**
17-18	0	1	**1**
18-19	0	0	**0**
19-20	0	0	**0**
20-21	0	0	**0**
21-22	0	0	**0**
22-23	0	0	**0**
23-24	0	0	**0**
Total	**0**	**3**	**3**

NORTH APPROACH
CR 139-Powell Road

WEST APPROACH
CR 139-Powell Road

CR 144 Huey St
EAST APPROACH

CR 139-Powell Road
SOUTH APPROACH

12-1	0	0	**0**
1-2	0	0	**0**
2-3	0	0	**0**
3-4	0	0	**0**
4-5	0	0	**0**
5-6	0	0	**0**
6-7	0	0	**0**
7-8	0	0	**0**
8-9	0	0	**0**
9-10	0	0	**0**
10-11	0	0	**0**
11-12	0	0	**0**
12-13	0	0	**0**
13-14	0	0	**0**
14-15	0	0	**0**
15-16	0	0	**0**
16-17	0	0	**0**
17-18	0	0	**0**
18-19	0	0	**0**
19-20	0	0	**0**
20-21	0	0	**0**
21-22	0	0	**0**
22-23	0	0	**0**
23-24	0	0	**0**
Total	**0**	**0**	**0**

12-1	1-2	2-3	3-4	4-5	5-6	6-7	7-8	8-9	9-10	10-11	11-12	12-13	13-14	14-15	15-16	16-17	17-18	18-19	19-20	20-21	21-22	22-23	23-24	Total
0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	**0**
0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	**0**
0	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**0**

VEHICLE TURNING MOVEMENT COUNT

SECTION:	64294.01	**CITY:**	Wildwood	**COUNTY:**	Sumter
STATE ROUTE:	CR 139-Powell Road	**INTERSECTING ROUTE:**	CR 44A	**MILEPOST:**	3.982
OBSERVER:	VHB	**DATE OF COUNT:**	1/0/00	**COMPLETED BY:**	VV
WEATHER:	Good	**ROAD CONDITION:**	Good	**DATE COMPLETED:**	12/19/23
		COUNT PERIODS:			

ALL VEHICLES / ALL MOVEMENTS

Direction	Northbound						Southbound							Eastbound						Westbound							
Start Time	NBU	NBL	NBT	NBR	NBRTOR	Total	SBU	SBL	SBT	SBR	SBRTOR	Total	NS Total	EBU	EBL	EBT	EBR	EBRTOR	Total	WBU	WBL	WBT	WBR	WBRTOR	Total	EW Total	Grand Total
7:00 AM	2	9	72	8	1	92	0	19	105	5	0	129	221	0	10	7	0	10	27	0	22	14	9	14	59	86	307
7:15 AM	0	6	85	11	1	103	0	21	106	3	0	130	233	0	4	17	6	22	49	1	22	17	10	7	57	106	339
7:30 AM	0	12	86	13	0	111	0	20	108	5	1	134	245	0	13	24	10	16	63	1	34	9	25	7	76	139	384
7:45 AM	0	11	117	8	3	139	0	16	118	8	0	142	281	0	20	12	22	18	72	2	52	11	29	18	112	184	465
Total	**2**	**38**	**360**	**40**	**5**	**445**	**0**	**76**	**437**	**21**	**1**	**535**	**980**	**0**	**47**	**60**	**38**	**66**	**211**	**4**	**130**	**51**	**73**	**46**	**304**	**515**	**1,495**
8:00 AM	3	11	97	7	6	124	0	20	93	2	2	117	241	0	11	16	11	13	51	2	55	19	24	9	109	160	401
8:15 AM	1	11	84	13	9	118	1	21	109	5	0	136	254	0	7	12	7	10	36	1	60	15	22	7	105	141	395
8:30 AM	0	8	85	13	13	119	0	28	92	2	0	122	241	0	7	17	11	7	42	0	58	17	21	9	105	147	388
8:45 AM	2	11	92	13	16	134	0	16	137	6	2	161	295	0	6	14	9	8	37	1	58	18	15	10	102	139	434
Total	**6**	**41**	**358**	**46**	**44**	**495**	**1**	**85**	**431**	**15**	**4**	**536**	**1,031**	**0**	**31**	**59**	**38**	**38**	**166**	**4**	**231**	**69**	**82**	**35**	**421**	**587**	**1,618**
4:00 PM	0	21	135	29	22	207	0	33	114	4	1	152	359	0	13	20	7	16	56	1	30	21	22	12	86	142	501
4:15 PM	0	13	134	36	26	209	0	31	94	8	0	133	342	0	12	31	10	11	64	1	20	28	27	16	92	156	498
4:30 PM	0	7	147	23	15	192	0	27	125	8	1	161	353	0	8	21	7	9	45	4	18	20	15	11	68	113	466
4:45 PM	0	17	131	19	16	183	0	26	89	8	0	123	306	0	8	13	6	7	34	2	21	18	14	14	69	103	409
Total	**0**	**58**	**547**	**107**	**79**	**791**	**0**	**117**	**422**	**28**	**2**	**569**	**1,360**	**0**	**41**	**85**	**30**	**43**	**199**	**8**	**89**	**87**	**78**	**53**	**315**	**514**	**1,874**
5:00 PM	2	37	129	23	19	210	0	50	128	10	4	192	402	0	4	5	8	16	33	3	16	15	7	22	63	96	498
5:15 PM	0	18	120	16	8	162	0	20	100	9	2	131	293	0	7	18	11	7	43	3	27	13	24	17	84	127	420
5:30 PM	1	14	102	17	8	142	0	35	79	3	0	117	259	0	4	16	11	10	41	1	27	18	21	15	82	123	382
5:45 PM	0	12	105	14	3	134	0	24	70	3	0	97	231	0	10	6	7	6	29	0	12	19	11	21	63	92	323
Total	**3**	**81**	**456**	**70**	**38**	**648**	**0**	**129**	**377**	**25**	**6**	**537**	**1,185**	**0**	**25**	**45**	**37**	**39**	**146**	**7**	**82**	**65**	**63**	**75**	**292**	**438**	**1,623**
AM	4	45	383	72	31	500	1	86	412	19	2	517	1017	0	45	57	99	48	201	5	230	62	139	43	431	632	0.88655914
AM Truck	0	0	44	8	0	52	0	5	31	0	0	36	88	0	0	0	0	0	0	0	19	0	1	2	22	22	
AM Truck %	0.0%	0.0%	11.5%	11.1%	0.0%	10.4%	0.0%	5.8%	7.5%	0.0%	0.0%	7.0%	8.7%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	8.3%	0.0%	0.7%	4.7%	5.1%	3.5%	
PM	0	58	547	186	79	791	0	117	422	30	2	569	1360	0	41	85	73	43	199	8	97	87	131	53	315	514	0.9351297
PM Truck	0	0	7	9	1	17	0	2	20	0	0	22	39	0	0	0	0	0	0	0	5	0	0	0	5	5	
PM Truck %	0.0%	0.0%	1.3%	4.8%	1.3%	2.1%	0.0%	1.7%	4.7%	0.0%	0.0%	3.9%	2.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	5.2%	0.0%	0.0%	0.0%	1.6%	1.0%	

VEHICLE TURNING MOVEMENT COUNT

SECTION:	64294.01	**CITY:**	Wildwood	**COUNTY:**	Sumter
STATE ROUTE:	CR 139-Powell Road	**INTERSECTING ROUTE:**	CR 44A	**MILEPOST:**	3.982
OBSERVER:	VHB	**DATE OF COUNT:**	1/0/00	**COMPLETED BY:**	VV
WEATHER:	Good	**ROAD CONDITION:**	Good	**DATE COMPLETED:**	12/19/23
		COUNT PERIODS:			

HEAVY VEHICLES (TRUCKS + BUSSES)

Direction	Northbound						Southbound							Eastbound						Westbound							
Start Time	NBU	NBL	NBT	NBR	NBRTOR	Total	SBU	SBL	SBT	SBR	SBRTOR	Total	NS Total	EBU	EBL	EBT	EBR	EBRTOR	Total	WBU	WBL	WBT	WBR	WBRTOR	Total	EW Total	Grand Total
7:00 AM	0	1	5	0	0	6	0	1	2	0	0	3	9	0	1	0	0	0	1	0	0	0	1	0	1	2	11
7:15 AM	0	0	2	0	0	2	0	1	1	0	0	2	4	0	0	1	0	0	1	0	1	0	1	0	2	3	7
7:30 AM	0	0	3	0	0	3	0	1	2	0	0	3	6	0	1	0	0	0	1	0	0	0	1	0	1	2	8
7:45 AM	0	0	2	0	0	2	0	0	4	2	0	6	8	0	1	0	0	0	1	0	0	0	0	0	0	1	9
Total	**0**	**1**	**12**	**0**	**0**	**13**	**0**	**3**	**9**	**2**	**0**	**14**	**27**	**0**	**3**	**1**	**0**	**0**	**4**	**0**	**1**	**0**	**3**	**0**	**4**	**8**	**35**
8:00 AM	0	1	4	0	0	5	0	1	2	0	0	3	8	0	0	0	0	0	0	0	1	1	1	0	3	3	11
8:15 AM	0	0	1	0	0	1	0	1	4	0	0	5	6	0	0	0	0	0	0	0	0	0	1	0	1	1	7
8:30 AM	0	0	6	0	0	6	0	0	4	0	0	4	10	0	0	0	0	0	0	0	2	0	0	0	2	2	12
8:45 AM	0	0	3	0	0	3	0	1	7	0	0	8	11	0	0	0	0	0	0	0	1	0	1	0	2	2	13
Total	**0**	**1**	**14**	**0**	**0**	**15**	**0**	**3**	**17**	**0**	**0**	**20**	**35**	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**4**	**1**	**3**	**0**	**8**	**8**	**43**
4:00 PM	0	0	2	0	0	2	0	1	1	0	0	2	4	0	0	1	1	0	2	0	1	0	0	0	1	3	7
4:15 PM	0	0	1	0	0	1	0	0	0	1	0	1	2	0	0	0	0	0	0	0	0	0	1	0	1	1	3
4:30 PM	0	0	2	0	0	2	0	0	1	0	0	1	3	0	0	0	0	0	0	0	0	0	1	1	2	2	5
4:45 PM	0	1	1	0	0	2	0	0	1	0	0	1	3	0	1	0	0	0	1	0	0	1	1	0	2	3	6
Total	**0**	**1**	**6**	**0**	**0**	**7**	**0**	**1**	**3**	**1**	**0**	**5**	**12**	**0**	**1**	**1**	**1**	**0**	**3**	**0**	**1**	**1**	**3**	**1**	**6**	**9**	**21**
5:00 PM	0	0	0	0	0	0	0	0	1	0	0	1	1	0	0	0	0	0	0	0	0	1	0	0	1	1	2
5:15 PM	0	0	2	0	0	2	0	0	2	0	0	2	4	0	0	1	0	0	1	0	0	0	0	0	0	1	5
5:30 PM	0	0	2	0	0	2	0	0	0	1	0	1	3	0	0	1	0	0	1	0	1	1	1	1	4	5	8
5:45 PM	0	0	1	0	0	1	0	0	0	0	0	0	1	0	0	1	0	0	1	0	1	0	0	0	1	2	3
Total	**0**	**0**	**5**	**0**	**0**	**5**	**0**	**0**	**3**	**1**	**0**	**4**	**9**	**0**	**0**	**3**	**0**	**0**	**3**	**0**	**2**	**2**	**1**	**1**	**6**	**9**	**18**
6:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
6:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
6:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
6:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Total	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**0**

FLORIDA DEPARTMENT OF TRANSPORTATION

PEDESTRIANS & BICYCLES COMBINED

SECTION	64294.01	**CITY**	Wildwood
STATE ROUTE	CR 139-Powell Road	**INTERSECTING ROUTE**	CR 44A
OBSERVER	VHB	**DATE OF COUNT**	1/0/00
COUNTY	Sumter	**WEATHER**	Good
MILEPOST	3.982	**COMPLETED BY**	VV
COUNT HOURS		**DATE**	12/19/23

12-1	1-2	2-3	3-4	4-5	5-6	6-7	7-8	8-9	9-10	10-11	11-12	12-13	13-14	14-15	15-16	16-17	17-18	18-19	19-20	20-21	21-22	22-23	23-24	Total
0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	**0**
0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	**0**
0	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**0**

12-1	0	0	**0**
1-2	0	0	**0**
2-3	0	0	**0**
3-4	0	0	**0**
4-5	0	0	**0**
5-6	0	0	**0**
6-7	0	0	**0**
7-8	1	0	**1**
8-9	0	1	**1**
9-10	0	0	**0**
10-11	0	0	**0**
11-12	0	0	**0**
12-13	0	0	**0**
13-14	0	0	**0**
14-15	0	0	**0**
15-16	0	0	**0**
16-17	0	0	**0**
17-18	0	1	**1**
18-19	0	0	**0**
19-20	0	0	**0**
20-21	0	0	**0**
21-22	0	0	**0**
22-23	0	0	**0**
23-24	0	0	**0**
Total	**1**	**2**	**3**

NORTH APPROACH
CR 139-Powell Road

WEST APPROACH
CR 139-Powell Road

CR 44A
EAST APPROACH

12-1	0	0	**0**
1-2	0	0	**0**
2-3	0	0	**0**
3-4	0	0	**0**
4-5	0	0	**0**
5-6	0	0	**0**
6-7	0	0	**0**
7-8	0	0	**0**
8-9	0	0	**0**
9-10	0	0	**0**
10-11	0	0	**0**
11-12	0	0	**0**
12-13	0	0	**0**
13-14	0	0	**0**
14-15	0	0	**0**
15-16	0	0	**0**
16-17	0	0	**0**
17-18	0	0	**0**
18-19	0	0	**0**
19-20	0	0	**0**
20-21	0	0	**0**
21-22	0	0	**0**
22-23	0	0	**0**
23-24	0	0	**0**
Total	**0**	**0**	**0**

CR 139-Powell Road
SOUTH APPROACH

12-1	1-2	2-3	3-4	4-5	5-6	6-7	7-8	8-9	9-10	10-11	11-12	12-13	13-14	14-15	15-16	16-17	17-18	18-19	19-20	20-21	21-22	22-23	23-24	Total
0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	**0**
0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	**0**
0	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**0**

VEHICLE TURNING MOVEMENT COUNT

SECTION:	64294.01	**CITY:**	Wildwood	**COUNTY:**	Sumter
STATE ROUTE:	CR 139-Powell Road	**INTERSECTING ROUTE:**	Project Entrance	**MILEPOST:**	3.982
OBSERVER:	VHB	**DATE OF COUNT:**	1/0/00	**COMPLETED BY:**	VV
WEATHER:	Good	**ROAD CONDITION:**	Good	**DATE COMPLETED:**	11/29/23
		COUNT PERIODS:			

ALL VEHICLES / ALL MOVEMENTS

Direction	Northbound						Southbound							Eastbound						Westbound							
Start Time	NBU	NBL	NBT	NBR	NBRTOR	Total	SBU	SBL	SBT	SBR	SBRTOR	Total	NS Total	EBU	EBL	EBT	EBR	EBRTOR	Total	WBU	WBL	WBT	WBR	WBRTOR	Total	EW Total	Grand Total
7:00 AM	0	0	80	3	0	83	0	0	167	0	0	167	250	0	0	0	0	0	0	0	0	0	6	0	6	6	256
7:15 AM	0	0	96	4	0	100	0	0	168	0	0	168	268	0	0	0	0	0	0	0	0	0	13	0	13	13	281
7:30 AM	0	0	139	8	0	147	0	0	180	0	0	180	327	0	0	0	0	0	0	0	0	0	10	0	10	10	337
7:45 AM	0	0	145	3	0	148	0	0	177	0	0	177	325	0	0	0	0	0	0	0	0	0	7	0	7	7	332
Total	**0**	**0**	**460**	**18**	**0**	**478**	**0**	**0**	**692**	**0**	**0**	**692**	**1,170**	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**36**	**0**	**36**	**36**	**1,206**
8:00 AM	0	0	127	6	0	133	0	0	161	0	0	161	294	0	0	0	0	0	0	0	0	0	6	0	6	6	300
8:15 AM	0	0	112	3	0	115	0	0	150	0	0	150	265	0	0	0	0	0	0	0	0	0	5	0	5	5	270
8:30 AM	0	0	145	1	0	146	0	0	154	0	0	154	300	0	0	0	0	0	0	0	0	0	4	0	4	4	304
8:45 AM	0	0	147	0	0	147	0	0	160	0	0	160	307	0	0	0	0	0	0	0	0	0	3	0	3	3	310
Total	**0**	**0**	**531**	**10**	**0**	**541**	**0**	**0**	**625**	**0**	**0**	**625**	**1,166**	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**18**	**0**	**18**	**18**	**1,184**
4:00 PM	0	0	204	7	0	211	0	0	167	0	0	167	378	0	0	0	0	0	0	0	0	0	2	0	2	2	380
4:15 PM	0	0	211	9	0	220	0	0	149	0	0	149	369	0	0	0	0	0	0	0	0	0	6	0	6	6	375
4:30 PM	0	0	200	9	0	209	0	0	166	0	0	166	375	0	0	0	0	0	0	0	0	0	7	0	7	7	382
4:45 PM	0	0	195	5	0	200	0	0	146	0	0	146	346	0	0	0	0	0	0	0	0	0	6	0	6	6	352
Total	**0**	**0**	**810**	**30**	**0**	**840**	**0**	**0**	**628**	**0**	**0**	**628**	**1,468**	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**21**	**0**	**21**	**21**	**1,489**
5:00 PM	0	0	255	10	0	265	0	0	135	0	0	135	400	0	0	0	0	0	0	0	0	0	3	0	3	3	403
5:15 PM	0	0	207	6	0	213	0	0	142	0	0	142	355	0	0	0	0	0	0	0	0	0	6	0	6	6	361
5:30 PM	0	0	176	11	0	187	0	0	155	0	0	155	342	0	0	0	0	0	0	0	0	0	5	0	5	5	347
5:45 PM	0	0	115	6	0	121	0	0	136	0	0	136	257	0	0	0	0	0	0	0	0	0	5	0	5	5	262
Total	**0**	**0**	**753**	**33**	**0**	**786**	**0**	**0**	**568**	**0**	**0**	**568**	**1,354**	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**19**	**0**	**19**	**19**	**1,373**
AM	0	0	507	21	0	528	0	0	686	0	0	686	1214	0	0	0	0	0	0	0	0	0	36	0	36	36	0.9272997
AM Truck	0	0	18	0	0	18	0	0	27	0	0	27	45	0	0	0	0	0	0	0	0	0	0	0	0	0	
AM Truck %	0.0%	0.0%	3.6%	0.0%	0.0%	3.4%	0.0%	0.0%	3.9%	0.0%	0.0%	3.9%	3.7%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	
PM	0	0	861	33	0	894	0	0	596	0	0	596	1490	0	0	0	0	0	0	0	0	0	22	0	22	22	0.9379653
PM Truck	0	0	14	1	0	15	0	0	9	0	0	9	24	0	0	0	0	0	0	0	0	0	1	0	1	1	
PM Truck %	0.0%	0.0%	1.6%	3.0%	0.0%	1.7%	0.0%	0.0%	1.5%	0.0%	0.0%	1.5%	1.6%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	4.5%	0.0%	4.5%	4.5%	

VEHICLE TURNING MOVEMENT COUNT

SECTION:	64294.01	**CITY:**	Wildwood	**COUNTY:**	Sumter
STATE ROUTE:	CR 139-Powell Road	**INTERSECTING ROUTE:**	Project Entrance	**MILEPOST:**	3.982
OBSERVER:	VHB	**DATE OF COUNT:**	1/0/00	**COMPLETED BY:**	VV
WEATHER:	Good	**ROAD CONDITION:**	Good	**DATE COMPLETED:**	11/29/23
		COUNT PERIODS:			

HEAVY VEHICLES (TRUCKS + BUSSES)

Direction	Northbound						Southbound							Eastbound						Westbound							
Start Time	NBU	NBL	NBT	NBR	NBRTOR	Total	SBU	SBL	SBT	SBR	SBRTOR	Total	NS Total	EBU	EBL	EBT	EBR	EBRTOR	Total	WBU	WBL	WBT	WBR	WBRTOR	Total	EW Total	Grand Total
7:00 AM	0	0	6	0	0	6	0	0	8	0	0	8	14	0	0	0	0	0	0	0	0	0	0	0	0	0	14
7:15 AM	0	0	4	0	0	4	0	0	8	0	0	8	12	0	0	0	0	0	0	0	0	0	0	0	0	0	12
7:30 AM	0	0	6	0	0	6	0	0	5	0	0	5	11	0	0	0	0	0	0	0	0	0	0	0	0	0	11
7:45 AM	0	0	2	0	0	2	0	0	9	0	0	9	11	0	0	0	0	0	0	0	0	0	0	0	0	0	11
Total	**0**	**0**	**18**	**0**	**0**	**18**	**0**	**0**	**30**	**0**	**0**	**30**	**48**	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**48**
8:00 AM	0	0	6	0	0	6	0	0	5	0	0	5	11	0	0	0	0	0	0	0	0	0	0	0	0	0	11
8:15 AM	0	0	3	0	0	3	0	0	4	0	0	4	7	0	0	0	0	0	0	0	0	0	0	0	0	0	7
8:30 AM	0	0	10	0	0	10	0	0	7	0	0	7	17	0	0	0	0	0	0	0	0	0	0	0	0	0	17
8:45 AM	0	0	12	0	0	12	0	0	6	0	0	6	18	0	0	0	0	0	0	0	0	0	0	0	0	0	18
Total	**0**	**0**	**31**	**0**	**0**	**31**	**0**	**0**	**22**	**0**	**0**	**22**	**53**	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**53**
4:00 PM	0	0	2	0	0	2	0	0	4	0	0	4	6	0	0	0	0	0	0	0	0	0	0	0	0	0	6
4:15 PM	0	0	4	0	0	4	0	0	3	0	0	3	7	0	0	0	0	0	0	0	0	0	0	0	0	0	7
4:30 PM	0	0	3	1	0	4	0	0	3	0	0	3	7	0	0	0	0	0	0	0	0	0	0	0	0	0	7
4:45 PM	0	0	6	0	0	6	0	0	2	0	0	2	8	0	0	0	0	0	0	0	0	0	1	0	1	1	9
Total	**0**	**0**	**15**	**1**	**0**	**16**	**0**	**0**	**12**	**0**	**0**	**12**	**28**	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**1**	**0**	**1**	**1**	**29**
5:00 PM	0	0	1	0	0	1	0	0	1	0	0	1	2	0	0	0	0	0	0	0	0	0	0	0	0	0	2
5:15 PM	0	0	1	0	0	1	0	0	3	0	0	3	4	0	0	0	0	0	0	0	0	0	0	0	0	0	4
5:30 PM	0	0	1	0	0	1	0	0	1	0	0	1	2	0	0	0	0	0	0	0	0	0	0	0	0	0	2
5:45 PM	0	0	0	0	0	0	0	0	1	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1
Total	**0**	**0**	**3**	**0**	**0**	**3**	**0**	**0**	**6**	**0**	**0**	**6**	**9**	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**9**

FLORIDA DEPARTMENT OF TRANSPORTATION

PEDESTRIANS & BICYCLES COMBINED

SECTION	64294.01	**CITY**	Wildwood
STATE ROUTE	CR 139-Powell Road	**INTERSECTING ROUTE**	Project Entrance
OBSERVER	VHB	**DATE OF COUNT**	1/0/00
COUNTY	Sumter	**WEATHER**	Good
MILEPOST	3.982	**COMPLETED BY**	VV
COUNT HOURS		**DATE**	11/29/23

12-1	1-2	2-3	3-4	4-5	5-6	6-7	7-8	8-9	9-10	10-11	11-12	12-13	13-14	14-15	15-16	16-17	17-18	18-19	19-20	20-21	21-22	22-23	23-24	Total
0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	**1**
0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	**1**
0	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**2**	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**2**

12-1	0	0	**0**
1-2	0	0	**0**
2-3	0	0	**0**
3-4	0	0	**0**
4-5	0	0	**0**
5-6	0	0	**0**
6-7	0	0	**0**
7-8	0	0	**0**
8-9	0	0	**0**
9-10	0	0	**0**
10-11	0	0	**0**
11-12	0	0	**0**
12-13	0	0	**0**
13-14	0	0	**0**
14-15	0	0	**0**
15-16	0	0	**0**
16-17	0	0	**0**
17-18	0	0	**0**
18-19	0	0	**0**
19-20	0	0	**0**
20-21	0	0	**0**
21-22	0	0	**0**
22-23	0	0	**0**
23-24	0	0	**0**
Total	**0**	**0**	**0**

NORTH APPROACH
CR 139-Powell Road

WEST APPROACH
CR 139-Powell Road

CR 139-Powell Road
SOUTH APPROACH

Project Entrance
EAST APPROACH

12-1	0	0	**0**
1-2	0	0	**0**
2-3	0	0	**0**
3-4	0	0	**0**
4-5	0	0	**0**
5-6	0	0	**0**
6-7	0	0	**0**
7-8	0	0	**0**
8-9	0	0	**0**
9-10	0	0	**0**
10-11	0	0	**0**
11-12	0	0	**0**
12-13	0	0	**0**
13-14	0	0	**0**
14-15	0	0	**0**
15-16	0	0	**0**
16-17	0	0	**0**
17-18	0	0	**0**
18-19	0	0	**0**
19-20	0	0	**0**
20-21	0	0	**0**
21-22	0	0	**0**
22-23	0	0	**0**
23-24	0	0	**0**
Total	**0**	**0**	**0**

12-1	1-2	2-3	3-4	4-5	5-6	6-7	7-8	8-9	9-10	10-11	11-12	12-13	13-14	14-15	15-16	16-17	17-18	18-19	19-20	20-21	21-22	22-23	23-24	Total
0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	**0**
0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	**0**
0	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**0**

2022 PEAK SEASON FACTOR CATEGORY REPORT - REPORT TYPE: ALL
CATEGORY: 1800 SUMTER COUNTYWIDE

MOCF: 0.94

WEEK	DATES	SF	PSCF
1	01/01/2022 - 01/01/2022	1.03	1.10
2	01/02/2022 - 01/08/2022	1.06	1.13
3	01/09/2022 - 01/15/2022	1.09	1.16
4	01/16/2022 - 01/22/2022	1.07	1.14
5	01/23/2022 - 01/29/2022	1.06	1.13
6	01/30/2022 - 02/05/2022	1.04	1.11
7	02/06/2022 - 02/12/2022	1.03	1.10
8	02/13/2022 - 02/19/2022	1.01	1.07
* 9	02/20/2022 - 02/26/2022	0.99	1.05
*10	02/27/2022 - 03/05/2022	0.97	1.03
*11	03/06/2022 - 03/12/2022	0.94	1.00
*12	03/13/2022 - 03/19/2022	0.92	0.98
*13	03/20/2022 - 03/26/2022	0.91	0.97
*14	03/27/2022 - 04/02/2022	0.91	0.97
*15	04/03/2022 - 04/09/2022	0.90	0.96
*16	04/10/2022 - 04/16/2022	0.90	0.96
*17	04/17/2022 - 04/23/2022	0.92	0.98
*18	04/24/2022 - 04/30/2022	0.94	1.00
*19	05/01/2022 - 05/07/2022	0.96	1.02
*20	05/08/2022 - 05/14/2022	0.98	1.04
*21	05/15/2022 - 05/21/2022	1.01	1.07
22	05/22/2022 - 05/28/2022	1.01	1.07
23	05/29/2022 - 06/04/2022	1.01	1.07
24	06/05/2022 - 06/11/2022	1.00	1.06
25	06/12/2022 - 06/18/2022	1.00	1.06
26	06/19/2022 - 06/25/2022	1.00	1.06
27	06/26/2022 - 07/02/2022	0.99	1.05
28	07/03/2022 - 07/09/2022	0.99	1.05
29	07/10/2022 - 07/16/2022	0.99	1.05
30	07/17/2022 - 07/23/2022	1.01	1.07
31	07/24/2022 - 07/30/2022	1.03	1.10
32	07/31/2022 - 08/06/2022	1.05	1.12
33	08/07/2022 - 08/13/2022	1.07	1.14
34	08/14/2022 - 08/20/2022	1.09	1.16
35	08/21/2022 - 08/27/2022	1.10	1.17
36	08/28/2022 - 09/03/2022	1.10	1.17
37	09/04/2022 - 09/10/2022	1.11	1.18
38	09/11/2022 - 09/17/2022	1.11	1.18
39	09/18/2022 - 09/24/2022	1.08	1.15
40	09/25/2022 - 10/01/2022	1.04	1.11
41	10/02/2022 - 10/08/2022	1.01	1.07
42	10/09/2022 - 10/15/2022	0.97	1.03
43	10/16/2022 - 10/22/2022	0.97	1.03
44	10/23/2022 - 10/29/2022	0.97	1.03
45	10/30/2022 - 11/05/2022	0.97	1.03
46	11/06/2022 - 11/12/2022	0.96	1.02
47	11/13/2022 - 11/19/2022	0.96	1.02
48	11/20/2022 - 11/26/2022	0.98	1.04
49	11/27/2022 - 12/03/2022	1.00	1.06
50	12/04/2022 - 12/10/2022	1.02	1.09
51	12/11/2022 - 12/17/2022	1.03	1.10
52	12/18/2022 - 12/24/2022	1.06	1.13
53	12/25/2022 - 12/31/2022	1.09	1.16

* PEAK SEASON

Sumter County Annual Traffic Counts

Station ID	Street	Location Description	Start Date	Dura-tion	Yearly ADT						ADT (+/-) Change	A.M. Peak Hour						P.M. Peak Hour					
					2017	2018	2019	2020	2021	2022		Time	Total	NB/EB	SB/WB	K	D	Time	Total	NB/EB	SB/WB	K	D
52	S C 475	100' South of CR 542	02/17/22	24-HR	6000	5396	3502	5130	-	**5951**	**16%**	11:00 AM	456	228	228	0.08	0.50	3:30 PM	544	286	258	0.09	0.53
53	C 476A (Dr Martin Luther King Jr Ave)	W of S Justice St	02/24/22	24-HR	-	-	-	-	-	**849**	**-**	7:45 AM	67	32	35	0.08	0.52	6:15 PM	88	45	43	0.10	0.51
54	W C 476 (W Seminole Ave)	W of S Roland St	02/17/22	24-HR	4919	4325	4545	5216	-	**5832**	**12%**	7:00 AM	433	234	199	0.07	0.54	4:15 PM	575	220	355	0.10	0.62
55	E C 476 (E Noble Ave)	E of Flanner Ave	02/10/22	24-HR	2806	2448	2528	2877	-	**3187**	**11%**	7:30 AM	288	99	189	0.09	0.66	4:00 PM	337	175	162	0.11	0.52
56	W C 476	W of CR 616	02/17/22	24-HR	4705	4871	4955	4962	-	**5802**	**17%**	7:00 AM	382	264	118	0.07	0.69	4:30 PM	513	186	327	0.09	0.64
57	C 476A (S Jasper St)	2000' S of E C 476	03/15/22	24-HR	623	-	-	611	-	**390**	**-36%**	7:45 AM	31	20	11	0.08	0.65	3:45 PM	46	23	23	0.12	0.50
58	C 476B	1500' N of SW 95th Ave	03/15/22	24-HR	2037	1934	1942	1817	-	**2299**	**27%**	7:00 AM	195	74	121	0.08	0.62	4:00 PM	211	141	70	0.09	0.67
59	E C 476	500' E of C 476A (S Jasper St)	02/10/22	24-HR	2595	-	-	-	-	**2755**	**-**	7:30 AM	255	91	164	0.09	0.64	4:00 PM	290	147	143	0.11	0.51
60	W C 476	500' W of C 575	02/17/22	24-HR	3145	3848	3753	4308	-	**5028**	**17%**	9:15 AM	331	167	164	0.07	0.50	4:00 PM	418	168	250	0.08	0.60
61	W C 476	100' W of C 476B	02/17/22	24-HR	4393	4360	4710	4598	-	**5905**	**28%**	9:45 AM	388	197	191	0.07	0.51	4:30 PM	490	180	310	0.08	0.63
62	W C 476	100' E of C 476B	02/17/22	24-HR	4897	4227	4353	4192	-	**5405**	**29%**	8:30 AM	353	182	171	0.07	0.52	4:30 PM	463	173	290	0.09	0.63
63	W C 476	500' W of CR 603	02/17/22	24-HR	5058	4657	4730	5421	-	**5572**	**3%**	7:00 AM	458	286	172	0.08	0.62	4:00 PM	551	223	328	0.10	0.60
64	C 478A	500' W of SR 471	02/17/22	24-HR	756	731	755	680	-	**801**	**18%**	7:00 AM	81	57	24	0.10	0.70	5:30 PM	86	34	52	0.11	0.60
65	CR 647	100' N of W C 476	02/17/22	24-HR	-	-	-	-	-	**658**	**-**	10:15 AM	47	16	31	0.07	0.66	5:00 PM	60	40	20	0.09	0.67
66	E C 478	1 Mi S of E C 48	02/10/22	24-HR	1124	943	1021	1016	-	**1224**	**20%**	6:45 AM	112	64	48	0.09	0.57	4:45 PM	119	38	81	0.10	0.68
67	E C 478	200' E of NE 9th St	03/15/22	24-HR	1779	1584	1596	1539	-	**2048**	**33%**	7:15 AM	147	71	76	0.07	0.52	5:00 PM	192	95	97	0.09	0.51
68	C 478A	200' W of CR 755	02/24/22	24-HR	-	-	-	-	-	**375**	**-**	6:45 AM	37	13	24	0.10	0.65	3:15 PM	53	35	18	0.14	0.66
69	CR 614	500' S of W C 476	03/15/22	24-HR	1768	1600	1779	1752	-	**685**	**-61%**	7:15 AM	57	42	15	0.08	0.74	4:15 PM	82	30	52	0.12	0.63
70	W C 478	1 Mile E of US 301	02/17/22	24-HR	2662	2109	2092	2146	-	**2816**	**31%**	7:15 AM	224	117	107	0.08	0.52	4:00 PM	247	119	128	0.09	0.52
71	E C 48 (N Florida St)	S of E Joe P Strickland Jr Ave	02/10/22	24-HR	4014	3543	3545	3758	-	**3626**	**-4%**	8:00 AM	287	200	87	0.08	0.70	4:30 PM	383	164	219	0.11	0.57
72	E C 48	E of S Justice St	02/10/22	24-HR	7189	6475	7150	7721	-	**8713**	**13%**	7:45 AM	657	252	405	0.08	0.62	4:15 PM	848	388	460	0.10	0.54
73	E C 48	E of SE 26th Dr	02/10/22	24-HR	5699	5490	5666	5962	-	**7301**	**22%**	7:00 AM	577	287	290	0.08	0.50	4:15 PM	654	308	346	0.09	0.53
74	W C 48	W of CR 625	02/17/22	24-HR	4494	4167	4222	4153	-	**5671**	**37%**	10:45 AM	365	207	158	0.06	0.57	1:30 PM	497	283	214	0.09	0.57
75	E C 48	500' W of CR 747	02/10/22	24-HR	6857	6162	6667	7088	-	**8341**	**18%**	7:45 AM	641	249	392	0.08	0.61	4:00 PM	791	339	452	0.09	0.57
76	E C 48	300' E of CR 747	02/10/22	24-HR	5673	5172	5767	6024	-	**7340**	**22%**	7:00 AM	571	255	316	0.08	0.55	4:15 PM	646	310	336	0.09	0.52
77	E C 48	300' W of Old RR Tracks (W Jefferson St)	02/10/22	24-HR	6084	5709	6051	6211	-	**8608**	**39%**	6:30 AM	653	338	315	0.08	0.52	4:15 PM	731	350	381	0.08	0.52
78	E C 48	500' W of CR 702	02/10/22	24-HR	3825	4221	4023	3775	-	**5600**	**48%**	7:00 AM	479	290	189	0.09	0.61	4:00 PM	473	174	299	0.08	0.63
79	E C 48	50' NE of CR 558	02/10/22	24-HR	2775	3105	4303	3422	-	**4221**	**23%**	6:45 AM	353	222	131	0.08	0.63	4:45 PM	349	118	231	0.08	0.66
80	W C 48	100' W of C 575	02/17/22	24-HR	3970	3864	3792	3458	-	**4814**	**39%**	10:45 AM	336	179	157	0.07	0.53	4:30 PM	397	158	239	0.08	0.60
81	W C 48	400' W of CR 616	02/17/22	24-HR	5632	5344	5407	5778	-	**6286**	**9%**	10:45 AM	451	249	202	0.07	0.55	4:15 PM	551	231	320	0.09	0.58
82	W C 48	150' E of CR 313	02/17/22	24-HR	8657	11082	10439	12396	-	**18941**	**53%**	11:00 AM	1221	607	614	0.06	0.50	1:30 PM	1269	641	628	0.07	0.51
83	C 575	1.5 Mi S of W C 48	02/17/22	24-HR	632	581	690	639	-	**836**	**31%**	7:00 AM	62	32	30	0.07	0.52	4:15 PM	79	36	43	0.09	0.54
84	C 575	300' N of W C 476	02/17/22	24-HR	-	-	-	-	-	**1053**	**-**	7:45 AM	77	24	53	0.07	0.69	12:30 PM	103	42	61	0.10	0.59
85	Canal St	200' S of Odell Cir (North End)	01/20/22	24-HR	8103	6839	5629	7158	-	**6251**	**-13%**	11:00 AM	577	298	279	0.09	0.52	1:15 PM	619	287	332	0.10	0.54
86	Canal St	200' N of Odell Cir (South End)	02/03/22	24-HR	5298	4767	5199	5049	-	**4881**	**-3%**	11:00 AM	453	230	223	0.09	0.51	12:45 PM	468	235	233	0.10	0.50
87	Canal St	200' S of Odell Cir (South End)	02/03/22	24-HR	4211	3684	3571	3582	-	**4010**	**12%**	10:30 AM	378	196	182	0.09	0.52	12:00 PM	416	214	202	0.10	0.51
88	Charlotte Ct	N of Hillsborough Trl	02/03/22	24-HR	2915	3056	3218	3710	-	**3349**	**-10%**	10:45 AM	322	147	175	0.10	0.54	12:00 PM	334	153	181	0.10	0.54
89	CR 100	150' S of E C 466	01/13/22	24-HR	1575	1874	2080	2478	-	**3362**	**36%**	7:00 AM	285	188	97	0.08	0.66	3:15 PM	299	137	162	0.09	0.54
90	CR 101	100' S of Woodridge Dr	01/13/22	24-HR	7814	7448	7772	8107	-	**7098**	**-12%**	7:00 AM	573	152	421	0.08	0.73	2:30 PM	693	376	317	0.10	0.54
91	CR 101	600' N of Woodridge Dr	01/13/22	24-HR	4282	3861	4198	4656	-	**4597**	**-1%**	7:00 AM	527	148	379	0.11	0.72	4:45 PM	462	316	146	0.10	0.68
92	CR 102	W of CR 103	01/13/22	24-HR	1156	1076	1324	1440	-	**1256**	**-13%**	7:00 AM	198	149	49	0.16	0.75	4:30 PM	122	33	89	0.10	0.73
93	CR 103	200' N of Woodridge Dr	01/13/22	24-HR	3516	3422	3720	3873	-	**3938**	**2%**	6:45 AM	427	139	288	0.11	0.67	2:45 PM	371	192	179	0.09	0.52
94	CR 104	W of CR 103	01/13/22	24-HR	2655	2437	2928	3387	-	**3208**	**-5%**	7:00 AM	439	350	89	0.14	0.80	4:45 PM	350	108	242	0.11	0.69
95	CR 117	100' South of C 472	01/20/22	24-HR	-	-	-	-	-	**2964**	**-**	7:00 AM	288	133	155	0.10	0.54	4:45 PM	303	156	147	0.10	0.51
96	CR 121	S of CR 128	01/20/22	24-HR	3085	2772	3366	3583	-	**4174**	**16%**	7:15 AM	378	89	289	0.09	0.76	4:30 PM	412	257	155	0.10	0.62
97	CR 139 (Powell Rd)	S of C 466A	01/27/22	24-HR	10599	11485	13419	15097	-	**17456**	**16%**	11:00 AM	1428	774	654	0.08	0.54	4:30 PM	1535	938	597	0.09	0.61
98	C 139 (Powell Rd)	N of SR 44	02/10/22	24-HR	9551	9937	10667	12273	-	**12446**	**1%**	11:00 AM	1102	491	611	0.09	0.55	3:45 PM	1111	482	629	0.09	0.57
99	CR 156	E of CR 181	01/27/22	24-HR	-	-	-	-	-	**1396**	**-**	7:15 AM	138	104	34	0.10	0.75	4:45 PM	116	59	57	0.08	0.51
100	CR 209	S of E C 466	01/27/22	24-HR	-	-	-	-	-	**2491**	**-**	7:00 AM	219	76	143	0.09	0.65	5:00 PM	486	266	220	0.20	0.55
101	CR 209	N of CR 222	01/27/22	24-HR	-	-	-	-	-	**1363**	**-**	7:00 AM	157	71	86	0.12	0.55	4:45 PM	189	109	80	0.14	0.58

EAGLE EPAC TIMING SHEET

CONTROLLER SETTINGS

Mvmt.	Timing Function	Min Initial	Green Passage	Max I	Green II	Yellow Clear	All Red	Walk (NA)	F.D.W. (NA)	Recall	Det. Func.
1		5	4.0	25	30	4.0	2.8				Lock
2		15	5.0	20	50	4.0	2.0		8	min	Non Lock
3		5	4.0	25	30	4.0	2.8				Lock
4		5	5.0	35	50	4.0	2.0		8		Non Lock
5		5	4.0	8	30	4.0	2.8				Lock
6		15	5.0	35	50	4.0	2.0		8	min	Non Lock
7		5	4.0	25	30	4.0	2.8				Lock
8		5	5.0	35	50	4.0	2.0		8		Non Lock
											Off Set

COORDINATION SETTINGS

Dial 1 AVC	Dial 2/AM	Dial 3/PM
Split Sec	Split Sec	Split Sec

5018

INTERSECTION: CR44A & Powell Rd/CR139

DATE: June 2019

EAGLE EPAC TIMING SHEET

CONTROLLER SETTINGS

Mvmt.	Timing Function	Min Initial	Green Passage	Max I	Green II	Yellow Clear	All Red	Walk	F.D.W.	Recall	Det. Func.
1		10	3.0	15		4.0	1.0				Lock
2		20	3.0	30		4.0	1.0	7	33	min	Non Lock
3		10	3.0	26		4.0	1.0				Lock
4		10	3.0	25		4.0	1.0	7	33		Non Lock
5		10	3.0	19		4.0	1.0				Lock
6		20	3.0	30		4.0	1.0	7	33	min	Non Lock
7		10	3.0	15		4.0	1.0				Lock
8		10	3.0	36		4.0	1.0	7	33		Non Lock
											Off Set

COORDINATION SETTINGS

Dial 1 AVC	Dial 2/AM	Dial 3/PM
Split Sec	Split Sec	Split Sec

5020

INTERSECTION: CR466A & Powell Rd / CR462E

DATE: June 2019

APPENDIX C

Synchro – Existing Conditions



Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations												
Traffic Volume (veh/h)	70	401	106	331	333	176	121	207	349	176	228	55
Future Volume (veh/h)	70	401	106	331	333	176	121	207	349	176	228	55
Initial Q (Qb), veh	0	0	0	0	0	0	0	0	0	0	0	0
Ped-Bike Adj(A_pbT)	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00
Parking Bus, Adj	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Work Zone On Approach		No			No			No			No	
Adj Sat Flow, veh/h/ln	1633	1841	1856	1856	1856	1885	1841	1826	1856	1841	1796	1781
Adj Flow Rate, veh/h	76	436	103	360	362	139	132	225	229	191	248	55
Peak Hour Factor	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92
Percent Heavy Veh, %	18	4	3	3	3	1	4	5	3	4	7	8
Cap, veh/h	109	1425	334	254	1802	817	213	359	309	261	278	62
Arrive On Green	0.07	0.51	0.51	0.07	0.51	0.51	0.08	0.20	0.20	0.07	0.20	0.20
Sat Flow, veh/h	1555	2812	659	3428	3526	1598	1753	1826	1572	1753	1424	316
Grp Volume(v), veh/h	76	270	269	360	362	139	132	225	229	191	0	303
Grp Sat Flow(s),veh/h/ln	1555	1749	1722	1714	1763	1598	1753	1826	1572	1753	0	1739
Q Serve(g_s), s	6.5	12.1	12.3	10.0	7.6	6.3	8.0	15.2	18.5	10.0	0.0	22.9
Cycle Q Clear(g_c), s	6.5	12.1	12.3	10.0	7.6	6.3	8.0	15.2	18.5	10.0	0.0	22.9
Prop In Lane	1.00		0.38	1.00		1.00	1.00		1.00	1.00		0.18
Lane Grp Cap(c), veh/h	109	886	873	254	1802	817	213	359	309	261	0	340
V/C Ratio(X)	0.70	0.30	0.31	1.42	0.20	0.17	0.62	0.63	0.74	0.73	0.00	0.89
Avail Cap(c_a), veh/h	161	886	873	254	1802	817	353	541	466	261	0	515
HCM Platoon Ratio	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Upstream Filter(I)	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	0.00	1.00
Uniform Delay (d), s/veh	61.4	19.4	19.5	62.5	18.0	17.7	41.0	49.7	51.0	44.0	0.0	52.9
Incr Delay (d2), s/veh	7.9	0.9	0.9	209.5	0.3	0.5	2.9	1.8	3.5	10.2	0.0	12.2
Initial Q Delay(d3),s/veh	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
%ile BackOfQ(95%),veh/ln	5.0	8.8	8.8	19.2	5.5	4.3	6.5	11.5	12.0	3.8	0.0	16.5
Unsig. Movement Delay, s/veh												
LnGrp Delay(d),s/veh	69.3	20.3	20.4	272.0	18.2	18.1	44.0	51.5	54.4	54.2	0.0	65.1
LnGrp LOS	E	C	C	F	B	B	D	D	D	D	A	E
Approach Vol, veh/h		615			861			586			494	
Approach Delay, s/veh		26.4			124.3			50.9			60.9	
Approach LOS		C			F			D			E	

Timer - Assigned Phs	1	2	3	4	5	6	7	8
Phs Duration (G+Y+Rc), s	15.0	73.4	15.2	31.4	14.4	74.0	15.0	31.6
Change Period (Y+Rc), s	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0
Max Green Setting (Gmax), s	10.0	40.0	21.0	40.0	14.0	40.0	10.0	40.0
Max Q Clear Time (g_c+I1), s	12.0	14.3	10.0	24.9	8.5	9.6	12.0	20.5
Green Ext Time (p_c), s	0.0	3.3	0.2	1.5	0.1	2.7	0.0	1.9

Intersection Summary			
HCM 6th Ctrl Delay		71.7	
HCM 6th LOS		E	

Intersection	
Int Delay, s/veh	0.9

Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations												
Traffic Vol, veh/h	12	0	17	3	0	4	46	496	20	7	642	5
Future Vol, veh/h	12	0	17	3	0	4	46	496	20	7	642	5
Conflicting Peds, #/hr	0	0	0	0	0	0	0	0	0	0	0	0
Sign Control	Stop	Stop	Stop	Stop	Stop	Stop	Free	Free	Free	Free	Free	Free
RT Channelized	-	-	None	-	-	None	-	-	None	-	-	None
Storage Length	-	-	-	-	-	-	250	-	-	250	-	-
Veh in Median Storage, #	-	1	-	-	1	-	-	0	-	-	0	-
Grade, %	-	0	-	-	0	-	-	0	-	-	0	-
Peak Hour Factor	86	86	86	86	86	86	86	86	86	86	86	86
Heavy Vehicles, %	8	0	0	67	0	0	0	3	0	0	4	0
Mvmt Flow	14	0	20	3	0	5	53	577	23	8	747	6

Major/Minor	Minor2			Minor1			Major1			Major2		
Conflicting Flow All	1161	1472	377	1085	1464	300	753	0	0	600	0	0
Stage 1	766	766	-	695	695	-	-	-	-	-	-	-
Stage 2	395	706	-	390	769	-	-	-	-	-	-	-
Critical Hdwy	7.66	6.5	6.9	8.84	6.5	6.9	4.1	-	-	4.1	-	-
Critical Hdwy Stg 1	6.66	5.5	-	7.84	5.5	-	-	-	-	-	-	-
Critical Hdwy Stg 2	6.66	5.5	-	7.84	5.5	-	-	-	-	-	-	-
Follow-up Hdwy	3.58	4	3.3	4.17	4	3.3	2.2	-	-	2.2	-	-
Pot Cap-1 Maneuver	143	128	626	106	130	702	866	-	-	987	-	-
Stage 1	348	415	-	277	447	-	-	-	-	-	-	-
Stage 2	586	442	-	459	413	-	-	-	-	-	-	-
Platoon blocked, %								-	-		-	-
Mov Cap-1 Maneuver	135	119	626	97	121	702	866	-	-	987	-	-
Mov Cap-2 Maneuver	242	241	-	184	231	-	-	-	-	-	-	-
Stage 1	327	412	-	260	420	-	-	-	-	-	-	-
Stage 2	546	415	-	441	410	-	-	-	-	-	-	-

Approach	EB	WB	NB	SB
HCM Control Delay, s	15.5	16.6	0.8	0.1
HCM LOS	C	C		

Minor Lane/Major Mvmt	NBL	NBT	NBR	EBLn1	WBLn1	SBL	SBT	SBR
Capacity (veh/h)	866	-	-	378	318	987	-	-
HCM Lane V/C Ratio	0.062	-	-	0.089	0.026	0.008	-	-
HCM Control Delay (s)	9.4	-	-	15.5	16.6	8.7	-	-
HCM Lane LOS	A	-	-	C	C	A	-	-
HCM 95th %tile Q(veh)	0.2	-	-	0.3	0.1	0	-	-

Intersection	
Int Delay, s/veh	1.9

Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations												
Traffic Vol, veh/h	56	1	40	1	3	1	30	478	1	21	581	86
Future Vol, veh/h	56	1	40	1	3	1	30	478	1	21	581	86
Conflicting Peds, #/hr	0	0	0	0	0	0	0	0	0	0	0	0
Sign Control	Stop	Stop	Stop	Stop	Stop	Stop	Free	Free	Free	Free	Free	Free
RT Channelized	-	-	None	-	-	None	-	-	None	-	-	None
Storage Length	-	-	-	-	-	-	315	-	-	315	-	-
Veh in Median Storage, #	-	1	-	-	1	-	-	0	-	-	0	-
Grade, %	-	0	-	-	0	-	-	0	-	-	0	-
Peak Hour Factor	91	91	91	91	91	91	91	91	91	91	91	91
Heavy Vehicles, %	0	0	2	0	33	0	3	3	0	0	3	6
Mvmt Flow	62	1	44	1	3	1	33	525	1	23	638	95

Major/Minor	Minor2			Minor1			Major1			Major2		
Conflicting Flow All	1062	1324	367	958	1371	263	733	0	0	526	0	0
Stage 1	732	732	-	592	592	-	-	-	-	-	-	-
Stage 2	330	592	-	366	779	-	-	-	-	-	-	-
Critical Hdwy	7.5	6.5	6.94	7.5	7.16	6.9	4.16	-	-	4.1	-	-
Critical Hdwy Stg 1	6.5	5.5	-	6.5	6.16	-	-	-	-	-	-	-
Critical Hdwy Stg 2	6.5	5.5	-	6.5	6.16	-	-	-	-	-	-	-
Follow-up Hdwy	3.5	4	3.32	3.5	4.33	3.3	2.23	-	-	2.2	-	-
Pot Cap-1 Maneuver	180	157	630	215	111	742	861	-	-	1051	-	-
Stage 1	383	430	-	465	422	-	-	-	-	-	-	-
Stage 2	663	497	-	631	338	-	-	-	-	-	-	-
Platoon blocked, %								-	-		-	-
Mov Cap-1 Maneuver	170	148	630	190	104	742	861	-	-	1051	-	-
Mov Cap-2 Maneuver	280	267	-	309	203	-	-	-	-	-	-	-
Stage 1	368	421	-	447	406	-	-	-	-	-	-	-
Stage 2	631	478	-	573	331	-	-	-	-	-	-	-

Approach	EB	WB	NB	SB
HCM Control Delay, s	19	19.3	0.6	0.3
HCM LOS	C	C		

Minor Lane/Major Mvmt	NBL	NBT	NBR	EBLn1	WBLn1	SBL	SBT	SBR
Capacity (veh/h)	861	-	-	363	258	1051	-	-
HCM Lane V/C Ratio	0.038	-	-	0.294	0.021	0.022	-	-
HCM Control Delay (s)	9.3	-	-	19	19.3	8.5	-	-
HCM Lane LOS	A	-	-	C	C	A	-	-
HCM 95th %tile Q(veh)	0.1	-	-	1.2	0.1	0.1	-	-



Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations												
Traffic Volume (veh/h)	48	60	156	249	66	193	52	406	109	92	437	22
Future Volume (veh/h)	48	60	156	249	66	193	52	406	109	92	437	22
Initial Q (Qb), veh	0	0	0	0	0	0	0	0	0	0	0	0
Ped-Bike Adj(A_pbT)	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00
Parking Bus, Adj	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Work Zone On Approach		No			No			No			No	
Adj Sat Flow, veh/h/ln	1870	1900	1900	1885	1870	1885	1870	1856	1900	1870	1856	1752
Adj Flow Rate, veh/h	54	67	118	280	74	165	58	456	85	103	491	23
Peak Hour Factor	0.89	0.89	0.89	0.89	0.89	0.89	0.89	0.89	0.89	0.89	0.89	0.89
Percent Heavy Veh, %	2	0	0	1	2	1	2	3	0	2	3	10
Cap, veh/h	696	1899	847	823	2073	932	150	555	253	181	621	29
Arrive On Green	0.03	0.53	0.53	0.09	0.58	0.58	0.04	0.16	0.16	0.06	0.18	0.18
Sat Flow, veh/h	1781	3610	1610	1795	3554	1598	1781	3526	1610	1781	3429	160
Grp Volume(v), veh/h	54	67	118	280	74	165	58	456	85	103	252	262
Grp Sat Flow(s),veh/h/ln	1781	1805	1610	1795	1777	1598	1781	1763	1610	1781	1763	1827
Q Serve(g_s), s	2.2	1.4	6.0	11.1	1.4	7.7	4.3	20.0	7.5	7.7	21.8	21.9
Cycle Q Clear(g_c), s	2.2	1.4	6.0	11.1	1.4	7.7	4.3	20.0	7.5	7.7	21.8	21.9
Prop In Lane	1.00		1.00	1.00		1.00	1.00		1.00	1.00		0.09
Lane Grp Cap(c), veh/h	696	1899	847	823	2073	932	150	555	253	181	319	331
V/C Ratio(X)	0.08	0.04	0.14	0.34	0.04	0.18	0.39	0.82	0.34	0.57	0.79	0.79
Avail Cap(c_a), veh/h	904	1899	847	930	2073	932	342	952	435	331	476	493
HCM Platoon Ratio	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Upstream Filter(I)	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Uniform Delay (d), s/veh	16.4	18.3	19.4	13.4	14.2	15.5	54.7	65.2	60.0	53.3	62.6	62.6
Incr Delay (d2), s/veh	0.0	0.0	0.3	0.2	0.0	0.4	1.6	3.1	0.8	2.8	5.2	5.2
Initial Q Delay(d3),s/veh	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
%ile BackOfQ(95%),veh/ln	1.7	1.1	4.3	8.1	1.1	5.3	3.6	14.2	5.6	6.5	15.5	16.0
Unsig. Movement Delay, s/veh												
LnGrp Delay(d),s/veh	16.4	18.3	19.7	13.7	14.2	15.9	56.4	68.3	60.7	56.1	67.8	67.8
LnGrp LOS	B	B	B	B	B	B	E	E	E	E	E	E
Approach Vol, veh/h		239			519			599			617	
Approach Delay, s/veh		18.6			14.5			66.1			65.8	
Approach LOS		B			B			E			E	

Timer - Assigned Phs	1	2	3	4	5	6	7	8
Phs Duration (G+Y+Rc), s	20.5	91.0	12.7	35.8	11.3	100.1	16.6	32.0
Change Period (Y+Rc), s	* 6.8	* 6.8	* 6.8	* 6.8	* 6.8	* 6.8	* 6.8	* 6.8
Max Green Setting (Gmax), s	* 23	* 43	* 23	* 43	* 23	* 43	* 23	* 43
Max Q Clear Time (g_c+I1), s	13.1	8.0	6.3	23.9	4.2	9.7	9.7	22.0
Green Ext Time (p_c), s	0.6	0.8	0.1	2.8	0.1	1.0	0.2	3.2

Intersection Summary	
HCM 6th Ctrl Delay	46.7
HCM 6th LOS	D

Notes

* HCM 6th computational engine requires equal clearance times for the phases crossing the barrier.

Intersection	
Int Delay, s/veh	0.3

Movement	WBL	WBR	NBT	NBR	SBL	SBT
Lane Configurations						
Traffic Vol, veh/h	0	36	507	21	0	686
Future Vol, veh/h	0	36	507	21	0	686
Conflicting Peds, #/hr	0	0	0	0	0	0
Sign Control	Stop	Stop	Free	Free	Free	Free
RT Channelized	-	None	-	None	-	None
Storage Length	-	0	-	-	-	-
Veh in Median Storage, #	1	-	0	-	-	0
Grade, %	0	-	0	-	-	0
Peak Hour Factor	93	93	93	93	93	93
Heavy Vehicles, %	0	0	4	0	0	4
Mvmt Flow	0	39	545	23	0	738

Major/Minor	Minor1		Major1		Major2	
Conflicting Flow All	-	284	0	0	-	-
Stage 1	-	-	-	-	-	-
Stage 2	-	-	-	-	-	-
Critical Hdwy	-	6.9	-	-	-	-
Critical Hdwy Stg 1	-	-	-	-	-	-
Critical Hdwy Stg 2	-	-	-	-	-	-
Follow-up Hdwy	-	3.3	-	-	-	-
Pot Cap-1 Maneuver	0	719	-	-	0	-
Stage 1	0	-	-	-	0	-
Stage 2	0	-	-	-	0	-
Platoon blocked, %			-	-		-
Mov Cap-1 Maneuver	-	719	-	-	-	-
Mov Cap-2 Maneuver	-	-	-	-	-	-
Stage 1	-	-	-	-	-	-
Stage 2	-	-	-	-	-	-

Approach	WB	NB	SB
HCM Control Delay, s	10.3	0	0
HCM LOS	B		

Minor Lane/Major Mvmt	NBT	NBR	WBLn1	SBT
Capacity (veh/h)	-	-	719	-
HCM Lane V/C Ratio	-	-	0.054	-
HCM Control Delay (s)	-	-	10.3	-
HCM Lane LOS	-	-	B	-
HCM 95th %tile Q(veh)	-	-	0.2	-



Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations												
Traffic Volume (veh/h)	74	484	96	324	457	285	260	354	590	163	180	64
Future Volume (veh/h)	74	484	96	324	457	285	260	354	590	163	180	64
Initial Q (Qb), veh	0	0	0	0	0	0	0	0	0	0	0	0
Ped-Bike Adj(A_pbT)	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00
Parking Bus, Adj	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Work Zone On Approach		No			No			No			No	
Adj Sat Flow, veh/h/ln	1796	1885	1870	1900	1870	1885	1900	1856	1900	1900	1841	1870
Adj Flow Rate, veh/h	78	509	96	341	481	232	274	373	394	172	189	61
Peak Hour Factor	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95
Percent Heavy Veh, %	7	1	2	0	2	1	0	3	0	0	4	2
Cap, veh/h	423	1315	247	883	1567	704	382	495	430	246	279	90
Arrive On Green	0.07	0.44	0.44	0.07	0.44	0.44	0.13	0.27	0.27	0.07	0.21	0.21
Sat Flow, veh/h	1711	3009	565	3510	3554	1598	1810	1856	1610	1810	1333	430
Grp Volume(v), veh/h	78	302	303	341	481	232	274	373	394	172	0	250
Grp Sat Flow(s),veh/h/ln	1711	1791	1783	1755	1777	1598	1810	1856	1610	1810	0	1763
Q Serve(g_s), s	3.2	15.4	15.6	7.1	11.8	12.8	15.5	24.9	32.1	10.0	0.0	17.6
Cycle Q Clear(g_c), s	3.2	15.4	15.6	7.1	11.8	12.8	15.5	24.9	32.1	10.0	0.0	17.6
Prop In Lane	1.00		0.32	1.00		1.00	1.00		1.00	1.00		0.24
Lane Grp Cap(c), veh/h	423	783	779	883	1567	704	382	495	430	246	0	369
V/C Ratio(X)	0.18	0.39	0.39	0.39	0.31	0.33	0.72	0.75	0.92	0.70	0.00	0.68
Avail Cap(c_a), veh/h	481	783	779	883	1567	704	425	550	477	246	0	522
HCM Platoon Ratio	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Upstream Filter(I)	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	0.00	1.00
Uniform Delay (d), s/veh	17.7	25.7	25.8	19.0	24.4	24.7	34.9	45.4	48.0	40.0	0.0	49.2
Incr Delay (d2), s/veh	0.2	1.4	1.5	0.3	0.5	1.2	5.1	5.3	21.4	8.5	0.0	2.2
Initial Q Delay(d3),s/veh	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
%ile BackOfQ(95%),veh/ln	2.3	11.1	11.2	5.1	8.6	8.8	11.8	17.8	21.7	8.8	0.0	12.6
Unsig. Movement Delay, s/veh												
LnGrp Delay(d),s/veh	17.9	27.2	27.2	19.3	24.9	25.9	40.0	50.7	69.5	48.5	0.0	51.4
LnGrp LOS	B	C	C	B	C	C	D	D	E	D	A	D
Approach Vol, veh/h		683			1054			1041			422	
Approach Delay, s/veh		26.2			23.3			55.0			50.2	
Approach LOS		C			C			D			D	

Timer - Assigned Phs	1	2	3	4	5	6	7	8
Phs Duration (G+Y+Rc), s	15.0	64.0	22.8	33.2	14.5	64.5	15.0	41.0
Change Period (Y+Rc), s	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0
Max Green Setting (Gmax), s	10.0	40.0	21.0	40.0	14.0	40.0	10.0	40.0
Max Q Clear Time (g_c+I1), s	9.1	17.6	17.5	19.6	5.2	14.8	12.0	34.1
Green Ext Time (p_c), s	0.1	3.6	0.3	1.3	0.1	3.8	0.0	1.9

Intersection Summary	
HCM 6th Ctrl Delay	37.8
HCM 6th LOS	D

Intersection	
Int Delay, s/veh	0.9

Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations												
Traffic Vol, veh/h	11	0	9	23	0	8	44	824	7	6	539	16
Future Vol, veh/h	11	0	9	23	0	8	44	824	7	6	539	16
Conflicting Peds, #/hr	0	0	0	0	0	0	0	0	0	0	0	0
Sign Control	Stop	Stop	Stop	Stop	Stop	Stop	Free	Free	Free	Free	Free	Free
RT Channelized	-	-	None	-	-	None	-	-	None	-	-	None
Storage Length	-	-	-	-	-	-	250	-	-	250	-	-
Veh in Median Storage, #	-	1	-	-	1	-	-	0	-	-	0	-
Grade, %	-	0	-	-	0	-	-	0	-	-	0	-
Peak Hour Factor	95	95	95	95	95	95	95	95	95	95	95	95
Heavy Vehicles, %	0	0	0	0	0	0	0	2	0	0	2	0
Mvmt Flow	12	0	9	24	0	8	46	867	7	6	567	17

Major/Minor	Minor2			Minor1			Major1			Major2		
Conflicting Flow All	1114	1554	292	1259	1559	437	584	0	0	874	0	0
Stage 1	588	588	-	963	963	-	-	-	-	-	-	-
Stage 2	526	966	-	296	596	-	-	-	-	-	-	-
Critical Hdwy	7.5	6.5	6.9	7.5	6.5	6.9	4.1	-	-	4.1	-	-
Critical Hdwy Stg 1	6.5	5.5	-	6.5	5.5	-	-	-	-	-	-	-
Critical Hdwy Stg 2	6.5	5.5	-	6.5	5.5	-	-	-	-	-	-	-
Follow-up Hdwy	3.5	4	3.3	3.5	4	3.3	2.2	-	-	2.2	-	-
Pot Cap-1 Maneuver	165	114	710	129	113	573	1001	-	-	781	-	-
Stage 1	467	499	-	278	337	-	-	-	-	-	-	-
Stage 2	508	336	-	694	495	-	-	-	-	-	-	-
Platoon blocked, %								-	-		-	-
Mov Cap-1 Maneuver	156	108	710	122	107	573	1001	-	-	781	-	-
Mov Cap-2 Maneuver	280	222	-	213	217	-	-	-	-	-	-	-
Stage 1	446	495	-	265	321	-	-	-	-	-	-	-
Stage 2	478	321	-	679	491	-	-	-	-	-	-	-

Approach	EB	WB	NB	SB
HCM Control Delay, s	14.9	21.3	0.4	0.1
HCM LOS	B	C		

Minor Lane/Major Mvmt	NBL	NBT	NBR	EBLn1	WBLn1	SBL	SBT	SBR
Capacity (veh/h)	1001	-	-	385	254	781	-	-
HCM Lane V/C Ratio	0.046	-	-	0.055	0.128	0.008	-	-
HCM Control Delay (s)	8.8	-	-	14.9	21.3	9.6	-	-
HCM Lane LOS	A	-	-	B	C	A	-	-
HCM 95th %tile Q(veh)	0.1	-	-	0.2	0.4	0	-	-

Intersection	
Int Delay, s/veh	2.1

Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations												
Traffic Vol, veh/h	78	0	28	1	1	1	25	807	3	44	534	44
Future Vol, veh/h	78	0	28	1	1	1	25	807	3	44	534	44
Conflicting Peds, #/hr	0	0	0	0	0	0	0	0	0	0	0	0
Sign Control	Stop	Stop	Stop	Stop	Stop	Stop	Free	Free	Free	Free	Free	Free
RT Channelized	-	-	None	-	-	None	-	-	None	-	-	None
Storage Length	-	-	-	-	-	-	315	-	-	315	-	-
Veh in Median Storage, #	-	1	-	-	1	-	-	0	-	-	0	-
Grade, %	-	0	-	-	0	-	-	0	-	-	0	-
Peak Hour Factor	92	92	92	92	92	92	92	92	92	92	92	92
Heavy Vehicles, %	1	0	4	0	0	0	0	2	0	0	1	7
Mvmt Flow	85	0	30	1	1	1	27	877	3	48	580	48

Major/Minor	Minor2			Minor1			Major1			Major2		
Conflicting Flow All	1193	1634	314	1319	1657	440	628	0	0	880	0	0
Stage 1	700	700	-	933	933	-	-	-	-	-	-	-
Stage 2	493	934	-	386	724	-	-	-	-	-	-	-
Critical Hdwy	7.52	6.5	6.98	7.5	6.5	6.9	4.1	-	-	4.1	-	-
Critical Hdwy Stg 1	6.52	5.5	-	6.5	5.5	-	-	-	-	-	-	-
Critical Hdwy Stg 2	6.52	5.5	-	6.5	5.5	-	-	-	-	-	-	-
Follow-up Hdwy	3.51	4	3.34	3.5	4	3.3	2.2	-	-	2.2	-	-
Pot Cap-1 Maneuver	144	102	676	117	99	570	964	-	-	777	-	-
Stage 1	398	444	-	290	348	-	-	-	-	-	-	-
Stage 2	529	347	-	614	433	-	-	-	-	-	-	-
Platoon blocked, %								-	-		-	-
Mov Cap-1 Maneuver	133	93	676	104	90	570	964	-	-	777	-	-
Mov Cap-2 Maneuver	253	196	-	209	204	-	-	-	-	-	-	-
Stage 1	387	416	-	282	338	-	-	-	-	-	-	-
Stage 2	512	337	-	550	406	-	-	-	-	-	-	-

Approach	EB	WB	NB	SB
HCM Control Delay, s	24	18.9	0.3	0.7
HCM LOS	C	C		

Minor Lane/Major Mvmt	NBL	NBT	NBR	EBLn1	WBLn1	SBL	SBT	SBR
Capacity (veh/h)	964	-	-	303	262	777	-	-
HCM Lane V/C Ratio	0.028	-	-	0.38	0.012	0.062	-	-
HCM Control Delay (s)	8.8	-	-	24	18.9	9.9	-	-
HCM Lane LOS	A	-	-	C	C	A	-	-
HCM 95th %tile Q(veh)	0.1	-	-	1.7	0	0.2	-	-



Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations												
Traffic Volume (veh/h)	43	90	123	111	92	195	61	580	281	124	447	34
Future Volume (veh/h)	43	90	123	111	92	195	61	580	281	124	447	34
Initial Q (Qb), veh	0	0	0	0	0	0	0	0	0	0	0	0
Ped-Bike Adj(A_pbT)	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00
Parking Bus, Adj	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Work Zone On Approach		No			No			No			No	
Adj Sat Flow, veh/h/ln	1870	1900	1900	1900	1870	1870	1870	1885	1900	1900	1885	1856
Adj Flow Rate, veh/h	46	96	82	118	98	147	65	617	210	132	476	34
Peak Hour Factor	0.94	0.94	0.94	0.94	0.94	0.94	0.94	0.94	0.94	0.94	0.94	0.94
Percent Heavy Veh, %	2	0	0	0	2	2	2	1	0	0	1	3
Cap, veh/h	672	1842	822	735	1876	837	213	732	329	199	799	57
Arrive On Green	0.03	0.51	0.51	0.04	0.53	0.53	0.04	0.20	0.20	0.07	0.24	0.24
Sat Flow, veh/h	1781	3610	1610	1810	3554	1585	1781	3582	1610	1810	3391	242
Grp Volume(v), veh/h	46	96	82	118	98	147	65	617	210	132	251	259
Grp Sat Flow(s),veh/h/ln	1781	1805	1610	1810	1777	1585	1781	1791	1610	1810	1791	1842
Q Serve(g_s), s	2.0	2.1	4.2	5.0	2.1	7.7	4.6	26.5	19.1	9.1	19.9	20.0
Cycle Q Clear(g_c), s	2.0	2.1	4.2	5.0	2.1	7.7	4.6	26.5	19.1	9.1	19.9	20.0
Prop In Lane	1.00		1.00	1.00		1.00	1.00		1.00	1.00		0.13
Lane Grp Cap(c), veh/h	672	1842	822	735	1876	837	213	732	329	199	422	434
V/C Ratio(X)	0.07	0.05	0.10	0.16	0.05	0.18	0.30	0.84	0.64	0.66	0.59	0.60
Avail Cap(c_a), veh/h	882	1842	822	916	1876	837	401	967	435	333	484	497
HCM Platoon Ratio	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Upstream Filter(I)	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Uniform Delay (d), s/veh	17.6	19.7	20.2	17.0	18.3	19.7	48.2	61.2	58.3	48.0	54.4	54.4
Incr Delay (d2), s/veh	0.0	0.1	0.2	0.1	0.1	0.5	0.8	5.3	2.1	3.8	1.5	1.5
Initial Q Delay(d3),s/veh	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
%ile BackOfQ(95%),veh/ln	1.5	1.7	3.0	3.8	1.6	5.4	3.8	18.4	12.6	7.8	14.2	14.6
Unsig. Movement Delay, s/veh												
LnGrp Delay(d),s/veh	17.6	19.8	20.5	17.1	18.4	20.1	49.0	66.5	60.3	51.7	55.9	55.9
LnGrp LOS	B	B	C	B	B	C	D	E	E	D	E	E
Approach Vol, veh/h		224			363			892			642	
Approach Delay, s/veh		19.6			18.7			63.8			55.1	
Approach LOS		B			B			E			E	

Timer - Assigned Phs	1	2	3	4	5	6	7	8
Phs Duration (G+Y+Rc), s	14.0	88.4	13.1	44.5	11.2	91.2	18.1	39.5
Change Period (Y+Rc), s	* 6.8	* 6.8	* 6.8	* 6.8	* 6.8	* 6.8	* 6.8	* 6.8
Max Green Setting (Gmax), s	* 23	* 43	* 23	* 43	* 23	* 43	* 23	* 43
Max Q Clear Time (g_c+I1), s	7.0	6.2	6.6	22.0	4.0	9.7	11.1	28.5
Green Ext Time (p_c), s	0.2	0.8	0.1	2.9	0.1	1.1	0.2	4.2

Intersection Summary	
HCM 6th Ctrl Delay	48.8
HCM 6th LOS	D

Notes

* HCM 6th computational engine requires equal clearance times for the phases crossing the barrier.

Intersection	
Int Delay, s/veh	0.2

Movement	WBL	WBR	NBT	NBR	SBL	SBT
Lane Configurations						
Traffic Vol, veh/h	0	22	861	33	0	596
Future Vol, veh/h	0	22	861	33	0	596
Conflicting Peds, #/hr	0	0	0	0	0	0
Sign Control	Stop	Stop	Free	Free	Free	Free
RT Channelized	-	None	-	None	-	None
Storage Length	-	0	-	-	-	-
Veh in Median Storage, #	0	-	0	-	-	0
Grade, %	0	-	0	-	-	0
Peak Hour Factor	94	94	94	94	94	94
Heavy Vehicles, %	0	4	2	3	0	2
Mvmt Flow	0	23	916	35	0	634

Major/Minor	Minor1		Major1		Major2	
Conflicting Flow All	-	476	0	0	-	-
Stage 1	-	-	-	-	-	-
Stage 2	-	-	-	-	-	-
Critical Hdwy	-	6.98	-	-	-	-
Critical Hdwy Stg 1	-	-	-	-	-	-
Critical Hdwy Stg 2	-	-	-	-	-	-
Follow-up Hdwy	-	3.34	-	-	-	-
Pot Cap-1 Maneuver	0	530	-	-	0	-
Stage 1	0	-	-	-	0	-
Stage 2	0	-	-	-	0	-
Platoon blocked, %			-	-		-
Mov Cap-1 Maneuver	-	530	-	-	-	-
Mov Cap-2 Maneuver	-	-	-	-	-	-
Stage 1	-	-	-	-	-	-
Stage 2	-	-	-	-	-	-

Approach	WB	NB	SB
HCM Control Delay, s	12.1	0	0
HCM LOS	B		

Minor Lane/Major Mvmt	NBT	NBR	WBLn1	SBT
Capacity (veh/h)	-	-	530	-
HCM Lane V/C Ratio	-	-	0.044	-
HCM Control Delay (s)	-	-	12.1	-
HCM Lane LOS	-	-	B	-
HCM 95th %tile Q(veh)	-	-	0.1	-

APPENDIX D

Committed Development

		Vested Traffic - Summary													
		Parkview at Brownwood		Highfield at Twisted Oaks		Powell Plaza		NE 81st Blvd Subdivision		Solamar at Wildwood (fka Wildwood Residential)		Townhomes at Powell		Total Vested	
Roadway	Peak Hour	NB/EB	SB/WB	NB/EB	SB/WB	NB/EB	SB/WB	NB/EB	SB/WB	NB/EB	SB/WB	NB/EB	SB/WB	NB/EB	SB/WB
CR 139/Powell Rd															
CR 44A to CR 466A	AM	56	31	5	15	57	30	1	2	5	15	29	19	**154**	**112**
	PM	44	55	18	10	44	59	3	1	20	12	30	20	**158**	**157**

Sources:

Parkview at Brownwood TIA, TMC, 1/18/2021
Highfield at Twisted Oaks TIA. TMC, 1/6/2022
Powell Plaza, TEM, 10/2020
NE 81st Blvd Subdivision, MPH, 8/19/2021
Solamar at Wildwood (fka Wildwood Residential) Methodology, TMC, 2/15/2021
Townhomes at Powell Supplemental Traffic Analysis, VHB, 10/3/223

PARKVIEW AT BROWNWOOD
Project № 20034.2, v2.2
January 2021

TRAFFIC IMPACT ANALYSIS
SUMTER COUNTY
FLORIDA

Prepared by:

Traffic & Mobility Consultants
3101 Maguire Boulevard, Suite 265
Orlando, Florida 32803
www.trafficmobility.com
(407) 531-5332

Prepared for:
Blount Standard LLC
609 E Pine Street
Orlando, Florida 32801

EXECUTIVE SUMMARY

Project Information

Name:	Parkview at Brownwood
Location:	West of the intersection of CR 44A and Powell Road, on the north side of CR 44A
Jurisdiction:	City of Wildwood, Sumter County, Florida
Description:	350 Multi-Family Apartments 185 Unit Assisted Living Facility 76,230 Square Feet of Medical Office 76,230 Square Feet of Commercial Space

Findings

Trip Generation:	8,258 Daily Trips / 376 AM Peak Hour Trips / 658 PM Peak Hour Trip
Roadway Capacity:	The roadway segment analysis reveals that the study roadway segments will operate at an acceptable LOS in the existing and buildout scenarios.
Intersection Capacity:	The signalized intersections of CR 466A & Powell Road and SR 44 & Powell Road are expected to operate below standard LOS due to background traffic. The project driveways will operate at an overall adequate LOS.
Access Plan:	Three (3) access driveways on CR 44A; one (1) full access and two (2) Right-In/Right-Out.
Alternative Transportation Modes:	Sidewalks are not available on CR 44A adjacent to the site. Powell Road is equipped with sidewalks. Bicycle lanes are not present on CR 44A, nor Powell Road. No fixed-route bus service in study area but Sumter County Connection offers a door to door service within the City.

Recommendations

Access Improvements:	Construct a 155-foot right turn deceleration lane westbound on CR 44A at the main project entrance. Construct a 215-foot left turn deceleration lane eastbound on CR 44A at the main project entrance. Add dual left turn lanes in the southbound approach at the intersection of CR 466A and Powell Road and in the eastbound approach at the intersection of SR 44 and Powell Road.
Proportionate Share:	The proportionate share of the cost of the intersection improvements at CR 466A & Powell Road is 8.6%. The proportionate share of the cost at SR 44 & Powell Road is 47%.

PROFESSIONAL ENGINEERING CERTIFICATION

I hereby certify that I am a Professional Engineer properly registered in the State of Florida practicing with Traffic & Mobility Consultants LLC, a corporation authorized to operate as an engineering business, CA-30024, by the State of Florida Department of Professional Regulation, Board of Professional Engineers, and that I have prepared or approved the evaluations, findings, opinions, conclusions, or technical advice attached hereto for:

PROJECT: Parkview at Brownwood

LOCATION: City of Wildwood, Sumter County, Florida

CLIENT: Blount Standard LLC

I hereby acknowledge that the procedures and references used to develop the results contained in these computations are standard to the professional practice of Transportation Engineering as applied through professional judgment and experience.



THIS ITEM HAS BEEN DIGITALLY SIGNED AND SEALED BY

ON THE DATE ADJACENT TO THE SEAL

PRINTED COPIES OF THIS DOCUMENT ARE NOT CONSIDERED SIGNED AND SEALED AND THE SIGNATURE MUST BE VERIFIED ON ANY ELECTRONIC COPIES.

TRAFFIC & MOBILITY CONSULTANTS LLC
3101 MAGUIRE BOULEVARD, SUITE 265
ORLANDO, FLORIDA 32803
CERTIFICATE OF AUTHORIZATION CA-30024
AYMAN H. AS-SAIDI, P.E. NO 56849



Existing AM Peak Intersection Volumes
Parkview at Brownwood
20034.2, v2.2

Figure 2

N
Not to Scale



Existing PM Peak Intersection Volumes
Parkview at Brownwood
20034.2, v2.2

Figure 3

3.0 PROJECT TRAFFIC

3.1 Trip Generation

The trip generation of the proposed development was calculated using the Institute of Transportation Engineers (ITE) *Trip Generation Manual, 10th Edition*, as summarized in **Table 3**. The ITE information sheets are provided in **Appendix F**.

Table 3
Trip Generation Analysis

ITE Code	Land Use	Size	Daily		AM Peak Hour				PM Peak Hour			
			Rate	Trips	Rate	Total	Enter	Exit	Rate	Total	Enter	Exit
221	Multi-Family Apartments	350 DU	5.45	1,906	0.36	126	33	93	0.44	154	94	60
252	Senior Housing Attached	185 DU	3.70	685	0.20	37	13	24	0.26	48	26	22
720	Medical Office	76.23 KSF	37.27	2,841	2.30	175	137	38	3.46	264	74	190
820	Commercial	76.23 KSF	65.58	4,999	0.94	72	45	27	5.831	445	214	231
Total Gross Trip Generation				10,431		410	228	182		911	408	503
Internal Trips (12.44% Daily, 4.88% AM, 20.00% PM)				1,298		20	11	9		182	82	101
Pass-By Retail (20%)				875		14	9	5		71	34	37
Net New External Trips				8,258		376	208	168		658	292	365

Trip Generation analysis based on ITE Trip Generation Manual, 10th Edition.
The ITE equations were used when R^2 was greater than 0.75 & has 20 or more studies
Internal Capture based on ITE Trip Generation Handbook, 3rd Edition
Pass-By rate based on ITE Trip Generation Handbook, 3rd Edition is 34%; however, per Sumter County guidelines it may not exceed 20%

The proposed development is projected to generate 8,258 net external trips per day, of which 376 trips occur during the AM peak hour and 658 trips occur during the PM peak hour.

3.2 Trip Distribution

A trip distribution pattern was estimated using the *Central Florida Regional Planning Model*, version 6.1 (CFRPM v6.1) based on the *Florida Standard Urban Transportation Model Structure* (FSUTMS). The model distribution was manually adjusted based on local knowledge and engineering judgement to better reflect prevailing travel and traffic flow patterns. The project trip distribution is presented in **Figure 4**. The model output plot is included in **Appendix G**.



Project Trip Distribution
Parkview at Brownwood
20034.2, v2.2

Figure 4

A

4.2 Projected Roadway Segment Capacity

Projected roadway conditions were analyzed by comparing the projected traffic volumes on the study segments to their capacities obtained from the 2014/2015 *Sumter County Transportation Management System (TMS) Segment Report*, included in **Appendix I**. The total projected traffic volume is composed of background traffic and project trips.

Table 5 summarizes the roadway segment capacity analysis. The projected traffic analysis reveals that the study roadway segments will continue to operate at an acceptable LOS in the background and projected scenarios.

Table 5
Projected Roadway Segment Capacity Analysis

Road Name	# LNS	LOS Std	LOS Cap	AGR	Background 2024 NB/EB	Background 2024 SB/WB	Background 2024 LOS	Project Trips % Dist	Project Trips NB/EB	Project Trips SB/WB	Total Volume NB/EB	Total Volume SB/WB	Total Volume LOS
CR 139 / Powell Rd													
SR 44 to CR 44A	2	D	1,467	8.36%	991	783	D	45%	132	164	1,123	947	D
CR 44A to CR 466A	2	D	1,467	8.36%	991	783	D	15%	44	55	1,035	838	D
CR 44A													
US 301 to CR 139	2	D	675	1.00%	71	110	C	80%	27	30	98	140	C
CR 139 to Buena Vista Blvd	4	D	1,467	1.00%	71	110	C	20%	58	74	129	184	C
CR 466A													
CR 462 to Buena Vista Blvd	2	D	1,467	2.80%	1,359	1,429	D	10%	29	37	1,388	1,466	D
SR 44 *													
US 301 to Buena Vista Blvd	4	D	2,000	2.20%	658	968	C	30%	88	109	746	1,077	C

AGR denotes Annual Growth Rate

4.3 Intersection Capacity Analysis

The projected volumes for the intersection capacity and operations analysis were calculated by assigning the project trips to the project driveways and adding those volumes to the background volumes at the study intersections. Projected background traffic was estimated using the annual growth rates discussed in the previous section. Traffic volumes for the following projects were also added to the analysis as vested trips: Brownwood Professional Plaza, Wildwood Preserve, Powell Center Development, and Bonita Plaza. Excerpts from the reports used are included in **Appendix J**.

The detailed intersection volume projection calculations are included in **Appendix K**. The projected AM and PM peak hour volumes are illustrated in **Figure 5** and **Figure 6**, respectively.



Legend:
Background + {Vested} + [Pass-by] + (Project) = Total



Legend:
Background + {Vested} + [Pass-by] + (Project) = Total

TMC Traffic & Mobility Consultants

Projected PM Peak Intersection Volumes

Parkview at Brownwood
20034.2, v2.2

Figure 6

HIGHFIELD AT TWISTED OAKS

Project № 21184.1
January 2022

TRAFFIC IMPACT ANALYSIS
SUMTER COUNTY
FLORIDA

Prepared by:

Traffic & Mobility Consultants

3101 Maguire Boulevard, Suite 265
Orlando, Florida 32803
www.trafficmobility.com
(407) 531-5332

Prepared for:

Kolter Land Partners
14025 Riveredge Drive, Suite 175
Tampa, Florida 33637

EXECUTIVE SUMMARY

Project Information

Name:	Highfield at Twisted Oaks
Location:	East of CR 209, west of US Highway 301, and north of CR 462
Jurisdiction:	Sumter County
Description:	300 single-family dwelling units

Findings

Trip Generation:	2,772 daily trips / 201 AM peak hour trips / 279 PM peak hour trips
Access Plan:	One (1) full access driveway on CR 462 One (1) full access driveway on CR 209
Roadway Capacity:	The study roadway segments currently operate within the and are projected to continue to do so at the project buildout.
Intersection Capacity:	The following signalized intersections are projected to operate below the adopted overall LOS at the project buildout: US 301 and CR 472/ CR 216 CR 466A and Buena Vista Boulevard The remaining study intersections currently operate at an adequate overall LOS and are projected to continue to do so at the project buildout.
Turn Lanes:	An auxiliary right turn lane is warranted on CR 462 at Access Driveway.

incorrectly identified on page 8.

Recommended Improvements:

Auxiliary Turn Lanes:	CR 462 should be improved with a 405-foot westbound right turn lane at Access Driveway (including a 50-foot taper).
Off-site Improvements:	Re-time the traffic signal controller for the following intersections: US 301 and CR 472/ CR 216 CR 466A and Buena Vista Boulevard

PROFESSIONAL ENGINEERING CERTIFICATION

I hereby certify that I am a Professional Engineer properly registered in the State of Florida practicing with Traffic & Mobility Consultants LLC, a corporation authorized to operate as an engineering business, CA-30024, by the State of Florida Department of Professional Regulation, Board of Professional Engineers, and that I have prepared or approved the evaluations, findings, opinions, conclusions, or technical advice attached hereto for:

PROJECT: Highfield at Twisted Oaks Pointe
LOCATION: Sumter County, Florida
CLIENT: Kolter Land Partners

I hereby acknowledge that the procedures and references used to develop the results contained in these computations are standard to the professional practice of Transportation Engineering as applied through professional judgment and experience.



THIS ITEM HAS BEEN DIGITALLY SIGNED AND SEALED BY
AYMAN H AS-SAIDI
2022.01.06 10:20:19 -05'00'
ON THE DATE ADJACENT TO THE SEAL

PRINTED COPIES OF THIS DOCUMENT ARE NOT CONSIDERED SIGNED AND SEALED AND THE SIGNATURE MUST BE VERIFIED ON ANY ELECTRONIC COPIES.

TRAFFIC & MOBILITY CONSULTANTS LLC
3101 MAGUIRE BOULEVARD, SUITE 265
ORLANDO, FLORIDA 32803
CERTIFICATE OF AUTHORIZATION CA-30024
AYMAN H. AS-SAIDI, P.E. NO. 56849

reference the methodology email

3.0 PROJECT TRAFFIC

3.1 Trip Generation

A trip generation analysis was performed for the proposed development using the Institute of Transportation Engineers (ITE) *Trip Generation Manual, 10th Edition*. The resulting trip generation analysis is summarized in **Table 4**. ITE information sheets are provided in **Appendix G**.

Table 4
Trip Generation Analysis

ITE Code	Land Use	Size	Daily		AM Peak Hour				PM Peak Hour			
			Rate	Trips	Rate	Total	Enter	Exit	Rate	Total	Enter	Exit
210	Single Family Residential (Detached)	300 DU	9.24	2,772	0.67	201	52	149	0.93	279	176	103

Source: Trip generation analysis is based on ITE Trip Generation Manual, 11th Edition
ITE regression equations are used as R-squared values are greater than 0.75 and number of studies ≥20

The proposed development is projected to generate 2,772 daily external trips, of which 201 trips occur during the AM peak hour and 279 trips occur during the PM peak hour.

3.2 Trip Distribution

A trip distribution pattern previously estimated using the recently adopted *Central Florida Regional Planning Model (CFRPM) Version 7.0* for the adjacent mixed-use development of Twisted Oaks Pointe was manually adjusted. The model distribution was refined based on local knowledge, professional engineering judgement, and the location of the development with respect to surrounding attractions and activity centers to reflect prevailing travel patterns in the vicinity of the site and the surrounding transportation network. The proposed trip distribution is shown in **Figure 4**, and the raw model plots are included in **Appendix H**.



Project Trips Distribution
Highfield at Twisted Oaks
21184.1

Figure
4

Table 6
Projected Roadway Segment Capacity Analysis- PM Peak Hour

Roadway Segment	# of Lns	LOS Std	PH Dir Cap	AGR %	Dir	Vested Trips	2024 Backg'd Vol	2024 Backg'd LOS	2024 Backg'd V/C	Project Dist	Project Trips	Projected Conditions Vol	Projected Conditions LOS	Projected Conditions V/C
CR 462														
CR 209 to US 301/ SR 35	2	D	1,190	1.00%	NB/EB	0	108	C	0.09	70%	72	180	C	0.15
					SB/WB	0	257	C	0.22		72	329	C	0.28
US 301/ SR 35 to CR 131	2	F	1640	1.21%	NB/EB	157	573	B	0.35	30%	31	604	C	0.37
					SB/WB	175	841	C	0.51		31	872	C	0.53
CR 131 to CR 121	2	F	1640	1.21%	NB/EB	97	513	B	0.31	30%	31	544	B	0.33
					SB/WB	126	792	C	0.48		31	823	C	0.50
CR 121 to CR 134	2	F	1640	1.00%	NB/EB	124	793	C	0.48	30%	31	824	C	0.50
					SB/WB	141	655	C	0.40		31	686	C	0.42
CR 134 to CR 466A	2	F	1640	1.00%	NB/EB	344	1,013	D	0.62	30%	31	1,044	D	0.64
					SB/WB	456	970	D	0.59		31	1,001	D	0.61
CR 466A														
US 301/SR 35 to CR 462/CR 139	2	D	825	1.00%	NB/EB	227	725	D	0.88	15%	15	740	D	0.90
					SB/WB	238	753	D	0.91		15	768	D	0.93
CR 462/CR 139 to CR 133 (NE 57th Dr)	4	D	1900	1.00%	NB/EB	296	1,410	C	0.74	40%	41	1,451	C	0.76
					SB/WB	347	1,521	C	0.80		41	1,562	C	0.82
CR 133 (NE 57th Dr) to Buena Vista Blvd	4	D	1900	1.19%	NB/EB	198	1,478	C	0.78	40%	41	1,519	C	0.80
					SB/WB	236	1,582	C	0.83		41	1,623	C	0.85
CR 472														
US 301/SR 35 to CR 117	2	D	713	1.00%	NB/EB	188	475	D	0.67	10%	10	485	D	0.68
					SB/WB	112	320	C	0.45		10	330	C	0.46
CR 117 to Lynn Haven Ln	2	D	713	1.00%	NB/EB	65	346	C	0.49	10%	10	356	D	0.50
					SB/WB	83	470	D	0.66		10	480	D	0.67
Lynn Haven Ln to Buena Vista Blvd	2	D	675	1.00%	NB/EB	65	407	D	0.60	10%	10	417	D	0.62
					SB/WB	83	361	D	0.53		10	371	D	0.55
CR 209														
CR 462 E to CR 216	2	D	616	1.00%	NB/EB	21	99	C	0.16	20%	21	120	C	0.19
					SB/WB	16	69	C	0.11		21	90	C	0.15
CR 216														
CR 209 to US 301/SR 35	2	D	675	1.00%	NB/EB	0	5	C	0.01	10%	10	15	C	0.02
					SB/WB	0	29	C	0.04		10	39	C	0.06

Source: 2014/2015 Sumter County TMS Report, Sumter County 2020 Annual Traffic Counts, and Sumter County 2019 CMP Database
Background traffic includes vested trips from seven (7) committed developments, as provided by Sumter County, and 50% of traffic generated by Twisted Oaks Pointe

The capacity analysis reveals that all the study roadway segments are projected to continue to operate within their adopted capacities at the project buildout.



Project Trip Distribution on the Access Driveways
Highfield at Twisted Oaks
21184.1

Figure 5



Background+{Committed}+(Project)=Total

Projected AM Peak Hour Intersection Volumes
Highfield at Twisted Oaks
21184.1

Figure 6



Background+{Committed}+(Project)=Total

Projected PM Peak Hour Intersection Volumes
Highfield at Twisted Oaks
21184.1

Figure 7

6.0 STUDY CONCLUSIONS

The TIA was conducted to assess the impact of the proposed residential development of Highfield at Twisted Oaks. The proposed development is located east of CR 209, west of US Highway 301, and north of CR 462 in Sumter County, Florida. The project consists of 300 single-family dwelling units with an anticipated full buildout year of 2024.

The analysis evaluated the proposed development's impact on roadway segments and intersections within the project's influence area and included a preliminary access review. The results of the analysis as documented herein are summarized below:

- The proposed development is projected to generate 2,772 daily trips, of which 201 trips occur during the AM peak hour and 279 trips occur during the PM peak hour.
- The roadway segment capacity analysis indicates that the study segments currently operate within the adopted LOS and are projected to continue to do so at the project buildout.
- The intersection capacity analysis shows that the following signalized intersections are projected to operate below the adopted overall LOS at the project buildout:
    - US 301 and CR 472/ CR 216
    - CR 466A and Buena Vista Boulevard
- The remaining study intersections currently operate at the adopted overall LOS and are projected to do so at the project buildout.
- The site access driveways are projected to operate at an adequate LOS at the project buildout.
- To mitigate the impact of the proposed development on the study intersections, re-time the traffic signal controller for the following intersections:
    - US 301 and CR 472/ CR 216
    - CR 466A and Buena Vista Boulevard

see previous comments

- CR 462 should be improved with a 405-foot westbound right turn lane at Access Driveway (including a 50-foot taper).

Traffic Impact Analysis

for

Powell Plaza

Parcel ID# G04-050

Prepared for:
Germana Engineering and Associates, LLC
Clermont, FL 34711

By
Transportation Engineering & Modeling (TEM) Group
Orlando, FL-32828

Submitted: Sept 2020
Revised: Oct 2020

PROFESSIONAL ENGINEER ENDORSEMENT

I hereby certify that I am a registered professional engineer in the State of Florida practicing with TEM Group, LLC, a corporation, authorized to operate as an engineering business, Certification of Authorization No. L19000129327, by the State of Florida Department of Professional Regulation, Board of Professional Engineers, and I have prepared or approved the methodology, analysis, conclusions and recommendations hereby reported for:

Project: Powell Plaza

Location: City of Wildwood, Sumter County, Florida

Client: AH Capstone, LLC

I acknowledge that the procedures and references used to develop the results contained in this report are standard to the professional practice of transportation engineering, as applied through professional engineering judgment and practical experience.

Name: Hatem A. Abou-Senna

P.E. Number: 64658

Date: October 28th, 2020

Signature: _____

Dr. Hatem Abou-Senna, P.E.
Oct 28th, 2020
P.E. License No. 64658



Figure 1: Project Location Map



Figure 2: Project Access Locations



Figure 3: Project Trip Distribution – Roadway Segments


CR 462
9%
26%
CR 466A
CR 466A
11%
11%
9%
26%
Powell Rd
46%
Villages Service Center Dr
6%
46%
52%
41%
Project Access#2
11%
23%
6%
46%
11%
1%
47%
Broken Oak Dr
CR 142
Project Access#1
1%
23%
30%
Legend:
xx% = Project Traffic Distribution
TEM Group
Powell Plaza - Traffic Study
Figure 4
Project Distribution


CR 462
9
28
CR 466A
CR 466A
12
6
5
15
Powell Rd
49
Villages Service Center Dr
3
26
52
23
Project Access#2
6
24
3
49
6
1
26
Broken Oak Dr
CR 142
Project Access#1
1
24
32
Legend:
xx = AM Project Traffic
106 Entering / 56 Exiting
TEM Group
Powell Plaza - Traffic Study
Figure 5
Project Traffic
AM PK HR


CR 462
CR 466A
CR 466A
Powell Rd
Villages Service Center Dr
Project Access#2
Broken Oak Dr
CR 142
Project Access#1
7
21
9
12
10
28
37
7
50
44
45
12
19
7
37
12
1
52
1
19
24
Legend:
xx = PM Project Traffic
81 Entering / 110 Exiting
TEM Group
Powell Plaza - Traffic Study
Figure 6
Project Traffic
PM PK HR

Table 7: Year 2022 Total Traffic – Roadway Capacity Analysis – PM PK HR

Roadway	Number of Lanes	LOS Standard	Background YR 2022 Traffic				Project Traffic					YR 2022 Total Traffic				Significant & Adverse
			Total Traffic	PM Peak Hour NB / EB	PM Peak Hour SB / WB	LOS	Project Dist(%)	Total Traffic	PM Peak Hour NB / EB	PM Peak Hour SB / WB	Significance	Total Traffic	PM Peak Hour NB / EB	PM Peak Hour SB / WB	LOS	
Powell Road																
South of CR 466A	4LD	D	1,602	885	717	D	54.00%	103	44	59	3.92%	1,705	929	776	D	No
South of CR 44A	4LD	D	1,360	665	695	D	20.00%	38	16	22	1.45%	1,398	681	717	D	No
CR 462																
North of CR 466A	2LU	D	1,534	857	677	F	9.00%	17	10	7	1.12%	1,551	867	684	F	No
CR 466A																
East of US 301	2LU	D	1,194	596	598	D	11.00%	21	12	9	1.67%	1,215	608	607	D	No
East of Powell Road	4LD	D	2,444	1,199	1,245	C	26.00%	50	29	21	1.48%	2,494	1,228	1,266	C	No
West of Buena Vista Blvd	4LD	D	2,776	1,353	1,423	C	23.00%	44	19	25	1.30%	2,820	1,372	1,448	C	No
CR 44A																
West of Powell Road	4LD	D	364	190	174	C	18.00%	35	20	15	1.33%	399	210	189	C	No
East of Powell Road	4LD	D	796	420	376	C	15.00%	28	16	12	1.07%	824	436	388	C	No

Notes:

Source: TEM Group, LLC

* Project traffic is insignificant consuming less than 3% of the roadway segments maximum service volume


CR 462
CR 466A
CR 466A
Powell Rd
Villages Service Center Dr
Project Access#2
Broken Oak Dr
CR 142
Project Access#1
30+[34]=64
183+73+[21]+9=286
284+60+[12]=356
193+60+[7]=260
244+40=284
187+28=215
9+[20]=29
307+40=347
37+33+12=82
41+33+6=80
127+73+[12]+5=217
151+15=166
506+49=555
28
7
44
3
430+26=456
45
550+52=602
23+10=33
481+6-16=471
24+16=40
9
530+3-10=523
11+49+10=70
6
1+1=2
3+26+5=34
24
1
6
4
457+24=481
17+32=49
Legend:
xx = Grown Traffic
xx = Turkey Run Traffic
[xx] = Triumph South Traffic
xx = Powell Plaza Project Traffic
xx = Powell Plaza Pass By Traffic
TEM Group
Powell Plaza - Traffic Study
Figure 7
Future YR 2022
AM PK HR Traffic


CR 462
CR 466A
CR 466A
Powell Rd
Villages Service Center Dr
Project Access#2
Broken Oak Dr
CR 142
Project Access#1
19+[20]=39
138+73+[12]+7=230
252+60+[7]=319
288+60+[12]=360
306+40=346
184+21=205
25+[34]=59
282+40=322
38+33+9=80
111+33+12=156
277+73+[21]+10=381
149+29=178
450+37=487
28
26
50
3+7=10
639+50=689
50
503+44=547
45+15=60
691+12-14=689
19+14=33
35
468+7-10=465
37+10=47
12
1
52+10=62
17
1
15
15
674+19=693
24
Legend:
xx = Grown Traffic
xx = Turkey Run Traffic
[xx] = Triumph South Traffic
xx = Powell Plaza Project Traffic
xx = Powell Plaza Pass By Traffic
TEM Group
Powell Plaza - Traffic Study
Figure 8
Future YR 2022
PM PK HR Traffic



Figure 9 - Future YR 2022 AM PK HR Total Traffic



Figure 10 - Future YR 2022 PM PK HR Total Traffic

TRAFFIC IMPACT STUDY
NE 81st Blvd. Subdivision
Sumter County, Florida

August 19, 2021
Revised January 11, 2022

prepared for:

SUMTER COUNTY
Public Works & Engineering Departments

submitted on behalf of:

Urban Habitats

prepared by:

MPH Transportation Planning, Inc. & Hagen Consulting Services

Signature of QA/QC Engineer:
Lawrence T. Hagen
Lawrence T. Hagen, P.E., P.T.O.E.
FLA License # 43968

Signature of Preparer:
Michael Hemmen
Michael Hemmen, AICP
Certificate # 012190

PROFESSIONAL ENGINEER ENDORSEMENT

I hereby certify that I am a Registered Professional Engineer in the State of Florida and currently practicing as the principal of Hagen Consulting Services, LLC. Hagen Consulting Services, LLC is authorized via Registry No: 27955 to operate as an Engineering Business by the Florida State Board of Professional Engineers, State of Florida, Department of Professional Regulation.

I have prepared or supervised the preparation of the evaluation, findings, conclusions, recommendations, or professional opinions/advice contained in this document. My endorsement constitutes my approval of these items.

PROJECT: NE 81st Boulevard Subdivision (Residential Development)
LOCATION: Sumter County, Florida
CLIENT: Urban Habitats

The results contained in this report were developed using procedures and references standard to the transportation engineering practice. These references and procedures were applied using professional judgment and experience.

Name: Lawrence T. Hagen, P.E., PTOE, RSP
Florida P.E. No.: 43968
Date: August 19, 2021



This item has been digitally signed and sealed by Lawrence T. Hagen on the date adjacent to the seal.

Printed copies of this document are not considered signed and sealed and the signature must be verified on any electronic copies.



FDOT Count Sta. # 2020 AADT NB/SB p.m. pk

Sumter County Sta. # 2020 AADT NB/SB p.m. pk

Sumter County CR462/CR466A TMC 9/17/20

Sumter County CR462/NE81st TMC 8/4/21

MPH

MPH 21-16 8/10/21

Single-Family Residential – Sumter County, FL

Project Location & Existing Traffic

Figure 1
Page 5

TRIP GENERATION

The Institute of Transportation Engineers (ITE) Trip Generation 11th Edition was used to calculate project trip estimates for this land use for Daily, AM & PM peak hours. Trip information is summarized in ***Table 1 –Trip Generation*** below using both trip formulae and trip rates. Trip formulae are slightly higher in the peak hour and 8% higher for daily trips. The maximum buildout scenario is 69 residential units. The maximum number of units is used in trip generation calculations to present a conservative or worse-case scenario.

Table 1: Trip Generation
NE 81st Blvd. Homes
Sumter County, Florida

					Distribution		Trips	
Single Family Homes		ITE Trip Formulae	Unit*	Trips	In	Out	In	Out
Daily	210	Ln(T) = 0.92 Ln (X) + 2.68	69	717	50%	50%	359	359
AM Peak	210	Ln(T) = 0.91 Ln (X) + .012	69	48	26%	74%	12	40
PM Peak	210	Ln(T) = 0.94 Ln (X) +0.27	69	70	63%	37%	44	26

Source: ITE 11th Edition of Trip Generation; Units: Residential Dwellings;
No Pass-by or internal capture reductions are applicable.

					Distribution		Trips	
Single Family Homes		ITE Trip Rates	Unit*	Trips	In	Out	In	Out
Daily	210	(T) = 9.43 (X)	69	651	50%	50%	326	326
AM Peak	210	(T) = 0.70 (X)	69	48	26%	74%	12	36
PM Peak	210	(T) = 0.94 (X)	69	65	63%	37%	41	24

This data is used to develop external distribution of project trips onto the adjacent roadway network from the project site as discussed in the next section of this report.

TRIP DISTRIBUTION

The distribution of project trips on the roadway is a manual assignment derived from the PM Peak period traffic data collected on the adjacent roadways and review of existing locations of interacting land-uses. Trip generation numbers from Table 1 are factored by these nominal distribution criteria to develop trip impact estimates for the adjacent roadway segments to the project site. The results of these calculations are displayed in ***Figure 2 - P.M. Project Traffic Impacts*** and in ***Table 2 – Project Trip Distribution*** below.

TABLE 2: Project Trip Distribution
NE 81st Blvd. Homes
Sumter County, Florida

Daily Project Trips		**Enter**	**359**	**Exit**	**359**	**2-Way**
Roadway	**Segment**	**%**	**Trips**	**%**	**Trips**	**Total**
CR 462	North of NE 81st Blvd.	40%	144	40%	144	288
	South of NE 81st Blvd.	60%	215	60%	215	430
	Total	100%	359	100%	359	718

AM Peak Hour Project Trips		**Enter**	**12**	**Exit**	**40**	**2-Way**
Roadway	**Segment**	**%**	**Trips**	**%**	**Trips**	**Total**
CR 462	North of NE 81st Blvd.	40%	5	40%	16	21
	South of NE 81st Blvd.	60%	7	60%	24	31
	Total	100%	12	100%	40	52

PM Peak Hour Project Trips		**Enter**	**44**	**Exit**	**26**	**2-Way**
Roadway	**Segment**	**%**	**Trips**	**%**	**Trips**	**Total**
CR 462	North of NE 81st Blvd.	40%	18	60%	16	34
	South of NE 81st Blvd.	60%	26	40%	10	36
	Total	100%	44	100%	26	70

Project Distributions are estimated from adjacent street traffic & interacting land uses
Peak hour project trips represent the gross driveway impacts from Table 1

Peak-hour trip impacts provide driveway detail for intersection and turn lane analysis for site plan review. Driveway evaluation consists of the gross trips entering or exiting the site. The highest directional new project traffic impact during the peak hour would be: **27** vehicles on northbound C-462 turning right into the project site in the PM peak hour.



MPH ***Single-Family Residential – Sumter County, FL***

Project P.M. Peak Hour Traffic

MPH 21-16 12/15/21

Figure 2
Page 9

ROADWAY LEVEL OF SERVICE (LOS) ANALYSIS

Data for Sumter County roadway level of service (LOS) for C-462 was extracted from the Sumter County Counts and LSMPO database. FDOT Quality/Level of Service (Q/LOS) tables are used for roadway segments within transitioning urban areas. ***Table 3: Roadway Level of Service*** provides the most recent available data for roadway segments adjacent to the project site.

Table 3: Roadway Level of Service (LOS)
NE 81st Blvd. Homes
Sumter County, Florida

Roadway	Segment #/Description	Period	MSV	Existing	Bkgrnd	Res'vd.	Project	UH#1	V/C	LOS
C-462	C-466A to Inspiration Dr.	PM Peak	1,520	1,139	23	218	14	10	92%	D
	Inspiration Dr. to NE 81st Blvd.	PM Peak	1,520	1,032	21	85	36	25	79%	D
	NE 81st Blvd. to C-121	PM Peak	1,520	1,032	21	85	34	23	79%	D

Source: Maximum Service Volume (MSV) from FDOT LOS Table 4 (LOS D) Non-State roadway > 40 mph; 2-Lane Divided
Existing Traffic from 2020 Sumter County Counts Two-way Peak Hour
Background growth 2%/yr = 4%
Res'vd. = Project trips from Turkey Run, Wildwood Preserve, & Parkview approved projects.
Project trips represent Two-way PM Peak Hour traffic from Table 2.
UH #1 = trips from Urban Habitats recently approved condominium project on C+462.
Sumter County 3% threshold of MSV = 46 trips (1520 x 3%)

The resulting volumes are below the capacity (MSV) associated with each roadway segment. The roadway segment is deemed critical when the Volume to Capacity ratio (V/C) exceeds 95%, and when the "*Roadway segments outside of abutting roadway in which the projected and distributed traffic is greater than three percent of the Generalized Peak Hour Two-Way Maximum Service Volume or more than 70 peak hour two-way trips."*

The two segments of C-462 adjacent to the project site are well below the MSV of 1,520 trips. The Sumter County TIA Guidelines establish the threshold at 3% MSV = 46, or 70 trips. Table 2 indicates the project's maximum two-way peak hour impact would be 36 trips just south of NE 81st Blvd. The segment of C-462 north of C-466A is at 92% with the addition of project traffic. This is due in large part to the two major developments; Turkey Run and Beaumont located at the northwest and northeast corners of the intersection of C-462/C-466A. Both have already started construction with some units occupied and some of the commercial components open for business. The next section of the report addresses traffic operational impacts at the intersection and turn lane analyses.

Table 4 - Intersection Impacts

Stop Sign Controlled Intersection Impacts

Approach	***NE 81st Blvd***		***CR 462***				
PM Peak	Westbound		Northbound		Southbound		
Movement	Left	Rt	Thru	Rt	Left	Thru	Totals
2021	0	0	552	2	0	313	867
Bkgrnd	0	0	22	0	0	13	35
Resvd	0	0	95	0	0	94	189
2023	0	0	669	2	0	420	1091
Project	**10**	**16**		**26**	**18**		**70**
2022 E+P	10	16	669	28	18	420	1161

Notes:

2021 traffic volumes from 8/4/21 TMC

Background growth = 4% (two years at 2% per year)

Reserved trips from 3 project TIAs provided by Sumter County staff

Project Traffic (**BOLD**) from Figure 2 PM Peak Hour

Single Family homes at Wildwood buildout by 2023.

Table 5 –Intersection Level of Service (LOS) below details the Highway Capacity Software (HCS) analysis results of the intersection volumes in Table 4. It is important to note that northbound and southbound C-462 through volumes are free flow and not restricted by turn movements at the intersection when left and right turn lanes are provided at the intersection.

Table 5 – HCS Intersection Level of Service (LOS)

Stop		NE 81st Blvd.		C-462			
Sign		WB		NB		SB-Left	
Control		LOS	Delay	LOS	Delay	LOS	Delay
2021	PM	A	0.0	A	0.0	A	8.8
2023	PM	B	15.0	A	0.0	A	9.6

Delay expressed in AVERAGE seconds per vehicle.

2021 TMC Data from MPH 8/4/21

NB traffic is non-stop free flow.

The intersection operates above level of service standards with the 2021 existing traffic and is not adversely impacted when the other background, reserved trips or project traffic is added to those volumes. The intersection of C-462/NE81st Blvd. is expected to operate within LOS standards with the addition of background growth and reserved trips from the three traffic studies provided by County staff. The NE 81st Blvd. residential subdivision project will have minimal impacts to this intersection at its 2023 buildout as displayed in Figure 2.

CONCLUSIONS and RECOMMENDATIONS

Based on the data and analysis provided in the previous sections of this report the following conclusions on traffic operations and recommendations for potential mitigation are provided below.

Conclusions:

1. The proposed 69 unit NE 81st Blvd. residential development is estimated to generate 717 new daily trip impacts. The PM Peak hour will have approximately 70 trips impacting C-462.
2. C-462 will continue to operate within level of service standards with the addition of project traffic.
3. The proposed project driveway is located on NE 81st Blvd. approximately ¼ of a mile east of C-462.
4. C-462 has an existing southbound left turn lane to serve project entering traffic.
5. Per Sumter County LDC Chapter 13 design standards criteria a right turn lane on C-462 is **NOT** required at the project entrance.

Recommendations:

1. Approve the project driveway connection on NE 81st Blvd. and improve the private roadway connection to C-462. NE 81st Blvd. should have a minimum 20 foot width (two 10 foot lanes).
2. Sumter County requires all new development to provide some mitigation to the area roadways or mobility features as a condition (Item #8) of project approval. This may take the form of roadway signage, striping or other mobility enhancements. A potential mitigation for this project would be a sidewalk connection from C-462 to the project entrance for safe pedestrian and bike access to the public transportation system.

SOLAMAR AT WILDWOOD
(FKA WILDWOOD RESIDENTIAL)
Project № 20124.3, v2.2
April 2022

TRAFFIC IMPACT ANALYSIS
CITY OF WILDWOOD
FLORIDA

Prepared by:

Traffic & Mobility Consultants
3101 Maguire Boulevard, Suite 265
Orlando, Florida 32803
www.trafficmobility.com
(407) 531-5332

Prepared for:
1201 Cleveland Avenue, LLC
701 N Federal Highway, Suite 201 B
Hallandale, Florida 33009

EXECUTIVE SUMMARY

Project Information

Name:	Solamar at Wildwood
Location:	Northwest of C 466A and CR 462 / Powell Road
Jurisdiction:	City of Wildwood, Florida
Description:	244 Multifamily Units

Findings

Trip Generation:	1,647 Daily Trips / 98 AM Peak Hour Trips / 156 PM Peak Hour Trip
Roadway Capacity:	Study segments are projected to operate at acceptable LOS.
Intersection Capacity:	Study intersections are projected to operate at acceptable LOS in the existing and buildout scenarios. However, the intersection of C 466A and US 301 / SR 35 will operate with some delays in the westbound approach in the PM peak hour, due to the background traffic. The project adds 1.7% of traffic to the intersection.
Access Plan:	One (1) right-in/right-out access on C 466A and one (1) access connection via Rio Grande Boulevard to C 466A.
Alternative Transportation Modes:	Sidewalks and bicycle lanes are available on C 466A adjacent to the site. No fixed-route bus service in the study area but Sumter County Connection offers a door-to-door service within the City.

PROFESSIONAL ENGINEERING CERTIFICATION

I hereby certify that I am a Professional Engineer properly registered in the State of Florida practicing with Traffic & Mobility Consultants LLC, a corporation authorized to operate as an engineering business, CA-30024, by the State of Florida Department of Professional Regulation, Board of Professional Engineers, and that I have prepared or approved the evaluations, findings, opinions, conclusions, or technical advice attached hereto for:

PROJECT: Solamar at Wildwood

LOCATION: City of Wildwood, Florida

CLIENT: 1201 Cleveland Avenue, LLC

I hereby acknowledge that the procedures and references used to develop the results contained in these computations are standard to the professional practice of Transportation Engineering as applied through professional judgment and experience.

THIS ITEM HAS BEEN DIGITALLY SIGNED AND SEALED BY

ON THE DATE ADJACENT TO THE SEAL

PRINTED COPIES OF THIS DOCUMENT ARE NOT CONSIDERED SIGNED AND SEALED AND THE SIGNATURE MUST BE VERIFIED ON ANY ELECTRONIC COPIES.

TRAFFIC & MOBILITY CONSULTANTS LLC
3101 MAGUIRE BOULEVARD, SUITE 265
ORLANDO, FLORIDA 32803
CERTIFICATE OF AUTHORIZATION CA-30024
MOHAMMED N. ABDALLAH, P.E. NO 56169

2.0 EXISTING CONDITIONS ANALYSIS

Existing conditions in the vicinity of the site were analyzed to establish a baseline for the traffic conditions prevailing in the vicinity of the proposed development. The analysis included a review of existing roadway segment capacity and an analysis of the intersection operations at the study intersections.

2.1 Roadway Segment Capacity

Existing roadway conditions were analyzed by comparing the existing traffic volumes within the study area and level of service (LOS) volumes for the roadway segments obtained from the 2020 *Sumter County Roadway Network Capacity Report* and *Sumter County 2014/2015 TMS Tables*, included in **Appendix D**.

The roadway segment of C 466A from US 301 to CR 462 is currently operating at an adequate LOS, as shown in **Table 1**.

Table 1
Existing Roadway Segment Capacity Analysis

Roadway Segment	# of Lns	A T	LOS Std	LOS Cap	Time Period	2020 LOS EB	2020 LOS WB	2020 LOS LOS
C 466A								
US 301 / SR 35 to CR 462 / Powell Rd	2	U	D	675	AM	471	460	D
					PM	479	495	D

2020 Sumter County Annual Traffic Counts
Capacities obtained from 2014/2015 Sumter County TMS Tables

2.2 Intersection Capacity

A capacity analysis was performed for the AM and PM peak hours to determine existing operating conditions at the study intersections. The capacity analysis was conducted using *Synchro* software and the methods of the *Highway Capacity Manual (HCM), 6th Edition*.

Existing turning movement counts were collected during the peak season; therefore, seasonal adjustment factors were not applied. The existing adjusted AM and PM peak intersection volumes are displayed in **Figure 2**. The existing raw turning movement counts along with the FDOT seasonal factor report are provided in **Appendix E**.

A summary of the intersection capacity analysis is shown in **Table 2**. Detailed *HCM* analysis worksheets and signal timing sheets are included in **Appendix F**.

Table 2
Existing Intersection Capacity Analysis

Intersection	Traffic Control	Scenario	EB		WB		NB		SB		Overall	
			Delay	LOS	Delay	LOS	Delay	LOS	Delay	LOS	Delay	LOS
C 466A & US 301 / SR 35	Signal	AM	19.1	B	22.2	C	16.0	B	6.7	A	11.9	B
		PM	27.1	C	47.2	D	29.4	C	10.8	B	26.6	C
C 466A & Median Opening	TWSC	AM	8.2	A	8.4	A	0.0	A	11.6	B	--	--
		PM	8.6	A	8.5	A	0.0	A	16.3	C	--	--
C 466A & Rio Grande Blvd	TWSC	AM	8.4	A	--	--	--	--	14.2	B	--	--
		PM	8.7	A	--	--	--	--	17.0	C	--	--
C 466A & Powell Rd	Signal	AM	29.9	C	25.2	C	19.2	B	16.0	B	22.1	C
		PM	31.1	C	25.7	C	21.2	C	18.1	B	23.9	C

Delays expressed in sec/veh

The analysis reveals that the signalized intersections and the two-way stop-controlled intersection operate at an overall adequate LOS.

3.0 PLANNED AND PROGRAMMED IMPROVEMENTS

The City of Wildwood and Sumter County *Capital Improvement Programs (CIP)*, *Capital Improvement Elements (CIE),* and the *Lake~Sumter Metropolitan Planning Organization (MPO) Transportation Improvement Plans (TIP)* were checked to identify any planned or programmed improvements to the transportation facilities in the study area for the next three (3) years. The planned and programmed improvements identified are listed in **Table 3**. These planned and programmed improvements do not affect the roadway and intersection analyses. County documents are included in **Appendix G**.

Table 3
Planned and Programmed Improvements

Intersection	Improvement	Source
C 466A and Buena Vista Blvd	Dual Eastbound Left Turn Lanes	Sumter County
SR 44 and Powell Rd	Dual Eastbound Left Turn Lanes	Sumter County

4.0 PROJECT TRAFFIC

4.1 Trip Generation

The trip generation of the proposed development was calculated using the Institute of Transportation Engineers (ITE) *Trip Generation Manual, 11th Edition*, as summarized in **Table 4**. The ITE information sheets are provided in **Appendix H**.

Table 4
Trip Generation Analysis

ITE Code	Land Use	Size	Daily		AM Peak Hour				PM Peak Hour			
			Rate	Trips	Rate	Total	Enter	Exit	Rate	Total	Enter	Exit
220	Multifamily Residential	244 DU	6.75	1,647	0.40	98	24	74	0.64	156	98	58

Trip Generation analysis based on ITE Trip Generation Manual, 11th Edition.
The ITE equations were used since R^2 was greater that 0.75

The proposed development is projected to generate 1,647 trips per day, of which 98 trips occur during the AM peak hour and 156 trips occur during the PM peak hour.

4.2 Trip Distribution

A trip distribution pattern was estimated using the *Central Florida Regional Planning Model*, *version 6.1 (CFRPM v6.1)* based on the *Florida Standard Urban Transportation Model Structure (FSUTMS)*. The model distribution was manually adjusted based on local knowledge and engineering judgement to better reflect prevailing travel and traffic flow patterns. The project trip distribution is presented in **Figure 3**. The model output plot is included in **Appendix I**.



Project Trip Distribution
Solamar at Wildwood
20124.3, v2.2

Figure 3

5.0 PROJECTED CONDITIONS ANALYSIS

An analysis of background and projected conditions was conducted to determine the impact of the proposed development on roadway segment capacity, as well as the proposed access connections and intersections to the site. The project buildout year for the analysis is 2024.

5.1 Background Traffic Projection

Projected background traffic growth for the buildout year 2024 was calculated based on the historical growth trends experienced on C 466A. The growth rate for the roadway segment was established based on historical traffic volume (AADT) obtained from the 2020 *Sumter County Roadway Network Capacity Report*. An annual growth rate of 2.2% was applied to the intersection volumes. The growth rate calculation is included in **Appendix J**.

5.2 Projected Roadway Segment Capacity

Projected roadway conditions were analyzed by comparing the projected traffic volumes on the study segments to their capacities. The total projected traffic volume is composed of background traffic and project trips.

The projected traffic analysis reveals that the roadway segment of C 466A from US 301 to Powell Road will continue to operate at an acceptable LOS in the background and projected scenarios, as shown in **Table 5**.

Table 5
Projected Roadway Segment Capacity Analysis

Road Name	# of LNS	LOS Std	LOS Cap	AGR	Time Period	Background 2024 EB	Background 2024 WB	Background 2024 LOS	Project Trips %Dist	Project Trips EB	Project Trips WB	Total Volume EB	Total Volume WB	Total Volume LOS
C 466A														
US 301 / SR 35 to CR 462 / Powell Rd	2	D	675	2.2%	AM	512	500	D	35%	34	15	546	515	D
					PM	521	538	D		20	29	541	567	D

AGR denotes Annual Growth Rate



Legend:
Background + {Committed} + (Project) = Total

Projected AM Peak Intersection Volumes
Solamar at Wildwood
20124.3, v2.2

Figure 4



Legend:
Background + {Committed} + (Project) = Total

Projected PM Peak Intersection Volumes
Solamar at Wildwood
20124.3, v2.2

Figure 5

7.0 STUDY CONCLUSIONS

This traffic analysis was conducted to assess the impact of the proposed Solamar at Wildwood development. The proposed project is a 244 multifamily residential development located C 466A, west of CR 462 / Powell Road, in the City of Wildwood, Sumter County, Florida. The anticipated project buildout is year 2024. The analysis included a determination of project trip generation, a review of existing and projected roadway and intersection capacity, and an access review.

The results of the traffic analysis are summarized as follows:

- The proposed development is projected to generate 1,647 trips per day, of which 98 trips occur during the AM peak hour and 156 trips occur during the PM peak hour.
- The roadway segment analysis reveals that the study roadway segments operate at an acceptable LOS in the existing and buildout scenarios.
- The intersection analysis reveals that all intersections are projected to operate at an overall adequate LOS in the existing and buildout scenarios. However, the intersection of C 466A and US 301 / SR 35 will operate with some delays in the westbound approach in the PM peak hour, due to the background traffic. The project adds 1.7% of traffic to the intersection.
- The project driveways are projected to operate at an overall adequate LOS.

Memorandum

To: Steven Cohoon
Assistant Director – Planning and Design
Sumter County Public Works

Date: Oct. 3, 2022

Project #: 64081.01

From: Joedel Zaballero, PE, PTOE

Re: Townhome at Powell
Supplemental Traffic Analysis

Introduction

The purpose of this memorandum is to provide a supplemental analysis to the *Townhomes at Powell Traffic Impact Analysis* (TIA) dated August 2022 by VHB. The supplemental analysis will evaluate the addition of seven (7) townhomes to the development program for a total of 135 dwelling units with no changes to the mini-warehouse square footage (97,200 square feet).

Project Description

The project is located just to south of CR 142 on Powell Road. The TIA dated August 2022 (accepted by the County on August 15, 2022) evaluated traffic impacts for a development program consisting of 97,200 square feet (SF) of Mini-Warehouse/Self Storage fronting Powell Road and 128 townhomes on the east side of the property. The development program has been revised to include seven (7) additional townhomes for a total of 135 dwelling units. Access to the site remains unchanged with a full access driveway on CR 142 and right-in/right out access on Powell Road.

Trip Generation

Table 1 provides a comparison of the trip generation from the previously approved TIA and proposed development addressed in this memorandum. The daily, AM peak hour and PM peak hour trips were calculated based on average rates for the mini-warehouse and fitted curve equations for the multi-family housing contained in the Institute of Transportation Engineers' *Trip Generation*, 11th Edition.

As shown in **Table 1**, the proposed build out condition results in a minor increase in trips: for a total of 1,082 new daily trips (increase of 45 trips), 74 new AM peak hour trips (increase of 2 trips), and 94 new PM peak hour trips (increase of 3 trips).

Table 1 Trip Generation Comparison

Scenario	Land Use	ITE Code	Size	Daily Trip Ends	AM Peak Period				PM Peak Period			
					In		Out		In		Out	
					%	Trips	Trips	Total	%	Trips	Trips	Total
Approved	Mini-Warehouse	151	97.2 KSF	141	59%	5	4	9	47%	7	8	15
	Multi-Family Housing (Low-Rise)	220	128 DUs	896	24%	15	48	63	63%	48	28	76
			Total Trips	**1,037**		**20**	**52**	**72**		**55**	**36**	**91**
Proposed	Mini-Warehouse	151	97.2 KSF	141	59%	5	4	9	47%	7	8	15
	Multi-Family Housing (Low-Rise)	220	135 DUs	941	24%	16	49	65	63%	50	29	79
			Total Trips	**1,082**		**21**	**53**	**74**		**57**	**37**	**94**
			Difference	**45**		**1**	**1**	**2**		**2**	**1**	**3**

Source: ITE Trip Generation Manual, 11th Edition

Trip Distribution and Assignment

The TIA trip distribution was used to assign project traffic (see **Attachment A**). **Figures 1 and 2** illustrate the AM and PM peak hour future traffic volumes, respectively.

Roadway Capacity Analysis - Build

The future capacity analysis for the study area roadways for the proposed development can be found in **Table 2** for the PM peak hour condition. The analysis concludes that all study area roadways exhibit traffic volumes lower than their respective maximum service volumes.

Intersection Capacity Analysis – Build

To determine the operational conditions at the study area intersections, a future conditions evaluation was conducted for the build future AM and PM peak hour conditions using Synchro 11 software.

In the supplemental build condition, all studied intersections are projected to continue to operate an overall acceptable LOS with no additional deficiencies beyond those identified in the TIA due to background traffic conditions. The results of the intersection capacity analysis for the AM and PM peak hours are shown in **Table 2**. All studied intersections operate at an overall acceptable level of service (LOS) in the AM and PM peak analysis with v/c less than 1.0. Turning Movement Volume Derivation Sheet and copies of the Synchro Analysis output are attached as **Attachments B and C**, respectively.

Memorandum

Figure 1 Future Turning Movement Volumes – AM Peak Hour



Memorandum

Figure 1 Future Turning Movement Volumes – AM Peak Hour



Memorandum

Table 1 Roadway Capacity Analysis - Future

Roadway	No. of Lanes	Adopted LOS	2022 AADT	PHPD Capacity	2022 PHPD NB/EB	2022 PHPD SB/WB	Annual Growth Rate	2024 Background Volume NB/EB	2024 Background Volume SB/WB	2024 Background Committed NB/EB	2024 Background Committed SB/WB	2024 Background v/c	2024 Background Deficient?	Project Distrib	Project Volume NB/EB	Project Volume SB/WB	2024 Total Total Volume NB/EB	2024 Total Total Volume SB/WB	2024 Total v/c	2024 Total Remaining Capacity NB/EB	2024 Total Remaining Capacity SB/WB	2024 Total Deficient?	Project Deficiency?
CR 139/Powell Rd																							
CR 44A to CR 466A	4	D	17,456	1,549	707	518	1.0%	721	528	122	99	0.54	No	52.83%	30	20	873	647	0.56	676	902	No	No

Sources: Sumter County CMP Database 2019
VHB, Inc.

APPENDIX E

Intersection Derivation Sheets

PM Peak Hour Analysis

Inputs:	Analysis Years			Seasonal Factor		External Project Trips			Passby Project Trips			PM Peak
	Existing Year	Future Year	Total	Factor	Date	In	Out	Total	In	Out	Total	
	2023	2026	3	1.00	11/29/2023	24	14	38	0	0	0	
				1.06	12/19/2023							

Existing Turning Movement Counts

Location	Intersection		PHF	Northbound			Southbound			Eastbound			Westbound		
	NB/SB	EB/WB		Left	Thru	Right	Left	Thru	Right	Left	Thru	Right	Left	Thru	Right
1	Powell Rd	Cleveland Av/CR 466A	PM	245	334	557	154	170	60	70	457	91	306	431	269
2	Powell Rd	Broken Oak Dr	PM	44	824	7	6	539	16	11	0	9	23	0	8
3	Powell Rd	Huey St	PM	25	807	3	44	534	44	78	0	28	1	1	1
4	Powell Rd	CR 44A	PM	58	547	265	117	422	32	41	85	116	105	87	184
5	Powell Rd	Project Entrance	PM	0	861	33	0	596	0	0	0	0	0	0	22

Truck Factors

Location	Intersection		PHF	Northbound			Southbound			Eastbound			Westbound		
	NB/SB	EB/WB		Left	Thru	Right	Left	Thru	Right	Left	Thru	Right	Left	Thru	Right
1	Powell Rd	Cleveland Av/CR 466A	0.95	0.0%	3.0%	0.5%	0.0%	3.5%	1.7%	7.1%	0.9%	2.2%	0.3%	1.6%	1.1%
2	Powell Rd	Broken Oak Dr	0.97	0.0%	1.7%	0.0%	0.0%	1.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
3	Powell Rd	Huey St	0.92	0.0%	2.0%	0.0%	0.0%	1.3%	6.8%	1.3%	0.0%	3.6%	0.0%	0.0%	0.0%
4	Powell Rd	CR 44A	0.94	1.7%	0.7%	0.0%	0.0%	0.7%	3.1%	2.4%	0.0%	0.0%	0.0%	2.3%	2.2%
5	Powell Rd	Project Entrance	0.94	0.0%	1.6%	3.0%	0.0%	1.5%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	4.5%

2023 TMC Adjusted

Location	Intersection		Seasonal Factor	Northbound			Southbound			Eastbound			Westbound		
	NB/SB	EB/WB		Left	Thru	Right	Left	Thru	Right	Left	Thru	Right	Left	Thru	Right
1	Powell Rd	Cleveland Av/CR 466A	1.06	260	354	590	163	180	64	74	484	96	324	457	285
2	Powell Rd	Broken Oak Dr	1.00	44	824	7	6	539	16	11	0	9	23	0	8
3	Powell Rd	Huey St	1.00	25	807	3	44	534	44	78	0	28	1	1	1
4	Powell Rd	CR 44A	1.06	61	580	281	124	447	34	43	90	123	111	92	195
5	Powell Rd	Project Entrance	1.00	0	861	33	0	596	0	0	0	0	0	0	22

Annual Growth Rates

Location	Intersection		Peak Hour	Northbound			Southbound			Eastbound			Westbound		
	NB/SB	EB/WB		Left	Thru	Right	Left	Thru	Right	Left	Thru	Right	Left	Thru	Right
1	Powell Rd	Cleveland Av/CR 466A	PM	2.5%	2.5%	2.5%	2.5%	2.5%	2.5%	2.5%	2.5%	2.5%	2.5%	2.5%	2.5%
2	Powell Rd	Broken Oak Dr	PM	2.5%	2.5%	2.5%	2.5%	2.5%	2.5%	2.5%	2.5%	2.5%	2.5%	2.5%	2.5%
3	Powell Rd	Huey St	PM	2.5%	2.5%	2.5%	2.5%	2.5%	2.5%	2.5%	2.5%	2.5%	2.5%	2.5%	2.5%
4	Powell Rd	CR 44A	PM	2.5%	2.5%	2.5%	2.5%	2.5%	2.5%	2.5%	2.5%	2.5%	2.5%	2.5%	2.5%
5	Powell Rd	Project Entrance	PM	2.5%	2.5%	2.5%	2.5%	2.5%	2.5%	2.5%	2.5%	2.5%	2.5%	2.5%	2.5%

Future Background

Location	Intersection		Peak Hour	Northbound			Southbound			Eastbound			Westbound		
	NB/SB	EB/WB		Left	Thru	Right	Left	Thru	Right	Left	Thru	Right	Left	Thru	Right
1	Powell Rd	Cleveland Av/CR 466A	PM	280	381	634	175	194	69	80	520	103	348	491	306
2	Powell Rd	Broken Oak Dr	PM	47	886	8	6	579	17	12	0	10	25	0	9
3	Powell Rd	Huey St	PM	27	868	3	47	574	47	84	0	30	1	1	1
4	Powell Rd	CR 44A	PM	66	624	302	133	481	37	46	97	132	119	99	210
5	Powell Rd	Project Entrance	PM	0	926	35	0	641	0	0	0	0	0	0	24

Future Trip Distribution Out (Movement)

Location	Intersection		Peak Hour	Northbound			Southbound			Eastbound			Westbound		
	NB/SB	EB/WB		Left	Thru	Right	Left	Thru	Right	Left	Thru	Right	Left	Thru	Right
1	Powell Rd	Cleveland Av/CR 466A	PM	3.00%	14.00%	36.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%
2	Powell Rd	Broken Oak Dr	PM	47.00%	53.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%
3	Powell Rd	Huey St	PM	0.00%	0.00%	0.00%	0.00%	47.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%
4	Powell Rd	CR 44A	PM	0.00%	0.00%	0.00%	5.00%	38.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%
5	Powell Rd	Project Entrance	PM	0.00%	0.00%	0.00%	0.00%	47.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	100.00%

Future Trip Distribution In (Movement)

Location	Intersection		Peak Hour	Northbound			Southbound			Eastbound			Westbound		
	NB/SB	EB/WB		Left	Thru	Right	Left	Thru	Right	Left	Thru	Right	Left	Thru	Right
1	Powell Rd	Cleveland Av/CR 466A	PM	0.00%	0.00%	0.00%	0.00%	14.00%	0.00%	0.00%	0.00%	3.00%	36.00%	0.00%	0.00%
2	Powell Rd	Broken Oak Dr	PM	0.00%	0.00%	0.00%	0.00%	53.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%
3	Powell Rd	Huey St	PM	0.00%	47.00%	0.00%	53.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%
4	Powell Rd	CR 44A	PM	0.00%	38.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	5.00%
5	Powell Rd	Project Entrance	PM	0.00%	0.00%	100.00%	0.00%	53.00%	0.00%	95.00%	0.00%	0.00%	0.00%	0.00%	0.00%

Trip Adjustment

Location	Intersection		Peak Hour	Northbound			Southbound			Eastbound			Westbound		
	NB/SB	EB/WB		Left	Thru	Right	Left	Thru	Right	Left	Thru	Right	Left	Thru	Right
1	Powell Rd	Cleveland Av/CR 466A	PM												
2	Powell Rd	Broken Oak Dr	PM												
3	Powell Rd	Huey St	PM												
4	Powell Rd	CR 44A	PM												
5	Powell Rd	Project Entrance	PM												

External Project Trips

				External Trip Generation			Entering		24	Exiting		14	Total		38
Location	Intersection		Peak Hour	Northbound			Southbound			Eastbound			Westbound		
	NB/SB	EB/WB		Left	Thru	Right	Left	Thru	Right	Left	Thru	Right	Left	Thru	Right
1	Powell Rd	Cleveland Av/CR 466A	PM	0	2	5	0	3	0	0	0	1	9	0	0
2	Powell Rd	Broken Oak Dr	PM	7	7	0	0	13	0	0	0	0	0	0	0
3	Powell Rd	Huey St	PM	0	11	0	13	7	0	0	0	0	0	0	0
4	Powell Rd	CR 44A	PM	0	9	0	1	5	0	0	0	0	0	0	1
5	Powell Rd	Project Entrance	PM	0	0	24	0	19	0	23	0	0	0	0	14

Committed Development																	
	Intersection			Northbound			Southbound			Eastbound			Westbound		
Location	NB/SB	EB/WB	Peak Hour	Left	Thru	Right	Left	Thru	Right	Left	Thru	Right	Left	Thru	Right
1	Powell Rd	Cleveland Av/CR 466A	PM	33	45	78	28	31	20	13	29	23	71	51	49
2	Powell Rd	Broken Oak Dr	PM	5	112	33	58	73	0	0	1	0	64	1	26
3	Powell Rd	Huey St	PM	0	157	0	9	103	0	0	0	0	0	0	0
4	Powell Rd	CR 44A	PM	131	65	0	62	51	23	79	73	164	0	59	15
5	Powell Rd	Project Entrance	PM	0	157	0	0	112	0	0	0	0	0	0	0
Future Project Trips															
	Intersection			Northbound			Southbound			Eastbound			Westbound		
Location	NB/SB	EB/WB	Peak Hour	Left	Thru	Right	Left	Thru	Right	Left	Thru	Right	Left	Thru	Right
1	Powell Rd	Cleveland Av/CR 466A	PM	0	2	5	0	3	0	0	0	1	9	0	0
2	Powell Rd	Broken Oak Dr	PM	7	7	0	0	13	0	0	0	0	0	0	0
3	Powell Rd	Huey St	PM	0	11	0	13	7	0	0	0	0	0	0	0
4	Powell Rd	CR 44A	PM	0	9	0	1	5	0	0	0	0	0	0	1
5	Powell Rd	Project Entrance	PM	0	0	24	0	19	0	23	0	0	0	0	14
Future Buildout															
	Intersection			Northbound			Southbound			Eastbound			Westbound		
Location	NB/SB	EB/WB	Peak Hour	Left	Thru	Right	Left	Thru	Right	Left	Thru	Right	Left	Thru	Right
1	Powell Rd	Cleveland Av/CR 466A	PM	313	428	717	203	228	89	93	549	127	428	542	355
2	Powell Rd	Broken Oak Dr	PM	59	1,005	41	64	665	17	12	1	10	89	1	35
3	Powell Rd	Huey St	PM	27	1,036	3	69	684	47	84	0	30	1	1	1
4	Powell Rd	CR 44A	PM	197	698	302	196	537	60	125	170	296	119	158	226
5	Powell Rd	Project Entrance	PM	0	1,083	59	0	772	0	23	0	0	0	0	38

AM Peak Hour

Inputs:	Analysis Years			Seasonal Factor		External Project Trips			Passby Project Trips			AM Peak
	Existing Year	Future Year	Total	Factor	Date	In	Out	Total	In	Out	Total	
	2023	2026	3	1.00	11/29/2023	7	23	30	0	0	0	
				1.06	12/19/2023							

Existing Turning Movement Counts

Location	Intersection		Peak Hour	Northbound			Southbound			Eastbound			Westbound		
	NB/SB	EB/WB		Left	Thru	Right	Left	Thru	Right	Left	Thru	Right	Left	Thru	Right
1	Powell Rd	Cleveland Av/CR 466A	AM	114	195	329	166	215	52	66	378	100	312	314	166
2	Powell Rd	Broken Oak Dr	AM	46	496	20	7	642	5	12	0	17	3	0	4
3	Powell Rd	Huey St	AM	30	478	1	21	581	86	56	1	40	1	3	1
4	Powell Rd	CR 44A	AM	49	383	103	87	412	21	45	57	147	235	62	182
5	Powell Rd	Project Entrance	AM	0	507	21	0	686	0	0	0	0	0	0	36

Truck Factors

Location	Intersection		PHF	Northbound			Southbound			Eastbound			Westbound		
	NB/SB	EB/WB		Left	Thru	Right	Left	Thru	Right	Left	Thru	Right	Left	Thru	Right
1	Powell Rd	Cleveland Av/CR 466A	0.92	3.5%	4.6%	3.0%	4.2%	7.0%	7.7%	18.2%	4.0%	3.0%	2.9%	2.9%	1.2%
2	Powell Rd	Broken Oak Dr	0.86	0.0%	3.4%	0.0%	0.0%	3.9%	0.0%	8.3%	0.0%	0.0%	66.7%	0.0%	0.0%
3	Powell Rd	Huey St	0.91	3.3%	2.9%	0.0%	0.0%	3.3%	5.8%	0.0%	0.0%	2.5%	0.0%	33.3%	0.0%
4	Powell Rd	CR 44A	0.89	2.0%	3.4%	0.0%	2.3%	3.4%	9.5%	2.2%	0.0%	0.0%	1.3%	1.6%	1.1%
5	Powell Rd	Project Entrance	0.93	0.0%	3.6%	0.0%	0.0%	3.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%

2023 TMC Projected

Location	Intersection		Seasonal Factor	Northbound			Southbound			Eastbound			Westbound		
	NB/SB	EB/WB		Left	Thru	Right	Left	Thru	Right	Left	Thru	Right	Left	Thru	Right
1	Powell Rd	Cleveland Av/CR 466A	1.06	121	207	349	176	228	55	70	401	106	331	333	176
2	Powell Rd	Broken Oak Dr	1.00	46	496	20	7	642	5	12	0	17	3	0	4
3	Powell Rd	Huey St	1.00	30	478	1	21	581	86	56	1	40	1	3	1
4	Powell Rd	CR 44A	1.06	52	406	109	92	437	22	48	60	156	249	66	193
5	Powell Rd	Project Entrance	1.00	0	507	21	0	686	0	0	0	0	0	0	36

Annual Growth Rates

Location	Intersection		Peak Hour	Northbound			Southbound			Eastbound			Westbound		
	NB/SB	EB/WB		Left	Thru	Right	Left	Thru	Right	Left	Thru	Right	Left	Thru	Right
1	Powell Rd	Cleveland Av/CR 466A	AM	2.5%	2.5%	2.5%	2.5%	2.5%	2.5%	2.5%	2.5%	2.5%	2.5%	2.5%	2.5%
2	Powell Rd	Broken Oak Dr	AM	2.5%	2.5%	2.5%	2.5%	2.5%	2.5%	2.5%	2.5%	2.5%	2.5%	2.5%	2.5%
3	Powell Rd	Huey St	AM	2.5%	2.5%	2.5%	2.5%	2.5%	2.5%	2.5%	2.5%	2.5%	2.5%	2.5%	2.5%
4	Powell Rd	CR 44A	AM	2.5%	2.5%	2.5%	2.5%	2.5%	2.5%	2.5%	2.5%	2.5%	2.5%	2.5%	2.5%
5	Powell Rd	Project Entrance	AM	2.5%	2.5%	2.5%	2.5%	2.5%	2.5%	2.5%	2.5%	2.5%	2.5%	2.5%	2.5%

Future Background

Location	Intersection		Peak Hour	Northbound			Southbound			Eastbound			Westbound		
	NB/SB	EB/WB		Left	Thru	Right	Left	Thru	Right	Left	Thru	Right	Left	Thru	Right
1	Powell Rd	Cleveland Av/CR 466A	AM	130	223	375	189	245	59	75	431	114	356	358	189
2	Powell Rd	Broken Oak Dr	AM	49	533	22	8	690	5	13	0	18	3	0	4
3	Powell Rd	Huey St	AM	32	514	1	23	625	92	60	1	43	1	3	1
4	Powell Rd	CR 44A	AM	56	436	117	99	470	24	52	65	168	268	71	207
5	Powell Rd	Project Entrance	AM	0	545	23	0	737	0	0	0	0	0	0	39

Future Trip Distribution Out (Movement)

Location	Intersection		Peak Hour	Northbound			Southbound			Eastbound			Westbound		
	NB/SB	EB/WB		Left	Thru	Right	Left	Thru	Right	Left	Thru	Right	Left	Thru	Right
1	Powell Rd	Cleveland Av/CR 466A	AM	3.00%	14.00%	36.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%
2	Powell Rd	Broken Oak Dr	AM	47.00%	53.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%
3	Powell Rd	Huey St	AM	0.00%	0.00%	0.00%	0.00%	47.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%
4	Powell Rd	CR 44A	AM	0.00%	0.00%	0.00%	5.00%	38.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%
5	Powell Rd	Project Entrance	AM	0.00%	0.00%	0.00%	0.00%	47.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	100.00%

Future Trip Distribution In (Movement)

Location	Intersection		Peak Hour	Northbound			Southbound			Eastbound			Westbound		
	NB/SB	EB/WB		Left	Thru	Right	Left	Thru	Right	Left	Thru	Right	Left	Thru	Right
1	Powell Rd	Cleveland Av/CR 466A	AM	0.00%	0.00%	0.00%	0.00%	14.00%	0.00%	0.00%	0.00%	3.00%	36.00%	0.00%	0.00%
2	Powell Rd	Broken Oak Dr	AM	0.00%	0.00%	0.00%	0.00%	53.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%
3	Powell Rd	Huey St	AM	0.00%	47.00%	0.00%	53.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%
4	Powell Rd	CR 44A	AM	0.00%	38.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	5.00%
5	Powell Rd	Project Entrance	AM	0.00%	0.00%	100.00%	0.00%	53.00%	0.00%	95.00%	0.00%	0.00%	0.00%	0.00%	0.00%

Adjustment

Location	Intersection		Peak Hour	Northbound			Southbound			Eastbound			Westbound		
	NB/SB	EB/WB		Left	Thru	Right	Left	Thru	Right	Left	Thru	Right	Left	Thru	Right
1	Powell Rd	Cleveland Av/CR 466A	AM												
2	Powell Rd	Broken Oak Dr	AM												
3	Powell Rd	Huey St	AM												
4	Powell Rd	CR 44A	AM												
5	Powell Rd	Project Entrance	AM												

External Project Trips

				External Trip Generation			Entering		7	Exiting		23	Total		30
Location	Intersection		Peak Hour	Northbound			Southbound			Eastbound			Westbound		
	NB/SB	EB/WB		Left	Thru	Right	Left	Thru	Right	Left	Thru	Right	Left	Thru	Right
1	Powell Rd	Cleveland Av/CR 466A	AM	1	3	8	0	1	0	0	0	0	3	0	0
2	Powell Rd	Broken Oak Dr	AM	11	12	0	0	4	0	0	0	0	0	0	0
3	Powell Rd	Huey St	AM	0	3	0	4	11	0	0	0	0	0	0	0
4	Powell Rd	CR 44A	AM	0	3	0	1	9	0	0	0	0	0	0	0
5	Powell Rd	Project Entrance	AM	0	0	7	0	15	0	7	0	0	0	0	23

Committed Development																	
Location	Intersection		Peak Hour	Northbound			Southbound			Eastbound			Westbound		
	NB/SB	EB/WB		Left	Thru	Right	Left	Thru	Right	Left	Thru	Right	Left	Thru	Right
1	Powell Rd	Cleveland Av/CR 466A	AM	13	24	51	38	31	8	15	40	28	57	14	14
2	Powell Rd	Broken Oak Dr	AM	7	66	35	57	61	0	0	1	0	43	1	26
3	Powell Rd	Huey St	AM	0	100	0	3	109	0	0	0	0	0	0	0
4	Powell Rd	CR 44A	AM	94	43	0	43	51	14	45	34	76	0	42	17
5	Powell Rd	Project Entrance	AM	0	106	0	0	112	0	0	0	0	0	0	0
Future Project Trips																	
Location	Intersection		Peak Hour	Northbound			Southbound			Eastbound			Westbound		
	NB/SB	EB/WB		Left	Thru	Right	Left	Thru	Right	Left	Thru	Right	Left	Thru	Right
1	Powell Rd	Cleveland Av/CR 466A	AM	1	3	8	0	1	0	0	0	0	3	0	0
2	Powell Rd	Broken Oak Dr	AM	11	12	0	0	4	0	0	0	0	0	0	0
3	Powell Rd	Huey St	AM	0	3	0	4	11	0	0	0	0	0	0	0
4	Powell Rd	CR 44A	AM	0	3	0	1	9	0	0	0	0	0	0	0
5	Powell Rd	Project Entrance	AM	0	0	7	0	15	0	7	0	0	0	0	23
Future Buildout																	
Location	Intersection		Peak Hour	Northbound			Southbound			Eastbound			Westbound		
	NB/SB	EB/WB		Left	Thru	Right	Left	Thru	Right	Left	Thru	Right	Left	Thru	Right
1	Powell Rd	Cleveland Av/CR 466A	AM	144	250	434	227	277	67	90	471	142	416	372	203
2	Powell Rd	Broken Oak Dr	AM	67	611	57	65	755	5	13	1	18	46	1	30
3	Powell Rd	Huey St	AM	32	617	1	30	745	92	60	1	43	1	3	1
4	Powell Rd	CR 44A	AM	150	482	117	143	530	38	97	99	244	268	113	224
5	Powell Rd	Project Entrance	AM	0	651	30	0	864	0	7	0	0	0	0	62

PM Peak Committed Development Summary

Parkview at Brownwood

Location	Intersection NB/SB	Intersection EB/WB	PHF	Northbound Left	Northbound Thru	Northbound Right	Southbound Left	Southbound Thru	Southbound Right	Eastbound Left	Eastbound Thru	Eastbound Right	Westbound Left	Westbound Thru	Westbound Right
1	Powell Rd	Cleveland Av/CR 466A	PM		18	37		10					29		
2	Powell Rd	Broken Oak Dr	PM		55			39							
3	Powell Rd	Huey St	PM		55			39							
4	Powell Rd	CR 44A	PM	131			44			55	73	164		59	
5	Powell Rd	Project Entrance	PM		55			39							

Highfields at Twisted Oaks

Location	Intersection NB/SB	Intersection EB/WB	PHF	Northbound Left	Northbound Thru	Northbound Right	Southbound Left	Southbound Thru	Southbound Right	Eastbound Left	Eastbound Thru	Eastbound Right	Westbound Left	Westbound Thru	Westbound Right
1	Powell Rd	Cleveland Av/CR 466A	PM		9		26	5			15			26	44
2	Powell Rd	Broken Oak Dr	PM		9			5							
3	Powell Rd	Huey St	PM		9			5							
4	Powell Rd	CR 44A	PM		9			5							
5	Powell Rd	Project Entrance	PM		9			5							

Powell Plaza

Location	Intersection NB/SB	Intersection EB/WB	Seasonal Factor	Northbound Left	Northbound Thru	Northbound Right	Southbound Left	Southbound Thru	Southbound Right	Eastbound Left	Eastbound Thru	Eastbound Right	Westbound Left	Westbound Thru	Westbound Right
1	Powell Rd	Cleveland Av/CR 466A	1.00	12	10	28		7				9	21		
2	Powell Rd	Broken Oak Dr	1.00		19	24	37	7			1		52	1	12
3	Powell Rd	Huey St	1.00		43			29							
4	Powell Rd	CR 44A	1.00		16		16	22	20	19					12
5	Powell Rd	Project Entrance	1.00		43			29							

NE 81st Blvd Subdivision

Location	Intersection NB/SB	Intersection EB/WB	Peak Hour	Northbound Left	Northbound Thru	Northbound Right	Southbound Left	Southbound Thru	Southbound Right	Eastbound Left	Eastbound Thru	Eastbound Right	Westbound Left	Westbound Thru	Westbound Right
1	Powell Rd	Cleveland Av/CR 466A	PM		3		2	1	1	1					5
2	Powell Rd	Broken Oak Dr	PM		3			1							
3	Powell Rd	Huey St	PM		3			1							
4	Powell Rd	CR 44A	PM		3			1							
5	Powell Rd	Project Entrance	PM		3			1							

Solamar at Wildwood (fka Wildwood Residential)

Location	Intersection NB/SB	Intersection EB/WB	Peak Hour	Northbound Left	Northbound Thru	Northbound Right	Southbound Left	Southbound Thru	Southbound Right	Eastbound Left	Eastbound Thru	Eastbound Right	Westbound Left	Westbound Thru	Westbound Right
1	Powell Rd	Cleveland Av/CR 466A	PM	20					19	12	14	12		25	
2	Powell Rd	Broken Oak Dr	PM		20			12							
3	Powell Rd	Huey St	PM		20			12							
4	Powell Rd	CR 44A	PM		15			9	3	5					
5	Powell Rd	Project Entrance	PM		20			12							

Townhomes at Powell

Location	Intersection NB/SB	Intersection EB/WB	Peak Hour	Northbound Left	Northbound Thru	Northbound Right	Southbound Left	Southbound Thru	Southbound Right	Eastbound Left	Eastbound Thru	Eastbound Right	Westbound Left	Westbound Thru	Westbound Right
1	Powell Rd	Cleveland Av/CR 466A	PM	1	5	13	0	8				2	21		
2	Powell Rd	Broken Oak Dr	PM	5	6	9	21	9					12		14
3	Powell Rd	Huey St	PM	0	27	0	9	17							
4	Powell Rd	CR 44A	PM	0	22	0	2	14							3
5	Powell Rd	Project Entrance	PM		27			26							

Total Committed Development

Location	Intersection NB/SB	Intersection EB/WB	Peak Hour	Northbound Left	Northbound Thru	Northbound Right	Southbound Left	Southbound Thru	Southbound Right	Eastbound Left	Eastbound Thru	Eastbound Right	Westbound Left	Westbound Thru	Westbound Right
1	Powell Rd	Cleveland Av/CR 466A	PM	33	45	78	28	31	20	13	29	23	71	51	49
2	Powell Rd	Broken Oak Dr	PM	5	112	33	58	73	0	0	1	0	64	1	26
3	Powell Rd	Huey St	PM	0	157	0	9	103	0	0	0	0	0	0	0
4	Powell Rd	CR 44A	PM	131	65	0	62	51	23	79	73	164	0	59	15
5	Powell Rd	Project Entrance	PM	0	157	0	0	112	0	0	0	0	0	0	0

AM Peak Hour Committed Development Trips

Parkview at Brownwood

Location	Intersection NB/SB	Intersection EB/WB	PHF	Northbound Left	Northbound Thru	Northbound Right	Southbound Left	Southbound Thru	Southbound Right	Eastbound Left	Eastbound Thru	Eastbound Right	Westbound Left	Westbound Thru	Westbound Right
1	Powell Rd	Cleveland Av/CR 466A	PM	0	8	17	0	10	0	0	0	0	21	0	0
2	Powell Rd	Broken Oak Dr	PM	0	25	0	0	31	0	0	0	0	0	0	0
3	Powell Rd	Huey St	PM	0	25	0	0	31	0	0	0	0	0	0	0
4	Powell Rd	CR 44A	PM	94	0	0	31	0	0	25	34	76	0	42	0
5	Powell Rd	Project Entrance	PM	0	25	0	0	31	0	0	0	0	0	0	0

Highfields at Twisted Oaks

Location	Intersection NB/SB	Intersection EB/WB	PHF	Northbound Left	Northbound Thru	Northbound Right	Southbound Left	Southbound Thru	Southbound Right	Eastbound Left	Eastbound Thru	Eastbound Right	Westbound Left	Westbound Thru	Westbound Right
1	Powell Rd	Cleveland Av/CR 466A	PM	0	3	0	37	7	0	0	22	0	0	8	13
2	Powell Rd	Broken Oak Dr	PM	0	3	0	0	7	0	0	0	0	0	0	0
3	Powell Rd	Huey St	PM	0	3	0	0	7	0	0	0	0	0	0	0
4	Powell Rd	CR 44A	PM	0	9	0	0	7	0	0	0	0	0	0	0
5	Powell Rd	Project Entrance	PM	0	9	0	0	7	0	0	0	0	0	0	0

Powell Plaza

Location	Intersection NB/SB	Intersection EB/WB	Seasonal Factor	Northbound Left	Northbound Thru	Northbound Right	Southbound Left	Southbound Thru	Southbound Right	Eastbound Left	Eastbound Thru	Eastbound Right	Westbound Left	Westbound Thru	Westbound Right
1	Powell Rd	Cleveland Av/CR 466A	0.97	6	5	15	0	9	0	0	0	12	28	0	0
2	Powell Rd	Broken Oak Dr	0.97	0	24	32	49	3	0	0	1	0	26	1	6
3	Powell Rd	Huey St	0.97	0	56	0	0	29	0	0	0	0	0	0	0
4	Powell Rd	CR 44A	0.97	0	21	0	9	11	10	19	0	0	0	0	16
5	Powell Rd	Project Entrance	0.97	0	56	0	0	29	0	0	0	0	0	0	0

NE 81st Blvd Subdivision

Location	Intersection NB/SB	Intersection EB/WB	Peak Hour	Northbound Left	Northbound Thru	Northbound Right	Southbound Left	Southbound Thru	Southbound Right	Eastbound Left	Eastbound Thru	Eastbound Right	Westbound Left	Westbound Thru	Westbound Right
1	Powell Rd	Cleveland Av/CR 466A	PM	0	1	0	1	2	3	0	0	0	0	0	1
2	Powell Rd	Broken Oak Dr	PM	0	1	0	0	2	0	0	0	0	0	0	0
3	Powell Rd	Huey St	PM	0	1	0	0	2	0	0	0	0	0	0	0
4	Powell Rd	CR 44A	PM	0	1	0	0	2	0	0	0	0	0	0	0
5	Powell Rd	Project Entrance	PM	0	1	0	0	2	0	0	0	0	0	0	0

Solamar at Wildwood (fka Wildwood Residential)

Location	Intersection NB/SB	Intersection EB/WB	Peak Hour	Northbound Left	Northbound Thru	Northbound Right	Southbound Left	Southbound Thru	Southbound Right	Eastbound Left	Eastbound Thru	Eastbound Right	Westbound Left	Westbound Thru	Westbound Right
1	Powell Rd	Cleveland Av/CR 466A	PM	5	0	0	0	0	5	15	18	15	0	6	0
2	Powell Rd	Broken Oak Dr	PM	0	5	0	0	15	0	0	0	0	0	0	0
3	Powell Rd	Huey St	PM	0	5	0	0	15	0	0	0	0	0	0	0
4	Powell Rd	CR 44A	PM	0	4	0	0	11	4	1	0	0	0	0	0
5	Powell Rd	Project Entrance	PM	0	5	0	0	15	0	0	0	0	0	0	0

Townhomes at Powell

Location	Intersection NB/SB	Intersection EB/WB	Peak Hour	Northbound Left	Northbound Thru	Northbound Right	Southbound Left	Southbound Thru	Southbound Right	Eastbound Left	Eastbound Thru	Eastbound Right	Westbound Left	Westbound Thru	Westbound Right
1	Powell Rd	Cleveland Av/CR 466A	PM	2	7	19	0	3	0	0	0	1	8	0	0
2	Powell Rd	Broken Oak Dr	PM	7	8	3	8	3	0	0	0	0	17	0	20
3	Powell Rd	Huey St	PM	0	10	0	3	25	0	0	0	0	0	0	0
4	Powell Rd	CR 44A	PM	0	8	0	3	20	0	0	0	0	0	0	1
5	Powell Rd	Project Entrance	PM	0	10	0	0	28	0	0	0	0	0	0	0

Total Committed Development

Location	Intersection NB/SB	Intersection EB/WB	Peak Hour	Northbound Left	Northbound Thru	Northbound Right	Southbound Left	Southbound Thru	Southbound Right	Eastbound Left	Eastbound Thru	Eastbound Right	Westbound Left	Westbound Thru	Westbound Right
1	Powell Rd	Cleveland Av/CR 466A	PM	13	24	51	38	31	8	15	40	28	57	14	14
2	Powell Rd	Broken Oak Dr	PM	7	66	35	57	61	0	0	1	0	43	1	26
3	Powell Rd	Huey St	PM	0	100	0	3	109	0	0	0	0	0	0	0
4	Powell Rd	CR 44A	PM	94	43	0	43	51	14	45	34	76	0	42	17
5	Powell Rd	Project Entrance	PM	0	106	0	0	112	0	0	0	0	0	0	0

APPENDIX F

Synchro – Future Conditions



Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations												
Traffic Volume (veh/h)	90	471	142	413	372	203	143	247	426	227	276	67
Future Volume (veh/h)	90	471	142	413	372	203	143	247	426	227	276	67
Initial Q (Qb), veh	0	0	0	0	0	0	0	0	0	0	0	0
Ped-Bike Adj(A_pbT)	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00
Parking Bus, Adj	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Work Zone On Approach		No			No			No			No	
Adj Sat Flow, veh/h/ln	1633	1841	1856	1856	1856	1885	1841	1826	1856	1841	1796	1781
Adj Flow Rate, veh/h	98	512	154	449	404	169	155	268	313	247	300	73
Peak Hour Factor	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92
Percent Heavy Veh, %	18	4	3	3	3	1	4	5	3	4	7	8
Cap, veh/h	117	1219	365	254	1615	732	224	446	384	277	329	80
Arrive On Green	0.08	0.46	0.46	0.07	0.46	0.46	0.08	0.24	0.24	0.07	0.24	0.24
Sat Flow, veh/h	1555	2653	794	3428	3526	1598	1753	1826	1572	1753	1396	340
Grp Volume(v), veh/h	98	337	329	449	404	169	155	268	313	247	0	373
Grp Sat Flow(s),veh/h/ln	1555	1749	1698	1714	1763	1598	1753	1826	1572	1753	0	1735
Q Serve(g_s), s	8.4	17.4	17.6	10.0	9.5	8.7	8.9	17.6	25.4	10.0	0.0	28.3
Cycle Q Clear(g_c), s	8.4	17.4	17.6	10.0	9.5	8.7	8.9	17.6	25.4	10.0	0.0	28.3
Prop In Lane	1.00		0.47	1.00		1.00	1.00		1.00	1.00		0.20
Lane Grp Cap(c), veh/h	117	804	780	254	1615	732	224	446	384	277	0	409
V/C Ratio(X)	0.83	0.42	0.42	1.77	0.25	0.23	0.69	0.60	0.82	0.89	0.00	0.91
Avail Cap(c_a), veh/h	161	804	780	254	1615	732	352	541	466	277	0	514
HCM Platoon Ratio	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Upstream Filter(I)	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	0.00	1.00
Uniform Delay (d), s/veh	61.6	24.4	24.5	62.5	22.4	22.2	37.9	45.2	48.2	45.2	0.0	50.3
Incr Delay (d2), s/veh	22.8	1.6	1.7	361.2	0.4	0.7	3.8	1.3	9.1	28.3	0.0	18.0
Initial Q Delay(d3),s/veh	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
%ile BackOfQ(95%),veh/ln	7.3	12.0	11.8	27.6	7.0	6.1	7.3	12.8	16.2	9.8	0.0	20.4
Unsig. Movement Delay, s/veh												
LnGrp Delay(d),s/veh	84.4	26.0	26.1	423.7	22.8	22.9	41.6	46.5	57.2	73.6	0.0	68.3
LnGrp LOS	F	C	C	F	C	C	D	D	E	E	A	E
Approach Vol, veh/h		764			1022			736			620	
Approach Delay, s/veh		33.6			198.9			50.0			70.4	
Approach LOS		C			F			D			E	

Timer - Assigned Phs	1	2	3	4	5	6	7	8
Phs Duration (G+Y+Rc), s	15.0	67.0	16.2	36.8	15.2	66.9	15.0	38.0
Change Period (Y+Rc), s	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0
Max Green Setting (Gmax), s	10.0	40.0	21.0	40.0	14.0	40.0	10.0	40.0
Max Q Clear Time (g_c+I1), s	12.0	19.6	10.9	30.3	10.4	11.5	12.0	27.4
Green Ext Time (p_c), s	0.0	4.0	0.3	1.5	0.1	3.0	0.0	2.2

Intersection Summary	
HCM 6th Ctrl Delay	98.5
HCM 6th LOS	F

Intersection	
Int Delay, s/veh	3.4

Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations												
Traffic Vol, veh/h	13	1	18	46	1	30	56	599	57	65	751	5
Future Vol, veh/h	13	1	18	46	1	30	56	599	57	65	751	5
Conflicting Peds, #/hr	0	0	0	0	0	0	0	0	0	0	0	0
Sign Control	Stop	Stop	Stop	Stop	Stop	Stop	Free	Free	Free	Free	Free	Free
RT Channelized	-	-	None	-	-	None	-	-	None	-	-	None
Storage Length	-	-	-	-	-	-	250	-	-	250	-	-
Veh in Median Storage, #	-	1	-	-	1	-	-	0	-	-	0	-
Grade, %	-	0	-	-	0	-	-	0	-	-	0	-
Peak Hour Factor	86	86	86	86	86	86	86	86	86	86	86	86
Heavy Vehicles, %	8	0	0	67	0	0	0	3	0	0	4	0
Mvmt Flow	15	1	21	53	1	35	65	697	66	76	873	6

Major/Minor	Minor2			Minor1			Major1			Major2		
Conflicting Flow All	1507	1921	440	1449	1891	382	879	0	0	763	0	0
Stage 1	1028	1028	-	860	860	-	-	-	-	-	-	-
Stage 2	479	893	-	589	1031	-	-	-	-	-	-	-
Critical Hdwy	7.66	6.5	6.9	8.84	6.5	6.9	4.1	-	-	4.1	-	-
Critical Hdwy Stg 1	6.66	5.5	-	7.84	5.5	-	-	-	-	-	-	-
Critical Hdwy Stg 2	6.66	5.5	-	7.84	5.5	-	-	-	-	-	-	-
Follow-up Hdwy	3.58	4	3.3	4.17	4	3.3	2.2	-	-	2.2	-	-
Pot Cap-1 Maneuver	79	68	570	~ 51	71	622	777	-	-	859	-	-
Stage 1	240	314	-	210	376	-	-	-	-	-	-	-
Stage 2	521	363	-	330	313	-	-	-	-	-	-	-
Platoon blocked, %								-	-		-	-
Mov Cap-1 Maneuver	65	57	570	~ 43	59	622	777	-	-	859	-	-
Mov Cap-2 Maneuver	153	149	-	114	148	-	-	-	-	-	-	-
Stage 1	220	286	-	192	344	-	-	-	-	-	-	-
Stage 2	449	333	-	289	285	-	-	-	-	-	-	-

Approach	EB	WB	NB	SB
HCM Control Delay, s	21.1	48.6	0.8	0.8
HCM LOS	C	E		

Minor Lane/Major Mvmt	NBL	NBT	NBR	EBLn1	WBLn1	SBL	SBT	SBR
Capacity (veh/h)	777	-	-	260	168	859	-	-
HCM Lane V/C Ratio	0.084	-	-	0.143	0.533	0.088	-	-
HCM Control Delay (s)	10.1	-	-	21.1	48.6	9.6	-	-
HCM Lane LOS	B	-	-	C	E	A	-	-
HCM 95th %tile Q(veh)	0.3	-	-	0.5	2.7	0.3	-	-

Notes			
~: Volume exceeds capacity	$: Delay exceeds 300s	+: Computation Not Defined	*: All major volume in platoon

Intersection	
Int Delay, s/veh	2.1

Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations												
Traffic Vol, veh/h	60	1	43	1	3	1	32	614	1	26	734	92
Future Vol, veh/h	60	1	43	1	3	1	32	614	1	26	734	92
Conflicting Peds, #/hr	0	0	0	0	0	0	0	0	0	0	0	0
Sign Control	Stop	Stop	Stop	Stop	Stop	Stop	Free	Free	Free	Free	Free	Free
RT Channelized	-	-	None	-	-	None	-	-	None	-	-	None
Storage Length	-	-	-	-	-	-	315	-	-	315	-	-
Veh in Median Storage, #	-	1	-	-	1	-	-	0	-	-	0	-
Grade, %	-	0	-	-	0	-	-	0	-	-	0	-
Peak Hour Factor	91	91	91	91	91	91	91	91	91	91	91	91
Heavy Vehicles, %	0	0	2	0	33	0	3	3	0	0	3	6
Mvmt Flow	66	1	47	1	3	1	35	675	1	29	807	101

Major/Minor	Minor2			Minor1			Major1			Major2		
Conflicting Flow All	1325	1662	454	1208	1712	338	908	0	0	676	0	0
Stage 1	916	916	-	746	746	-	-	-	-	-	-	-
Stage 2	409	746	-	462	966	-	-	-	-	-	-	-
Critical Hdwy	7.5	6.5	6.94	7.5	7.16	6.9	4.16	-	-	4.1	-	-
Critical Hdwy Stg 1	6.5	5.5	-	6.5	6.16	-	-	-	-	-	-	-
Critical Hdwy Stg 2	6.5	5.5	-	6.5	6.16	-	-	-	-	-	-	-
Follow-up Hdwy	3.5	4	3.32	3.5	4.33	3.3	2.23	-	-	2.2	-	-
Pot Cap-1 Maneuver	116	98	553	141	65	664	739	-	-	925	-	-
Stage 1	297	354	-	376	351	-	-	-	-	-	-	-
Stage 2	596	424	-	554	269	-	-	-	-	-	-	-
Platoon blocked, %								-	-		-	-
Mov Cap-1 Maneuver	107	90	553	121	60	664	739	-	-	925	-	-
Mov Cap-2 Maneuver	211	204	-	237	149	-	-	-	-	-	-	-
Stage 1	283	343	-	358	335	-	-	-	-	-	-	-
Stage 2	561	404	-	489	261	-	-	-	-	-	-	-

Approach	EB	WB	NB	SB
HCM Control Delay, s	26.1	24.2	0.5	0.3
HCM LOS	D	C		

Minor Lane/Major Mvmt	NBL	NBT	NBR	EBLn1	WBLn1	SBL	SBT	SBR
Capacity (veh/h)	739	-	-	283	193	925	-	-
HCM Lane V/C Ratio	0.048	-	-	0.404	0.028	0.031	-	-
HCM Control Delay (s)	10.1	-	-	26.1	24.2	9	-	-
HCM Lane LOS	B	-	-	D	C	A	-	-
HCM 95th %tile Q(veh)	0.1	-	-	1.9	0.1	0.1	-	-



Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations												
Traffic Volume (veh/h)	97	99	244	268	113	224	150	479	117	142	521	38
Future Volume (veh/h)	97	99	244	268	113	224	150	479	117	142	521	38
Initial Q (Qb), veh	0	0	0	0	0	0	0	0	0	0	0	0
Ped-Bike Adj(A_pbT)	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00
Parking Bus, Adj	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Work Zone On Approach		No			No			No			No	
Adj Sat Flow, veh/h/ln	1870	1900	1900	1885	1870	1885	1870	1856	1900	1870	1856	1752
Adj Flow Rate, veh/h	109	111	212	301	127	197	169	538	91	160	585	43
Peak Hour Factor	0.89	0.89	0.89	0.89	0.89	0.89	0.89	0.89	0.89	0.89	0.89	0.89
Percent Heavy Veh, %	2	0	0	1	2	1	2	3	0	2	3	10
Cap, veh/h	156	1193	532	330	1666	749	236	728	333	254	672	49
Arrive On Green	0.05	0.33	0.33	0.18	0.47	0.47	0.09	0.21	0.21	0.09	0.20	0.20
Sat Flow, veh/h	3456	3610	1610	1795	3554	1598	1781	3526	1610	1781	3330	244
Grp Volume(v), veh/h	109	111	212	301	127	197	169	538	91	160	309	319
Grp Sat Flow(s),veh/h/ln	1728	1805	1610	1795	1777	1598	1781	1763	1610	1781	1763	1812
Q Serve(g_s), s	4.4	3.0	14.2	23.0	2.8	10.5	10.4	20.0	6.7	9.9	23.8	23.9
Cycle Q Clear(g_c), s	4.4	3.0	14.2	23.0	2.8	10.5	10.4	20.0	6.7	9.9	23.8	23.9
Prop In Lane	1.00		1.00	1.00		1.00	1.00		1.00	1.00		0.13
Lane Grp Cap(c), veh/h	156	1193	532	330	1666	749	236	728	333	254	356	366
V/C Ratio(X)	0.70	0.09	0.40	0.91	0.08	0.26	0.71	0.74	0.27	0.63	0.87	0.87
Avail Cap(c_a), veh/h	220	1193	532	464	1666	749	298	952	435	280	433	445
HCM Platoon Ratio	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Upstream Filter(I)	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Uniform Delay (d), s/veh	65.9	32.4	36.1	56.1	20.5	22.5	41.3	52.0	46.7	40.8	54.1	54.1
Incr Delay (d2), s/veh	5.5	0.2	2.2	17.8	0.1	0.9	5.9	2.2	0.4	3.9	14.8	14.7
Initial Q Delay(d3),s/veh	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
%ile BackOfQ(95%),veh/ln	3.7	2.4	9.9	17.7	2.1	7.4	8.6	13.9	4.9	8.1	17.6	18.1
Unsig. Movement Delay, s/veh												
LnGrp Delay(d),s/veh	71.4	32.5	38.4	73.8	20.6	23.4	47.2	54.2	47.1	44.6	68.8	68.8
LnGrp LOS	E	C	D	E	C	C	D	D	D	D	E	E
Approach Vol, veh/h		432			625			798			788	
Approach Delay, s/veh		45.2			47.1			51.9			63.9	
Approach LOS		D			D			D			E	

Timer - Assigned Phs	1	2	3	4	5	6	7	8
Phs Duration (G+Y+Rc), s	32.5	53.1	19.4	35.1	13.1	72.4	18.7	35.7
Change Period (Y+Rc), s	* 6.8	* 6.8	* 6.8	* 6.8	* 6.8	* 6.8	* 6.8	* 6.8
Max Green Setting (Gmax), s	* 36	* 25	* 17	* 34	* 8.9	* 52	* 14	* 38
Max Q Clear Time (g_c+I1), s	25.0	16.2	12.4	25.9	6.4	12.5	11.9	22.0
Green Ext Time (p_c), s	0.7	0.9	0.2	2.4	0.1	1.5	0.1	3.4

Intersection Summary	
HCM 6th Ctrl Delay	53.3
HCM 6th LOS	D

Notes

* HCM 6th computational engine requires equal clearance times for the phases crossing the barrier.

Intersection	
Int Delay, s/veh	0.3

Movement	WBL	WBR	NBT	NBR	SBL	SBT
Lane Configurations						
Traffic Vol, veh/h	0	39	651	23	0	849
Future Vol, veh/h	0	39	651	23	0	849
Conflicting Peds, #/hr	0	0	0	0	0	0
Sign Control	Stop	Stop	Free	Free	Free	Free
RT Channelized	-	None	-	None	-	None
Storage Length	-	0	-	-	-	-
Veh in Median Storage, #	1	-	0	-	-	0
Grade, %	0	-	0	-	-	0
Peak Hour Factor	93	93	93	93	93	93
Heavy Vehicles, %	0	0	4	0	0	4
Mvmt Flow	0	42	700	25	0	913

Major/Minor	Minor1		Major1		Major2	
Conflicting Flow All	-	363	0	0	-	-
Stage 1	-	-	-	-	-	-
Stage 2	-	-	-	-	-	-
Critical Hdwy	-	6.9	-	-	-	-
Critical Hdwy Stg 1	-	-	-	-	-	-
Critical Hdwy Stg 2	-	-	-	-	-	-
Follow-up Hdwy	-	3.3	-	-	-	-
Pot Cap-1 Maneuver	0	640	-	-	0	-
Stage 1	0	-	-	-	0	-
Stage 2	0	-	-	-	0	-
Platoon blocked, %			-	-		-
Mov Cap-1 Maneuver	-	640	-	-	-	-
Mov Cap-2 Maneuver	-	-	-	-	-	-
Stage 1	-	-	-	-	-	-
Stage 2	-	-	-	-	-	-

Approach	WB	NB	SB
HCM Control Delay, s	11	0	0
HCM LOS	B		

Minor Lane/Major Mvmt	NBT	NBR	WBLn1	SBT
Capacity (veh/h)	-	-	640	-
HCM Lane V/C Ratio	-	-	0.066	-
HCM Control Delay (s)	-	-	11	-
HCM Lane LOS	-	-	B	-
HCM 95th %tile Q(veh)	-	-	0.2	-



Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations												
Traffic Volume (veh/h)	93	549	126	419	542	355	313	426	712	203	225	89
Future Volume (veh/h)	93	549	126	419	542	355	313	426	712	203	225	89
Initial Q (Qb), veh	0	0	0	0	0	0	0	0	0	0	0	0
Ped-Bike Adj(A_pbT)	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00
Parking Bus, Adj	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Work Zone On Approach		No			No			No			No	
Adj Sat Flow, veh/h/ln	1796	1885	1870	1900	1870	1885	1900	1856	1900	1900	1841	1870
Adj Flow Rate, veh/h	98	578	133	441	571	300	329	448	505	214	237	94
Peak Hour Factor	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95
Percent Heavy Veh, %	7	1	2	0	2	1	0	3	0	0	4	2
Cap, veh/h	358	1179	270	744	1454	654	367	550	477	231	274	109
Arrive On Green	0.07	0.41	0.41	0.07	0.41	0.41	0.15	0.30	0.30	0.07	0.22	0.22
Sat Flow, veh/h	1711	2893	664	3510	3554	1598	1810	1856	1610	1810	1254	497
Grp Volume(v), veh/h	98	357	354	441	571	300	329	448	505	214	0	331
Grp Sat Flow(s),veh/h/ln	1711	1791	1766	1755	1777	1598	1810	1856	1610	1810	0	1751
Q Serve(g_s), s	4.3	19.9	20.0	10.0	15.3	18.4	18.4	30.2	40.0	10.0	0.0	24.6
Cycle Q Clear(g_c), s	4.3	19.9	20.0	10.0	15.3	18.4	18.4	30.2	40.0	10.0	0.0	24.6
Prop In Lane	1.00		0.38	1.00		1.00	1.00		1.00	1.00		0.28
Lane Grp Cap(c), veh/h	358	730	719	744	1454	654	367	550	477	231	0	383
V/C Ratio(X)	0.27	0.49	0.49	0.59	0.39	0.46	0.90	0.81	1.06	0.93	0.00	0.87
Avail Cap(c_a), veh/h	412	730	719	744	1454	654	373	550	477	231	0	519
HCM Platoon Ratio	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Upstream Filter(I)	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	0.00	1.00
Uniform Delay (d), s/veh	20.4	29.6	29.6	23.0	28.1	29.0	34.6	44.1	47.5	44.9	0.0	50.8
Incr Delay (d2), s/veh	0.4	2.3	2.4	1.3	0.8	2.3	23.1	9.2	57.6	39.9	0.0	11.1
Initial Q Delay(d3),s/veh	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
%ile BackOfQ(95%),veh/ln	3.1	13.9	13.8	7.4	10.7	11.9	15.6	21.5	32.5	8.5	0.0	17.5
Unsig. Movement Delay, s/veh												
LnGrp Delay(d),s/veh	20.8	32.0	32.0	24.2	28.9	31.3	57.7	53.3	105.1	84.8	0.0	61.9
LnGrp LOS	C	C	C	C	C	C	E	D	F	F	A	E
Approach Vol, veh/h		809			1312			1282			545	
Approach Delay, s/veh		30.6			27.9			74.8			70.9	
Approach LOS		C			C			E			E	

Timer - Assigned Phs	1	2	3	4	5	6	7	8
Phs Duration (G+Y+Rc), s	15.0	60.0	25.5	34.5	14.7	60.3	15.0	45.0
Change Period (Y+Rc), s	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0
Max Green Setting (Gmax), s	10.0	40.0	21.0	40.0	14.0	40.0	10.0	40.0
Max Q Clear Time (g_c+I1), s	12.0	22.0	20.4	26.6	6.3	20.4	12.0	42.0
Green Ext Time (p_c), s	0.0	4.1	0.1	1.6	0.1	4.4	0.0	0.0

Intersection Summary	
HCM 6th Ctrl Delay	49.6
HCM 6th LOS	D

Intersection	
Int Delay, s/veh	5.2

Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations												
Traffic Vol, veh/h	12	1	10	89	1	35	52	998	41	64	652	17
Future Vol, veh/h	12	1	10	89	1	35	52	998	41	64	652	17
Conflicting Peds, #/hr	0	0	0	0	0	0	0	0	0	0	0	0
Sign Control	Stop	Stop	Stop	Stop	Stop	Stop	Free	Free	Free	Free	Free	Free
RT Channelized	-	-	None	-	-	None	-	-	None	-	-	None
Storage Length	-	-	-	-	-	-	250	-	-	250	-	-
Veh in Median Storage, #	-	1	-	-	1	-	-	0	-	-	0	-
Grade, %	-	0	-	-	0	-	-	0	-	-	0	-
Peak Hour Factor	95	95	95	95	95	95	95	95	95	95	95	95
Heavy Vehicles, %	0	0	0	0	0	0	0	2	0	0	2	0
Mvmt Flow	13	1	11	94	1	37	55	1051	43	67	686	18

Major/Minor	Minor2			Minor1			Major1			Major2		
Conflicting Flow All	1465	2033	352	1661	2021	547	704	0	0	1094	0	0
Stage 1	829	829	-	1183	1183	-	-	-	-	-	-	-
Stage 2	636	1204	-	478	838	-	-	-	-	-	-	-
Critical Hdwy	7.5	6.5	6.9	7.5	6.5	6.9	4.1	-	-	4.1	-	-
Critical Hdwy Stg 1	6.5	5.5	-	6.5	5.5	-	-	-	-	-	-	-
Critical Hdwy Stg 2	6.5	5.5	-	6.5	5.5	-	-	-	-	-	-	-
Follow-up Hdwy	3.5	4	3.3	3.5	4	3.3	2.2	-	-	2.2	-	-
Pot Cap-1 Maneuver	91	58	650	~ 65	59	486	903	-	-	645	-	-
Stage 1	335	388	-	204	265	-	-	-	-	-	-	-
Stage 2	437	259	-	543	384	-	-	-	-	-	-	-
Platoon blocked, %								-	-		-	-
Mov Cap-1 Maneuver	73	49	650	~ 56	50	486	903	-	-	645	-	-
Mov Cap-2 Maneuver	176	126	-	142	145	-	-	-	-	-	-	-
Stage 1	315	348	-	192	249	-	-	-	-	-	-	-
Stage 2	378	243	-	477	344	-	-	-	-	-	-	-

Approach	EB	WB	NB	SB
HCM Control Delay, s	20.9	68.3	0.4	1
HCM LOS	C	F		

Minor Lane/Major Mvmt	NBL	NBT	NBR	EBLn1	WBLn1	SBL	SBT	SBR
Capacity (veh/h)	903	-	-	251	177	645	-	-
HCM Lane V/C Ratio	0.061	-	-	0.096	0.743	0.104	-	-
HCM Control Delay (s)	9.2	-	-	20.9	68.3	11.2	-	-
HCM Lane LOS	A	-	-	C	F	B	-	-
HCM 95th %tile Q(veh)	0.2	-	-	0.3	4.7	0.3	-	-

Notes			
~: Volume exceeds capacity	$: Delay exceeds 300s	+: Computation Not Defined	*: All major volume in platoon

Intersection	
Int Delay, s/veh	2.7

Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations												
Traffic Vol, veh/h	84	0	30	1	1	1	27	1025	3	56	677	47
Future Vol, veh/h	84	0	30	1	1	1	27	1025	3	56	677	47
Conflicting Peds, #/hr	0	0	0	0	0	0	0	0	0	0	0	0
Sign Control	Stop	Stop	Stop	Stop	Stop	Stop	Free	Free	Free	Free	Free	Free
RT Channelized	-	-	None	-	-	None	-	-	None	-	-	None
Storage Length	-	-	-	-	-	-	315	-	-	315	-	-
Veh in Median Storage, #	-	1	-	-	1	-	-	0	-	-	0	-
Grade, %	-	0	-	-	0	-	-	0	-	-	0	-
Peak Hour Factor	92	92	92	92	92	92	92	92	92	92	92	92
Heavy Vehicles, %	1	0	4	0	0	0	0	2	0	0	1	7
Mvmt Flow	91	0	33	1	1	1	29	1114	3	61	736	51

Major/Minor	Minor2			Minor1			Major1			Major2		
Conflicting Flow All	1500	2059	394	1664	2083	559	787	0	0	1117	0	0
Stage 1	884	884	-	1174	1174	-	-	-	-	-	-	-
Stage 2	616	1175	-	490	909	-	-	-	-	-	-	-
Critical Hdwy	7.52	6.5	6.98	7.5	6.5	6.9	4.1	-	-	4.1	-	-
Critical Hdwy Stg 1	6.52	5.5	-	6.5	5.5	-	-	-	-	-	-	-
Critical Hdwy Stg 2	6.52	5.5	-	6.5	5.5	-	-	-	-	-	-	-
Follow-up Hdwy	3.51	4	3.34	3.5	4	3.3	2.2	-	-	2.2	-	-
Pot Cap-1 Maneuver	~ 85	56	599	65	54	478	841	-	-	633	-	-
Stage 1	309	366	-	207	268	-	-	-	-	-	-	-
Stage 2	447	268	-	534	357	-	-	-	-	-	-	-
Platoon blocked, %								-	-		-	-
Mov Cap-1 Maneuver	~ 76	49	599	55	47	478	841	-	-	633	-	-
Mov Cap-2 Maneuver	184	134	-	145	147	-	-	-	-	-	-	-
Stage 1	298	331	-	200	259	-	-	-	-	-	-	-
Stage 2	429	259	-	456	323	-	-	-	-	-	-	-

Approach	EB	WB	NB	SB
HCM Control Delay, s	39	24.3	0.2	0.8
HCM LOS	E	C		

Minor Lane/Major Mvmt	NBL	NBT	NBR	EBLn1	WBLn1	SBL	SBT	SBR
Capacity (veh/h)	841	-	-	225	190	633	-	-
HCM Lane V/C Ratio	0.035	-	-	0.551	0.017	0.096	-	-
HCM Control Delay (s)	9.4	-	-	39	24.3	11.3	-	-
HCM Lane LOS	A	-	-	E	C	B	-	-
HCM 95th %tile Q(veh)	0.1	-	-	3	0.1	0.3	-	-

Notes			
~: Volume exceeds capacity	$: Delay exceeds 300s	+: Computation Not Defined	*: All major volume in platoon



Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations												
Traffic Volume (veh/h)	125	170	296	119	158	225	197	689	302	195	532	60
Future Volume (veh/h)	125	170	296	119	158	225	197	689	302	195	532	60
Initial Q (Qb), veh	0	0	0	0	0	0	0	0	0	0	0	0
Ped-Bike Adj(A_pbT)	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00
Parking Bus, Adj	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Work Zone On Approach		No			No			No			No	
Adj Sat Flow, veh/h/ln	1870	1900	1900	1900	1870	1870	1870	1885	1900	1900	1885	1856
Adj Flow Rate, veh/h	133	181	263	127	168	175	210	733	225	207	566	64
Peak Hour Factor	0.94	0.94	0.94	0.94	0.94	0.94	0.94	0.94	0.94	0.94	0.94	0.94
Percent Heavy Veh, %	2	0	0	0	2	2	2	1	0	0	1	3
Cap, veh/h	177	1469	655	150	1558	695	288	861	387	253	772	87
Arrive On Green	0.05	0.41	0.41	0.08	0.44	0.44	0.10	0.24	0.24	0.10	0.24	0.24
Sat Flow, veh/h	3456	3610	1610	1810	3554	1585	1781	3582	1610	1810	3244	366
Grp Volume(v), veh/h	133	181	263	127	168	175	210	733	225	207	312	318
Grp Sat Flow(s),veh/h/ln	1728	1805	1610	1810	1777	1585	1781	1791	1610	1810	1791	1819
Q Serve(g_s), s	6.1	5.0	18.5	11.1	4.5	11.2	14.1	31.3	19.7	13.7	25.7	25.8
Cycle Q Clear(g_c), s	6.1	5.0	18.5	11.1	4.5	11.2	14.1	31.3	19.7	13.7	25.7	25.8
Prop In Lane	1.00		1.00	1.00		1.00	1.00		1.00	1.00		0.20
Lane Grp Cap(c), veh/h	177	1469	655	150	1558	695	288	861	387	253	426	433
V/C Ratio(X)	0.75	0.12	0.40	0.85	0.11	0.25	0.73	0.85	0.58	0.82	0.73	0.74
Avail Cap(c_a), veh/h	285	1469	655	262	1558	695	353	1101	495	334	562	571
HCM Platoon Ratio	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Upstream Filter(I)	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Uniform Delay (d), s/veh	74.9	29.6	33.6	72.4	26.5	28.4	42.3	58.1	53.7	43.7	56.3	56.3
Incr Delay (d2), s/veh	6.2	0.2	1.8	12.3	0.1	0.9	5.8	5.3	1.4	11.4	3.4	3.4
Initial Q Delay(d3),s/veh	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
%ile BackOfQ(95%),veh/ln	5.1	4.0	12.2	9.6	3.5	7.9	10.9	21.1	12.9	11.3	17.7	18.0
Unsig. Movement Delay, s/veh												
LnGrp Delay(d),s/veh	81.1	29.8	35.5	84.7	26.6	29.2	48.1	63.3	55.1	55.1	59.7	59.7
LnGrp LOS	F	C	D	F	C	C	D	E	E	E	E	E
Approach Vol, veh/h		577			470			1168			837	
Approach Delay, s/veh		44.2			43.3			59.0			58.6	
Approach LOS		D			D			E			E	

Timer - Assigned Phs	1	2	3	4	5	6	7	8
Phs Duration (G+Y+Rc), s	20.0	71.9	23.2	44.9	15.0	76.9	22.8	45.2
Change Period (Y+Rc), s	* 6.8	* 6.8	* 6.8	* 6.8	* 6.8	* 6.8	* 6.8	* 6.8
Max Green Setting (Gmax), s	* 23	* 37	* 22	* 50	* 13	* 47	* 23	* 49
Max Q Clear Time (g_c+I1), s	13.1	20.5	16.1	27.8	8.1	13.2	15.7	33.3
Green Ext Time (p_c), s	0.2	1.8	0.3	3.8	0.2	1.7	0.3	5.2

Intersection Summary	
HCM 6th Ctrl Delay	53.7
HCM 6th LOS	D

Notes

* HCM 6th computational engine requires equal clearance times for the phases crossing the barrier.

Intersection	
Int Delay, s/veh	0.2

Movement	WBL	WBR	NBT	NBR	SBL	SBT
Lane Configurations						
Traffic Vol, veh/h	0	24	1083	35	0	753
Future Vol, veh/h	0	24	1083	35	0	753
Conflicting Peds, #/hr	0	0	0	0	0	0
Sign Control	Stop	Stop	Free	Free	Free	Free
RT Channelized	-	None	-	None	-	None
Storage Length	-	0	-	-	-	-
Veh in Median Storage, #	0	-	0	-	-	0
Grade, %	0	-	0	-	-	0
Peak Hour Factor	94	94	94	94	94	94
Heavy Vehicles, %	0	4	2	3	0	2
Mvmt Flow	0	26	1152	37	0	801

Major/Minor	Minor1		Major1		Major2	
Conflicting Flow All	-	595	0	0	-	-
Stage 1	-	-	-	-	-	-
Stage 2	-	-	-	-	-	-
Critical Hdwy	-	6.98	-	-	-	-
Critical Hdwy Stg 1	-	-	-	-	-	-
Critical Hdwy Stg 2	-	-	-	-	-	-
Follow-up Hdwy	-	3.34	-	-	-	-
Pot Cap-1 Maneuver	0	442	-	-	0	-
Stage 1	0	-	-	-	0	-
Stage 2	0	-	-	-	0	-
Platoon blocked, %			-	-		-
Mov Cap-1 Maneuver	-	442	-	-	-	-
Mov Cap-2 Maneuver	-	-	-	-	-	-
Stage 1	-	-	-	-	-	-
Stage 2	-	-	-	-	-	-

Approach	WB	NB	SB
HCM Control Delay, s	13.6	0	0
HCM LOS	B		

Minor Lane/Major Mvmt	NBT	NBR	WBLn1	SBT
Capacity (veh/h)	-	-	442	-
HCM Lane V/C Ratio	-	-	0.058	-
HCM Control Delay (s)	-	-	13.6	-
HCM Lane LOS	-	-	B	-
HCM 95th %tile Q(veh)	-	-	0.2	-



Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations												
Traffic Volume (veh/h)	90	471	142	413	372	203	143	247	426	227	276	67
Future Volume (veh/h)	90	471	142	413	372	203	143	247	426	227	276	67
Initial Q (Qb), veh	0	0	0	0	0	0	0	0	0	0	0	0
Ped-Bike Adj(A_pbT)	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00
Parking Bus, Adj	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Work Zone On Approach		No			No			No			No	
Adj Sat Flow, veh/h/ln	1633	1841	1856	1856	1856	1885	1841	1826	1856	1841	1796	1781
Adj Flow Rate, veh/h	98	512	154	449	404	169	155	268	313	247	300	73
Peak Hour Factor	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92
Percent Heavy Veh, %	18	4	3	3	3	1	4	5	3	4	7	8
Cap, veh/h	118	1022	306	503	1609	729	226	408	351	296	332	81
Arrive On Green	0.08	0.39	0.39	0.15	0.46	0.46	0.08	0.22	0.22	0.10	0.24	0.24
Sat Flow, veh/h	1555	2653	794	3428	3526	1598	1753	1826	1572	1753	1396	340
Grp Volume(v), veh/h	98	337	329	449	404	169	155	268	313	247	0	373
Grp Sat Flow(s),veh/h/ln	1555	1749	1698	1714	1763	1598	1753	1826	1572	1753	0	1735
Q Serve(g_s), s	8.4	19.8	20.0	17.4	9.5	8.7	9.1	18.0	26.1	13.0	0.0	28.2
Cycle Q Clear(g_c), s	8.4	19.8	20.0	17.4	9.5	8.7	9.1	18.0	26.1	13.0	0.0	28.2
Prop In Lane	1.00		0.47	1.00		1.00	1.00		1.00	1.00		0.20
Lane Grp Cap(c), veh/h	118	674	654	503	1609	729	226	408	351	296	0	412
V/C Ratio(X)	0.83	0.50	0.50	0.89	0.25	0.23	0.69	0.66	0.89	0.83	0.00	0.90
Avail Cap(c_a), veh/h	196	674	654	559	1609	729	238	541	466	296	0	527
HCM Platoon Ratio	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Upstream Filter(I)	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	0.00	1.00
Uniform Delay (d), s/veh	61.5	31.6	31.7	56.5	22.5	22.3	38.7	47.7	50.8	40.6	0.0	50.0
Incr Delay (d2), s/veh	13.8	2.6	2.8	15.5	0.4	0.7	7.5	1.8	15.4	18.3	0.0	16.3
Initial Q Delay(d3),s/veh	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
%ile BackOfQ(95%),veh/ln	6.8	13.7	13.5	13.2	7.1	6.1	7.8	13.1	17.3	6.1	0.0	20.1
Unsig. Movement Delay, s/veh												
LnGrp Delay(d),s/veh	75.4	34.2	34.4	72.0	22.9	23.1	46.2	49.5	66.2	58.9	0.0	66.2
LnGrp LOS	E	C	C	E	C	C	D	D	E	E	A	E
Approach Vol, veh/h		764			1022			736			620	
Approach Delay, s/veh		39.6			44.5			55.9			63.3	
Approach LOS		D			D			E			E	

Timer - Assigned Phs	1	2	3	4	5	6	7	8
Phs Duration (G+Y+Rc), s	24.8	57.0	16.1	37.1	15.2	66.6	18.0	35.2
Change Period (Y+Rc), s	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0
Max Green Setting (Gmax), s	22.0	40.0	12.0	41.0	17.0	45.0	13.0	40.0
Max Q Clear Time (g_c+I1), s	19.4	22.0	11.1	30.2	10.4	11.5	15.0	28.1
Green Ext Time (p_c), s	0.5	3.8	0.0	1.6	0.1	3.1	0.0	2.1

Intersection Summary	
HCM 6th Ctrl Delay	49.7
HCM 6th LOS	D



Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations												
Traffic Volume (veh/h)	93	549	126	419	542	355	313	426	712	203	225	89
Future Volume (veh/h)	93	549	126	419	542	355	313	426	712	203	225	89
Initial Q (Qb), veh	0	0	0	0	0	0	0	0	0	0	0	0
Ped-Bike Adj(A_pbT)	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00
Parking Bus, Adj	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Work Zone On Approach		No			No			No			No	
Adj Sat Flow, veh/h/ln	1796	1885	1870	1900	1870	1885	1900	1856	1900	1900	1841	1870
Adj Flow Rate, veh/h	98	578	133	441	571	300	329	448	505	214	237	94
Peak Hour Factor	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95
Percent Heavy Veh, %	7	1	2	0	2	1	0	3	0	0	4	2
Cap, veh/h	324	1023	235	672	1290	580	424	636	552	267	341	135
Arrive On Green	0.07	0.35	0.35	0.08	0.36	0.36	0.14	0.34	0.34	0.07	0.27	0.27
Sat Flow, veh/h	1711	2893	664	3510	3554	1598	1810	1856	1610	1810	1254	497
Grp Volume(v), veh/h	98	357	354	441	571	300	329	448	505	214	0	331
Grp Sat Flow(s),veh/h/ln	1711	1791	1766	1755	1777	1598	1810	1856	1610	1810	0	1751
Q Serve(g_s), s	4.7	21.7	21.9	11.0	16.5	19.9	17.1	28.2	40.6	10.0	0.0	22.9
Cycle Q Clear(g_c), s	4.7	21.7	21.9	11.0	16.5	19.9	17.1	28.2	40.6	10.0	0.0	22.9
Prop In Lane	1.00		0.38	1.00		1.00	1.00		1.00	1.00		0.28
Lane Grp Cap(c), veh/h	324	633	625	672	1290	580	424	636	552	267	0	477
V/C Ratio(X)	0.30	0.56	0.57	0.66	0.44	0.52	0.78	0.70	0.92	0.80	0.00	0.69
Avail Cap(c_a), veh/h	327	633	625	672	1290	580	484	742	644	267	0	519
HCM Platoon Ratio	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Upstream Filter(I)	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	0.00	1.00
Uniform Delay (d), s/veh	24.6	35.2	35.3	27.2	32.6	33.7	30.0	38.5	42.5	38.0	0.0	44.1
Incr Delay (d2), s/veh	0.5	3.6	3.7	2.3	1.1	3.3	6.8	2.5	16.3	15.9	0.0	3.6
Initial Q Delay(d3),s/veh	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
%ile BackOfQ(95%),veh/ln	3.5	15.3	15.2	8.2	11.5	12.9	12.8	19.1	25.4	5.7	0.0	15.6
Unsig. Movement Delay, s/veh												
LnGrp Delay(d),s/veh	25.1	38.8	39.0	29.5	33.7	37.0	36.8	41.0	58.9	53.9	0.0	47.7
LnGrp LOS	C	D	D	C	C	D	D	D	E	D	A	D
Approach Vol, veh/h		809			1312			1282			545	
Approach Delay, s/veh		37.2			33.1			46.9			50.1	
Approach LOS		D			C			D			D	

Timer - Assigned Phs	1	2	3	4	5	6	7	8
Phs Duration (G+Y+Rc), s	16.0	52.8	24.5	41.7	14.7	54.0	15.0	51.2
Change Period (Y+Rc), s	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0
Max Green Setting (Gmax), s	11.0	40.0	24.0	40.0	10.0	41.0	10.0	54.0
Max Q Clear Time (g_c+I1), s	13.0	23.9	19.1	24.9	6.7	21.9	12.0	42.6
Green Ext Time (p_c), s	0.0	3.9	0.5	1.7	0.1	4.4	0.0	3.7

Intersection Summary	
HCM 6th Ctrl Delay	40.8
HCM 6th LOS	D



Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations												
Traffic Volume (veh/h)	90	471	142	416	372	203	144	250	434	227	277	67
Future Volume (veh/h)	90	471	142	416	372	203	144	250	434	227	277	67
Initial Q (Qb), veh	0	0	0	0	0	0	0	0	0	0	0	0
Ped-Bike Adj(A_pbT)	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00
Parking Bus, Adj	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Work Zone On Approach		No			No			No			No	
Adj Sat Flow, veh/h/ln	1633	1841	1856	1856	1856	1885	1841	1826	1856	1841	1796	1781
Adj Flow Rate, veh/h	98	512	154	452	404	169	157	272	322	247	301	73
Peak Hour Factor	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92
Percent Heavy Veh, %	18	4	3	3	3	1	4	5	3	4	7	8
Cap, veh/h	118	1005	301	506	1589	720	232	418	360	298	339	82
Arrive On Green	0.08	0.38	0.38	0.15	0.45	0.45	0.08	0.23	0.23	0.10	0.24	0.24
Sat Flow, veh/h	1555	2653	794	3428	3526	1598	1753	1826	1572	1753	1397	339
Grp Volume(v), veh/h	98	337	329	452	404	169	157	272	322	247	0	374
Grp Sat Flow(s),veh/h/ln	1555	1749	1698	1714	1763	1598	1753	1826	1572	1753	0	1735
Q Serve(g_s), s	8.4	20.0	20.2	17.5	9.6	8.8	9.1	18.2	26.8	13.0	0.0	28.1
Cycle Q Clear(g_c), s	8.4	20.0	20.2	17.5	9.6	8.8	9.1	18.2	26.8	13.0	0.0	28.1
Prop In Lane	1.00		0.47	1.00		1.00	1.00		1.00	1.00		0.20
Lane Grp Cap(c), veh/h	118	663	643	506	1589	720	232	418	360	298	0	421
V/C Ratio(X)	0.83	0.51	0.51	0.89	0.25	0.23	0.68	0.65	0.89	0.83	0.00	0.89
Avail Cap(c_a), veh/h	196	663	643	559	1589	720	244	541	466	298	0	527
HCM Platoon Ratio	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Upstream Filter(I)	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	0.00	1.00
Uniform Delay (d), s/veh	61.5	32.2	32.3	56.5	23.0	22.8	38.2	47.2	50.5	40.0	0.0	49.3
Incr Delay (d2), s/veh	13.8	2.8	2.9	15.7	0.4	0.8	6.8	1.7	16.3	17.3	0.0	14.4
Initial Q Delay(d3),s/veh	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
%ile BackOfQ(95%),veh/ln	6.8	13.8	13.6	13.3	7.1	6.2	7.8	13.2	17.8	5.9	0.0	19.8
Unsig. Movement Delay, s/veh												
LnGrp Delay(d),s/veh	75.4	35.0	35.2	72.2	23.4	23.5	45.0	48.9	66.7	57.3	0.0	63.7
LnGrp LOS	E	D	D	E	C	C	D	D	E	E	A	E
Approach Vol, veh/h		764			1025			751			621	
Approach Delay, s/veh		40.3			44.9			55.7			61.2	
Approach LOS		D			D			E			E	

Timer - Assigned Phs	1	2	3	4	5	6	7	8
Phs Duration (G+Y+Rc), s	24.9	56.2	16.1	37.8	15.2	65.9	18.0	35.9
Change Period (Y+Rc), s	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0
Max Green Setting (Gmax), s	22.0	40.0	12.0	41.0	17.0	45.0	13.0	40.0
Max Q Clear Time (g_c+I1), s	19.5	22.2	11.1	30.1	10.4	11.6	15.0	28.8
Green Ext Time (p_c), s	0.4	3.8	0.0	1.6	0.1	3.1	0.0	2.1

Intersection Summary	
HCM 6th Ctrl Delay	49.6
HCM 6th LOS	D

Intersection	
Int Delay, s/veh	3.8

Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations												
Traffic Vol, veh/h	13	1	18	46	1	30	67	611	57	65	755	5
Future Vol, veh/h	13	1	18	46	1	30	67	611	57	65	755	5
Conflicting Peds, #/hr	0	0	0	0	0	0	0	0	0	0	0	0
Sign Control	Stop	Stop	Stop	Stop	Stop	Stop	Free	Free	Free	Free	Free	Free
RT Channelized	-	-	None	-	-	None	-	-	None	-	-	None
Storage Length	-	-	-	-	-	-	250	-	-	250	-	-
Veh in Median Storage, #	-	1	-	-	1	-	-	0	-	-	0	-
Grade, %	-	0	-	-	0	-	-	0	-	-	0	-
Peak Hour Factor	86	86	86	86	86	86	86	86	86	86	86	86
Heavy Vehicles, %	8	0	0	67	0	0	0	3	0	0	4	0
Mvmt Flow	15	1	21	53	1	35	78	710	66	76	878	6

Major/Minor	Minor2			Minor1			Major1			Major2		
Conflicting Flow All	1545	1965	442	1491	1935	388	884	0	0	776	0	0
Stage 1	1033	1033	-	899	899	-	-	-	-	-	-	-
Stage 2	512	932	-	592	1036	-	-	-	-	-	-	-
Critical Hdwy	7.66	6.5	6.9	8.84	6.5	6.9	4.1	-	-	4.1	-	-
Critical Hdwy Stg 1	6.66	5.5	-	7.84	5.5	-	-	-	-	-	-	-
Critical Hdwy Stg 2	6.66	5.5	-	7.84	5.5	-	-	-	-	-	-	-
Follow-up Hdwy	3.58	4	3.3	4.17	4	3.3	2.2	-	-	2.2	-	-
Pot Cap-1 Maneuver	74	64	569	~ 47	67	616	774	-	-	849	-	-
Stage 1	238	312	-	196	360	-	-	-	-	-	-	-
Stage 2	498	348	-	329	311	-	-	-	-	-	-	-
Platoon blocked, %								-	-		-	-
Mov Cap-1 Maneuver	60	52	569	~ 39	55	616	774	-	-	849	-	-
Mov Cap-2 Maneuver	146	141	-	105	138	-	-	-	-	-	-	-
Stage 1	214	284	-	176	324	-	-	-	-	-	-	-
Stage 2	421	313	-	287	283	-	-	-	-	-	-	-

Approach	EB	WB	NB	SB
HCM Control Delay, s	21.9	55.3	0.9	0.8
HCM LOS	C	F		

Minor Lane/Major Mvmt	NBL	NBT	NBR	EBLn1	WBLn1	SBL	SBT	SBR
Capacity (veh/h)	774	-	-	250	156	849	-	-
HCM Lane V/C Ratio	0.101	-	-	0.149	0.574	0.089	-	-
HCM Control Delay (s)	10.2	-	-	21.9	55.3	9.7	-	-
HCM Lane LOS	B	-	-	C	F	A	-	-
HCM 95th %tile Q(veh)	0.3	-	-	0.5	3	0.3	-	-

Notes			
~: Volume exceeds capacity	$: Delay exceeds 300s	+: Computation Not Defined	*: All major volume in platoon

Intersection	
Int Delay, s/veh	2.2

Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations												
Traffic Vol, veh/h	60	1	43	1	3	1	32	617	1	30	745	92
Future Vol, veh/h	60	1	43	1	3	1	32	617	1	30	745	92
Conflicting Peds, #/hr	0	0	0	0	0	0	0	0	0	0	0	0
Sign Control	Stop	Stop	Stop	Stop	Stop	Stop	Free	Free	Free	Free	Free	Free
RT Channelized	-	-	None	-	-	None	-	-	None	-	-	None
Storage Length	-	-	-	-	-	-	315	-	-	315	-	-
Veh in Median Storage, #	-	1	-	-	1	-	-	0	-	-	0	-
Grade, %	-	0	-	-	0	-	-	0	-	-	0	-
Peak Hour Factor	91	91	91	91	91	91	91	91	91	91	91	91
Heavy Vehicles, %	0	0	2	0	33	0	3	3	0	0	3	6
Mvmt Flow	66	1	47	1	3	1	35	678	1	33	819	101

Major/Minor	Minor2			Minor1			Major1			Major2		
Conflicting Flow All	1347	1685	460	1225	1735	340	920	0	0	679	0	0
Stage 1	936	936	-	749	749	-	-	-	-	-	-	-
Stage 2	411	749	-	476	986	-	-	-	-	-	-	-
Critical Hdwy	7.5	6.5	6.94	7.5	7.16	6.9	4.16	-	-	4.1	-	-
Critical Hdwy Stg 1	6.5	5.5	-	6.5	6.16	-	-	-	-	-	-	-
Critical Hdwy Stg 2	6.5	5.5	-	6.5	6.16	-	-	-	-	-	-	-
Follow-up Hdwy	3.5	4	3.32	3.5	4.33	3.3	2.23	-	-	2.2	-	-
Pot Cap-1 Maneuver	111	95	548	137	63	662	731	-	-	923	-	-
Stage 1	289	346	-	375	350	-	-	-	-	-	-	-
Stage 2	594	422	-	544	263	-	-	-	-	-	-	-
Platoon blocked, %								-	-		-	-
Mov Cap-1 Maneuver	102	87	548	117	58	662	731	-	-	923	-	-
Mov Cap-2 Maneuver	205	200	-	233	146	-	-	-	-	-	-	-
Stage 1	275	334	-	357	333	-	-	-	-	-	-	-
Stage 2	559	402	-	478	254	-	-	-	-	-	-	-

Approach	EB	WB	NB	SB
HCM Control Delay, s	27	24.5	0.5	0.3
HCM LOS	D	C		

Minor Lane/Major Mvmt	NBL	NBT	NBR	EBLn1	WBLn1	SBL	SBT	SBR
Capacity (veh/h)	731	-	-	276	190	923	-	-
HCM Lane V/C Ratio	0.048	-	-	0.414	0.029	0.036	-	-
HCM Control Delay (s)	10.2	-	-	27	24.5	9	-	-
HCM Lane LOS	B	-	-	D	C	A	-	-
HCM 95th %tile Q(veh)	0.2	-	-	1.9	0.1	0.1	-	-



Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations												
Traffic Volume (veh/h)	97	99	244	268	113	224	150	482	117	143	530	38
Future Volume (veh/h)	97	99	244	268	113	224	150	482	117	143	530	38
Initial Q (Qb), veh	0	0	0	0	0	0	0	0	0	0	0	0
Ped-Bike Adj(A_pbT)	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00
Parking Bus, Adj	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Work Zone On Approach		No			No			No			No	
Adj Sat Flow, veh/h/ln	1870	1900	1900	1885	1870	1885	1870	1856	1900	1870	1856	1752
Adj Flow Rate, veh/h	109	111	212	301	127	197	169	542	91	161	596	43
Peak Hour Factor	0.89	0.89	0.89	0.89	0.89	0.89	0.89	0.89	0.89	0.89	0.89	0.89
Percent Heavy Veh, %	2	0	0	1	2	1	2	3	0	2	3	10
Cap, veh/h	156	1181	527	330	1655	744	236	739	338	256	686	49
Arrive On Green	0.05	0.33	0.33	0.18	0.47	0.47	0.09	0.21	0.21	0.09	0.21	0.21
Sat Flow, veh/h	3456	3610	1610	1795	3554	1598	1781	3526	1610	1781	3335	240
Grp Volume(v), veh/h	109	111	212	301	127	197	169	542	91	161	315	324
Grp Sat Flow(s),veh/h/ln	1728	1805	1610	1795	1777	1598	1781	1763	1610	1781	1763	1812
Q Serve(g_s), s	4.4	3.0	14.3	23.0	2.8	10.5	10.3	20.1	6.6	9.9	24.2	24.2
Cycle Q Clear(g_c), s	4.4	3.0	14.3	23.0	2.8	10.5	10.3	20.1	6.6	9.9	24.2	24.2
Prop In Lane	1.00		1.00	1.00		1.00	1.00		1.00	1.00		0.13
Lane Grp Cap(c), veh/h	156	1181	527	330	1655	744	236	739	338	256	362	373
V/C Ratio(X)	0.70	0.09	0.40	0.91	0.08	0.26	0.72	0.73	0.27	0.63	0.87	0.87
Avail Cap(c_a), veh/h	220	1181	527	464	1655	744	298	967	442	285	443	456
HCM Platoon Ratio	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Upstream Filter(I)	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Uniform Delay (d), s/veh	65.9	32.7	36.5	56.1	20.7	22.8	41.1	51.7	46.3	40.4	53.8	53.8
Incr Delay (d2), s/veh	5.5	0.2	2.3	17.8	0.1	0.9	5.9	2.0	0.4	3.7	14.4	14.3
Initial Q Delay(d3),s/veh	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
%ile BackOfQ(95%),veh/ln	3.7	2.4	10.0	17.7	2.1	7.5	8.6	14.0	4.9	8.1	17.8	18.3
Unsig. Movement Delay, s/veh												
LnGrp Delay(d),s/veh	71.4	32.8	38.8	73.8	20.8	23.7	46.9	53.7	46.8	44.1	68.1	68.1
LnGrp LOS	E	C	D	E	C	C	D	D	D	D	E	E
Approach Vol, veh/h		432			625			802			800	
Approach Delay, s/veh		45.5			47.2			51.5			63.3	
Approach LOS		D			D			D			E	

Timer - Assigned Phs	1	2	3	4	5	6	7	8
Phs Duration (G+Y+Rc), s	32.5	52.6	19.3	35.6	13.1	72.0	18.7	36.2
Change Period (Y+Rc), s	* 6.8	* 6.8	* 6.8	* 6.8	* 6.8	* 6.8	* 6.8	* 6.8
Max Green Setting (Gmax), s	* 36	* 24	* 17	* 35	* 8.9	* 51	* 14	* 38
Max Q Clear Time (g_c+I1), s	25.0	16.3	12.3	26.2	6.4	12.5	11.9	22.1
Green Ext Time (p_c), s	0.7	0.8	0.2	2.5	0.1	1.5	0.1	3.5

Intersection Summary	
HCM 6th Ctrl Delay	53.1
HCM 6th LOS	D

Notes

* HCM 6th computational engine requires equal clearance times for the phases crossing the barrier.

Intersection	
Int Delay, s/veh	0.4

Movement	WBL	WBR	NBT	NBR	SBL	SBT
Lane Configurations						
Traffic Vol, veh/h	0	62	663	30	0	864
Future Vol, veh/h	0	62	663	30	0	864
Conflicting Peds, #/hr	0	0	0	0	0	0
Sign Control	Stop	Stop	Free	Free	Free	Free
RT Channelized	-	None	-	None	-	None
Storage Length	-	0	-	-	-	-
Veh in Median Storage, #	1	-	0	-	-	0
Grade, %	0	-	0	-	-	0
Peak Hour Factor	93	93	93	93	93	93
Heavy Vehicles, %	0	0	4	0	0	4
Mvmt Flow	0	67	713	32	0	929

Major/Minor	Minor1		Major1		Major2	
Conflicting Flow All	-	373	0	0	-	-
Stage 1	-	-	-	-	-	-
Stage 2	-	-	-	-	-	-
Critical Hdwy	-	6.9	-	-	-	-
Critical Hdwy Stg 1	-	-	-	-	-	-
Critical Hdwy Stg 2	-	-	-	-	-	-
Follow-up Hdwy	-	3.3	-	-	-	-
Pot Cap-1 Maneuver	0	630	-	-	0	-
Stage 1	0	-	-	-	0	-
Stage 2	0	-	-	-	0	-
Platoon blocked, %			-	-		-
Mov Cap-1 Maneuver	-	630	-	-	-	-
Mov Cap-2 Maneuver	-	-	-	-	-	-
Stage 1	-	-	-	-	-	-
Stage 2	-	-	-	-	-	-

Approach	WB	NB	SB
HCM Control Delay, s	11.4	0	0
HCM LOS	B		

Minor Lane/Major Mvmt	NBT	NBR	WBLn1	SBT
Capacity (veh/h)	-	-	630	-
HCM Lane V/C Ratio	-	-	0.106	-
HCM Control Delay (s)	-	-	11.4	-
HCM Lane LOS	-	-	B	-
HCM 95th %tile Q(veh)	-	-	0.4	-



Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations												
Traffic Volume (veh/h)	93	549	127	428	542	355	313	428	717	203	228	89
Future Volume (veh/h)	93	549	127	428	542	355	313	428	717	203	228	89
Initial Q (Qb), veh	0	0	0	0	0	0	0	0	0	0	0	0
Ped-Bike Adj(A_pbT)	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00
Parking Bus, Adj	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Work Zone On Approach		No			No			No			No	
Adj Sat Flow, veh/h/ln	1796	1885	1870	1900	1870	1885	1900	1856	1900	1900	1841	1870
Adj Flow Rate, veh/h	98	578	134	451	571	300	329	451	511	214	240	94
Peak Hour Factor	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95
Percent Heavy Veh, %	7	1	2	0	2	1	0	3	0	0	4	2
Cap, veh/h	322	1012	234	665	1278	575	426	642	557	268	348	136
Arrive On Green	0.07	0.35	0.35	0.08	0.36	0.36	0.14	0.35	0.35	0.07	0.28	0.28
Sat Flow, veh/h	1711	2888	668	3510	3554	1598	1810	1856	1610	1810	1259	493
Grp Volume(v), veh/h	98	358	354	451	571	300	329	451	511	214	0	334
Grp Sat Flow(s),veh/h/ln	1711	1791	1765	1755	1777	1598	1810	1856	1610	1810	0	1752
Q Serve(g_s), s	4.7	21.9	22.0	11.0	16.5	20.0	17.0	28.4	41.1	10.0	0.0	23.0
Cycle Q Clear(g_c), s	4.7	21.9	22.0	11.0	16.5	20.0	17.0	28.4	41.1	10.0	0.0	23.0
Prop In Lane	1.00		0.38	1.00		1.00	1.00		1.00	1.00		0.28
Lane Grp Cap(c), veh/h	322	628	618	665	1278	575	426	642	557	268	0	484
V/C Ratio(X)	0.30	0.57	0.57	0.68	0.45	0.52	0.77	0.70	0.92	0.80	0.00	0.69
Avail Cap(c_a), veh/h	325	628	618	665	1278	575	487	742	644	268	0	519
HCM Platoon Ratio	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Upstream Filter(I)	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	0.00	1.00
Uniform Delay (d), s/veh	24.9	35.6	35.6	28.1	33.0	34.1	29.7	38.2	42.3	37.6	0.0	43.7
Incr Delay (d2), s/veh	0.5	3.7	3.8	2.8	1.1	3.4	6.6	2.5	16.7	15.6	0.0	3.6
Initial Q Delay(d3),s/veh	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
%ile BackOfQ(95%),veh/ln	3.5	15.4	15.3	8.4	11.6	13.0	12.7	19.2	25.7	5.6	0.0	15.7
Unsig. Movement Delay, s/veh												
LnGrp Delay(d),s/veh	25.4	39.3	39.5	30.9	34.1	37.4	36.3	40.7	59.0	53.1	0.0	47.3
LnGrp LOS	C	D	D	C	C	D	D	D	E	D	A	D
Approach Vol, veh/h		810			1322			1291			548	
Approach Delay, s/veh		37.7			33.8			46.8			49.6	
Approach LOS		D			C			D			D	

Timer - Assigned Phs	1	2	3	4	5	6	7	8
Phs Duration (G+Y+Rc), s	16.0	52.3	24.4	42.3	14.7	53.6	15.0	51.7
Change Period (Y+Rc), s	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0
Max Green Setting (Gmax), s	11.0	40.0	24.0	40.0	10.0	41.0	10.0	54.0
Max Q Clear Time (g_c+I1), s	13.0	24.0	19.0	25.0	6.7	22.0	12.0	43.1
Green Ext Time (p_c), s	0.0	3.9	0.5	1.7	0.1	4.4	0.0	3.6

Intersection Summary	
HCM 6th Ctrl Delay	41.0
HCM 6th LOS	D

Intersection	
Int Delay, s/veh	5.6

Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations												
Traffic Vol, veh/h	12	1	10	89	1	35	59	1005	41	64	665	17
Future Vol, veh/h	12	1	10	89	1	35	59	1005	41	64	665	17
Conflicting Peds, #/hr	0	0	0	0	0	0	0	0	0	0	0	0
Sign Control	Stop	Stop	Stop	Stop	Stop	Stop	Free	Free	Free	Free	Free	Free
RT Channelized	-	-	None	-	-	None	-	-	None	-	-	None
Storage Length	-	-	-	-	-	-	250	-	-	250	-	-
Veh in Median Storage, #	-	1	-	-	1	-	-	0	-	-	0	-
Grade, %	-	0	-	-	0	-	-	0	-	-	0	-
Peak Hour Factor	95	95	95	95	95	95	95	95	95	95	95	95
Heavy Vehicles, %	0	0	0	0	0	0	0	2	0	0	2	0
Mvmt Flow	13	1	11	94	1	37	62	1058	43	67	700	18

Major/Minor	Minor2			Minor1			Major1			Major2		
Conflicting Flow All	1497	2068	359	1689	2056	551	718	0	0	1101	0	0
Stage 1	843	843	-	1204	1204	-	-	-	-	-	-	-
Stage 2	654	1225	-	485	852	-	-	-	-	-	-	-
Critical Hdwy	7.5	6.5	6.9	7.5	6.5	6.9	4.1	-	-	4.1	-	-
Critical Hdwy Stg 1	6.5	5.5	-	6.5	5.5	-	-	-	-	-	-	-
Critical Hdwy Stg 2	6.5	5.5	-	6.5	5.5	-	-	-	-	-	-	-
Follow-up Hdwy	3.5	4	3.3	3.5	4	3.3	2.2	-	-	2.2	-	-
Pot Cap-1 Maneuver	86	55	643	~ 62	56	483	892	-	-	642	-	-
Stage 1	329	382	-	199	259	-	-	-	-	-	-	-
Stage 2	427	254	-	537	379	-	-	-	-	-	-	-
Platoon blocked, %								-	-		-	-
Mov Cap-1 Maneuver	69	46	643	~ 53	47	483	892	-	-	642	-	-
Mov Cap-2 Maneuver	169	121	-	136	139	-	-	-	-	-	-	-
Stage 1	306	342	-	185	241	-	-	-	-	-	-	-
Stage 2	365	236	-	472	340	-	-	-	-	-	-	-

Approach	EB	WB	NB	SB
HCM Control Delay, s	21.4	75.1	0.5	1
HCM LOS	C	F		

Minor Lane/Major Mvmt	NBL	NBT	NBR	EBLn1	WBLn1	SBL	SBT	SBR
Capacity (veh/h)	892	-	-	243	170	642	-	-
HCM Lane V/C Ratio	0.07	-	-	0.1	0.774	0.105	-	-
HCM Control Delay (s)	9.3	-	-	21.4	75.1	11.3	-	-
HCM Lane LOS	A	-	-	C	F	B	-	-
HCM 95th %tile Q(veh)	0.2	-	-	0.3	5	0.3	-	-

Notes			
~: Volume exceeds capacity	$: Delay exceeds 300s	+: Computation Not Defined	*: All major volume in platoon

Intersection	
Int Delay, s/veh	3

Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations		↔			↔		↰	↑↑↱		↰	↑↑↱	
Traffic Vol, veh/h	84	0	30	1	1	1	27	1036	3	69	684	47
Future Vol, veh/h	84	0	30	1	1	1	27	1036	3	69	684	47
Conflicting Peds, #/hr	0	0	0	0	0	0	0	0	0	0	0	0
Sign Control	Stop	Stop	Stop	Stop	Stop	Stop	Free	Free	Free	Free	Free	Free
RT Channelized	-	-	None	-	-	None	-	-	None	-	-	None
Storage Length	-	-	-	-	-	-	315	-	-	315	-	-
Veh in Median Storage, #	-	1	-	-	1	-	-	0	-	-	0	-
Grade, %	-	0	-	-	0	-	-	0	-	-	0	-
Peak Hour Factor	92	92	92	92	92	92	92	92	92	92	92	92
Heavy Vehicles, %	1	0	4	0	0	0	0	2	0	0	1	7
Mvmt Flow	91	0	33	1	1	1	29	1126	3	75	743	51

Major/Minor	Minor2			Minor1			Major1			Major2		
Conflicting Flow All	1541	2106	397	1708	2130	565	794	0	0	1129	0	0
Stage 1	919	919	-	1186	1186	-	-	-	-	-	-	-
Stage 2	622	1187	-	522	944	-	-	-	-	-	-	-
Critical Hdwy	7.52	6.5	6.98	7.5	6.5	6.9	4.1	-	-	4.1	-	-
Critical Hdwy Stg 1	6.52	5.5	-	6.5	5.5	-	-	-	-	-	-	-
Critical Hdwy Stg 2	6.52	5.5	-	6.5	5.5	-	-	-	-	-	-	-
Follow-up Hdwy	3.51	4	3.34	3.5	4	3.3	2.2	-	-	2.2	-	-
Pot Cap-1 Maneuver	~ 79	52	597	60	50	473	836	-	-	626	-	-
Stage 1	294	353	-	204	265	-	-	-	-	-	-	-
Stage 2	443	264	-	511	344	-	-	-	-	-	-	-
Platoon blocked, %								-	-		-	-
Mov Cap-1 Maneuver	~ 69	44	597	50	42	473	836	-	-	626	-	-
Mov Cap-2 Maneuver	174	122	-	140	140	-	-	-	-	-	-	-
Stage 1	284	311	-	197	256	-	-	-	-	-	-	-
Stage 2	425	255	-	425	303	-	-	-	-	-	-	-

Approach	EB	WB	NB	SB
HCM Control Delay, s	42.7	25	0.2	1
HCM LOS	E	D		

Minor Lane/Major Mvmt	NBL	NBT	NBR	EBLn1	WBLn1	SBL	SBT	SBR
Capacity (veh/h)	836	-	-	214	183	626	-	-
HCM Lane V/C Ratio	0.035	-	-	0.579	0.018	0.12	-	-
HCM Control Delay (s)	9.5	-	-	42.7	25	11.5	-	-
HCM Lane LOS	A	-	-	E	D	B	-	-
HCM 95th %tile Q(veh)	0.1	-	-	3.2	0.1	0.4	-	-

Notes			
~: Volume exceeds capacity	$: Delay exceeds 300s	+: Computation Not Defined	*: All major volume in platoon



Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations												
Traffic Volume (veh/h)	125	170	296	119	158	226	197	698	302	196	537	60
Future Volume (veh/h)	125	170	296	119	158	226	197	698	302	196	537	60
Initial Q (Qb), veh	0	0	0	0	0	0	0	0	0	0	0	0
Ped-Bike Adj(A_pbT)	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00
Parking Bus, Adj	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Work Zone On Approach		No			No			No			No	
Adj Sat Flow, veh/h/ln	1870	1900	1900	1900	1870	1870	1870	1885	1900	1900	1885	1856
Adj Flow Rate, veh/h	133	181	263	127	168	176	210	743	225	209	571	64
Peak Hour Factor	0.94	0.94	0.94	0.94	0.94	0.94	0.94	0.94	0.94	0.94	0.94	0.94
Percent Heavy Veh, %	2	0	0	0	2	2	2	1	0	0	1	3
Cap, veh/h	177	1458	650	150	1547	690	289	870	391	253	784	88
Arrive On Green	0.05	0.40	0.40	0.08	0.44	0.44	0.10	0.24	0.24	0.10	0.24	0.24
Sat Flow, veh/h	3456	3610	1610	1810	3554	1585	1781	3582	1610	1810	3248	363
Grp Volume(v), veh/h	133	181	263	127	168	176	210	743	225	209	314	321
Grp Sat Flow(s),veh/h/ln	1728	1805	1610	1810	1777	1585	1781	1791	1610	1810	1791	1820
Q Serve(g_s), s	6.1	5.0	18.6	11.1	4.5	11.3	14.0	31.7	19.7	13.8	25.8	26.0
Cycle Q Clear(g_c), s	6.1	5.0	18.6	11.1	4.5	11.3	14.0	31.7	19.7	13.8	25.8	26.0
Prop In Lane	1.00		1.00	1.00		1.00	1.00		1.00	1.00		0.20
Lane Grp Cap(c), veh/h	177	1458	650	150	1547	690	289	870	391	253	432	439
V/C Ratio(X)	0.75	0.12	0.40	0.85	0.11	0.26	0.73	0.85	0.58	0.83	0.73	0.73
Avail Cap(c_a), veh/h	285	1458	650	262	1547	690	355	1101	495	334	562	571
HCM Platoon Ratio	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Upstream Filter(I)	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Uniform Delay (d), s/veh	74.9	29.9	34.0	72.4	26.8	28.7	42.0	57.8	53.3	43.4	55.8	55.9
Incr Delay (d2), s/veh	6.2	0.2	1.9	12.3	0.1	0.9	5.7	5.5	1.3	12.0	3.3	3.4
Initial Q Delay(d3),s/veh	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
%ile BackOfQ(95%),veh/ln	5.1	4.1	12.2	9.6	3.5	8.0	10.9	21.3	12.8	11.4	17.8	18.1
Unsig. Movement Delay, s/veh												
LnGrp Delay(d),s/veh	81.1	30.1	35.8	84.7	26.9	29.6	47.6	63.3	54.6	55.4	59.2	59.3
LnGrp LOS	F	C	D	F	C	C	D	E	D	E	E	E
Approach Vol, veh/h		577			471			1178			844	
Approach Delay, s/veh		44.5			43.5			58.9			58.3	
Approach LOS		D			D			E			E	

Timer - Assigned Phs	1	2	3	4	5	6	7	8
Phs Duration (G+Y+Rc), s	20.0	71.4	23.1	45.4	15.0	76.4	22.9	45.7
Change Period (Y+Rc), s	* 6.8	* 6.8	* 6.8	* 6.8	* 6.8	* 6.8	* 6.8	* 6.8
Max Green Setting (Gmax), s	* 23	* 37	* 22	* 50	* 13	* 47	* 23	* 49
Max Q Clear Time (g_c+I1), s	13.1	20.6	16.0	28.0	8.1	13.3	15.8	33.7
Green Ext Time (p_c), s	0.2	1.8	0.3	3.8	0.2	1.7	0.3	5.2

Intersection Summary	
HCM 6th Ctrl Delay	53.6
HCM 6th LOS	D

Notes

* HCM 6th computational engine requires equal clearance times for the phases crossing the barrier.

Intersection	
Int Delay, s/veh	0.3

Movement	WBL	WBR	NBT	NBR	SBL	SBT
Lane Configurations						
Traffic Vol, veh/h	0	38	1090	59	0	772
Future Vol, veh/h	0	38	1090	59	0	772
Conflicting Peds, #/hr	0	0	0	0	0	0
Sign Control	Stop	Stop	Free	Free	Free	Free
RT Channelized	-	None	-	None	-	None
Storage Length	-	0	-	-	-	-
Veh in Median Storage, #	0	-	0	-	-	0
Grade, %	0	-	0	-	-	0
Peak Hour Factor	94	94	94	94	94	94
Heavy Vehicles, %	0	4	2	3	0	2
Mvmt Flow	0	40	1160	63	0	821

Major/Minor	Minor1		Major1		Major2	
Conflicting Flow All	-	612	0	0	-	-
Stage 1	-	-	-	-	-	-
Stage 2	-	-	-	-	-	-
Critical Hdwy	-	6.98	-	-	-	-
Critical Hdwy Stg 1	-	-	-	-	-	-
Critical Hdwy Stg 2	-	-	-	-	-	-
Follow-up Hdwy	-	3.34	-	-	-	-
Pot Cap-1 Maneuver	0	431	-	-	0	-
Stage 1	0	-	-	-	0	-
Stage 2	0	-	-	-	0	-
Platoon blocked, %			-	-		-
Mov Cap-1 Maneuver	-	431	-	-	-	-
Mov Cap-2 Maneuver	-	-	-	-	-	-
Stage 1	-	-	-	-	-	-
Stage 2	-	-	-	-	-	-

Approach	WB	NB	SB
HCM Control Delay, s	14.2	0	0
HCM LOS	B		

Minor Lane/Major Mvmt	NBT	NBR	WBLn1	SBT
Capacity (veh/h)	-	-	431	-
HCM Lane V/C Ratio	-	-	0.094	-
HCM Control Delay (s)	-	-	14.2	-
HCM Lane LOS	-	-	B	-
HCM 95th %tile Q(veh)	-	-	0.3	-

APPENDIX G

NCHRP Report 457 – Right Turn Lane Analysis

Figure 2 - 6. Guideline for determining the need for a major-road right-turn bay at a two-way stop-controlled intersection.

INPUT

Roadway geometry:	4-lane roadway

Variable	Value
Major-road speed, mph:	35
Major-road volume (one direction), veh/h:	640
Right-turn volume, veh/h:	10

OUTPUT

Variable	Value
Limiting right-turn volume, veh/h:	226
Guidance for determining the need for a major-road right-turn bay for a 4-lane roadway:	
Do NOT add right-turn bay.	



Figure 2 - 6. Guideline for determining the need for a major-road right-turn bay at a two-way stop-controlled intersection.

INPUT

Roadway geometry:	4-lane roadway

Variable	Value
Major-road speed, mph:	35
Major-road volume (one direction), veh/h:	1055
Right-turn volume, veh/h:	26

OUTPUT

Variable	Value
Limiting right-turn volume, veh/h:	55
Guidance for determining the need for a major-road right-turn bay for a 4-lane roadway:	
Do NOT add right-turn bay.	



PLANNING & ZONING BOARD AS LOCAL PLANNING AGENCY OF THE CITY OF WILDWOOD

EXECUTIVE SUMMARY

SUBJECT: **CP 2404-002 Cheng Zheng Home Site**

REQUESTED ACTION: The applicant seeks a favorable recommendation by the Planning and Zoning Board/Special Magistrate for Ordinance O2024-38 to be forwarded to the City Commission for further action.

CONTRACT: Vendor/Entity:

Effective Date: Termination Date:

Managing Division/Department:

BUDGET IMPACT:

HISTORY/FACTS/ISSUES:

Case #	CP 2404-002 Zheng Home Site
Ordinance #	O2024-38
Applicant	Mei Chen
Owner	Cheng Lei Zheng
Property Location	A 0.442-acre parcel located at the northwest corner of the intersection of CR 503 and CR 503D
Parcel Number	G33-063
Date	05/29/2024

The applicant seeks a favorable recommendation from the City of Wildwood Planning and Zoning Board/Special Magistrate acting as the Local Planning Agency for a Small Scale Comprehensive Plan Amendment request to change the Future Land Use Map designation from Agriculture (Sumter County) to Low Density Residential (City) for the parcel listed above on 0.442 acres of land MOL. This request is accompanied by rezoning request RZ 2404-003 (O2024-39).

ANALYSIS: The applicant seeks to erect a single family residence on the property.

The proposed amendment should be reviewed based on the following criteria found in Land Development Regulation (LDR) §1.7(D).

(1) Justification of the proposed amendment has been adequately presented;
At this time, the applicant intends to construct a single family residence on the parcel. Justification has been presented to the city to support the proposed development, highlighting that the subject parcel is located within the City's Joint Planning Area with Sumter County.

(2) The proposed amendment is not inconsistent with the goals, objectives and policies of the comprehensive plan;
The proposed amendment is not inconsistent with the policies of the Comprehensive Plan. Low Density Residential (LDR) Future Land Use designation accommodates intensity for single family residential at low density. The 2050 Comprehensive Plan FLU Policy 1.1.1 designates a maximum density allowance of four (4) units per acre for the proposed FLU designation. However, the proposed scale and the layout of the site is designated to accommodate just one dwelling unit on premises. As such, the proposed amendment is not inconsistent with the FLUM and conforms with the Comprehensive Plan.

(3) The proposed amendment should not be considered urban sprawl or exemplify an energy-inefficient land use pattern;
The amendment is not considered urban sprawl, and it does not exemplify an energy-inefficient land use pattern.

Per F.S. Chapter 163.3177(6)(a)9a any amendment to the Future Land Use element shall discourage urban sprawl. The primary indicators that a plan amendment does not discourage urban sprawl are listed below. The evaluation of the presence of these indicators shall consist of an analysis of the plan amendment within the context of features and characteristics unique to each locality in order to determine whether the plan amendment:

(I) Promotes, allows, or designates for development substantial areas of the jurisdiction to develop as low-intensity, low-density, or single-use development or uses. The subject property is located approximately 0.25 miles south of the intersection of Warm Springs and CR 503, which has an extensive mix of existing residential dwelling units along the north and south of Warm Springs Avenue.

(II) Promotes, allows, or designates significant amounts of urban development to occur in rural areas at substantial distances from existing urban areas while not using undeveloped lands that are available and suitable for development. The existing site is located within an older, well established, developed residential-packet neighborhood that features both site-built and manufactured homes. Overall, this area encompasses less than 50 home sites served by four (4) county-maintained roads. As per Housing Policy 3.1.5, “the City shall allow a wide range of housing types to accommodate a diversity of housing needs and preferences. These may include attached and detached single family homes, cluster development, multifamily homes, and innovative housing types.” The applicant is erecting a new single family residence.

(III) Promotes, allows, or designates urban development in radial, strip, isolated, or ribbon patterns generally emanating from existing urban developments. The proposed plan amendment is not an isolated or strip development. There are several developments

being considered for approval in the vicinity of the subject parcel as the parcels fall within the JPA.

(IV) Fails to adequately protect and conserve natural resources, such as wetlands, floodplains, native vegetation, environmentally sensitive areas, natural groundwater aquifer recharge areas, lakes, rivers, shorelines, beaches, bays, estuarine systems, and other significant natural systems. The subject property contains wetland/flood zone areas classified as Flood Zone A on the FEMA maps.
The subject property does not contain Wetland/Special Flood Hazard Areas.

(V) Fails to adequately protect adjacent agricultural areas and activities, including silviculture, active agricultural and silvicultural activities, passive agricultural activities, and dormant, unique, and prime farmlands and soils. The subject property does not have adjacent parcels that are actively utilized for agricultural/silviculture activities but rather smaller parcels of residential dwelling units created outside of recorded subdivisions. Although some of the surrounding areas have a future land use of Agricultural (County), this parcel falls within the Joint Planning Area (JPA) where the proposed future land uses could be commercial or residential should they be annexed into the City of Wildwood.

(VI) Fails to maximize use of existing public facilities and services. City water lines are already located on the south side of CR 468/Warm Springs Avenue. However, connection may not be required due to distance limitations. No additional requirements are needed based on the nature and scale of the proposal.

(VII) Fails to maximize use of future public facilities and services. Once water and sewer lines become available, the applicant will be required to connect to city's utilities based on the established connection matrix.

(VIII) Allows for land use patterns or timing which disproportionately increase the cost in time, money, and energy of providing and maintaining facilities and services, including roads, potable water, sanitary sewer, stormwater management, law enforcement, education, health care, fire and emergency response, and general government. As per the JPA agreement between Sumter County and the City of Wildwood, this parcel must be annexed into the City to be developed.

(IX) Fails to provide a clear separation between rural and urban uses. Although some of the surrounding areas have a future land use of Agricultural (County), these parcels fall within the Joint Planning Area (JPA) where the proposed future land uses could be commercial and residential should they be annexed into the City of Wildwood.

(X) Discourages or inhibits infill development or the redevelopment of existing neighborhoods and communities. Parcel G33-063 is currently under the annexation process and will have its second and final reading on June 10, 2024. The proposal is consistent with Policy 1.2.7., “upon annexation of properties within the JPA, the City shall amend the FLUM to include the annexed property.” Development is beginning to physically materialize in this area of the city and it's getting a lot of momentum. Other developments are expected as city utilities are available to the neighboring parcels.

(XI) Fails to encourage a functional mix of uses. The proposal does not constitute a mix-

used development; however, with proximity to CR 468/Warm Springs Avenue being just at ¼ of a mile of the subject parcel, it indicates nearby businesses that would benefit from sales and services received by the proposed residents of the single family dwelling unit. The existing site is located within an older, well established, developed residential packet neighborhood that features both site built and manufactured homes. Overall, this area encompasses less than 50 home sites served by four (4) county-maintained roads.

(XII) Results in poor accessibility among linked or related land uses. Access to the site can be provided via either CR 503 or CR 503D; both of which are county-maintained roads.

(XIII) Results in the loss of significant amounts of functional open space. The proposal will have to adhere to the impervious surface requirements of the Low Density Residential Land Use Designation (with 0.3 Floor Area Ratio).

Although some of the surrounding areas have a future land use of Agricultural (County), this parcel falls within the Joint Planning Area (JPA) where the proposed future land uses could be commercial or residential should they be annexed into the City of Wildwood.

(4) The proposed amendment will not have an adverse effect on environmentally sensitive systems;

No wetlands and/or surface waters are present within the project boundary. In addition, the property is completely cleared except for a few specimen trees bordering to the north of the subject parcel.

(5) The proposed amendment will not adversely affect transportation, potable water, sewer, schools or other public facilities without providing remedies to correct the system or facility.

Transportation: Access to the site can be provided via either CR 503 or CR 503D; both of which are county-maintained roads

Potable Water & Sewer: There is a 12-ich water main currently available on the south side of CR 468/Warm Springs Avenue. There is no Sanitary Sewer Line in the vicinity.

Schools: With the proposal of up to one dwelling unit on this parcel, the expected number of Sumter County Generated Students is one (1) student. Breakdown is as follows:

School	Rate/Students Generated
High	0.102
Middle	0.074
Elementary	0.152
Total	0.328

CONCLUSION:

The proposed amendment to the Comprehensive Plan is compatible with the Goals, Policies and Objectives stated in the City of Wildwood's 2050 Comprehensive Plan. The proposed amendment has been evaluated for the 13 indicators of urban sprawl as listed in F.S. Chapter 163.3177(6)(a)9a.

DATED: 5/29/2024

Wendy Then, AICP, CFM
Assistant Director Development Services

ORDINANCE NO. O2024-38

AN ORDINANCE OF THE CITY OF WILDWOOD, FLORIDA, PROPOSING A SMALL-SCALE FUTURE LAND USE MAP AMENDMENT TO THE ADOPTED COMPREHENSIVE PLAN AND FUTURE LAND USE MAP IN ACCORDANCE WITH THE COMMUNITY PLANNING ACT OF 2011, AS AMENDED; PROVIDING FOR CODIFICATION; PROVIDING FOR CONFLICT; PROVIDING FOR SEVERABILITY; AND PROVIDING FOR AN EFFECTIVE DATE.

WHEREAS, the City of Wildwood, Florida, is proposing to amend the local Comprehensive Plan and Future Land Use Map of said City, to include a land use amendment described as follows, to-wit:

Parcel G33-063
Cheng Lei Zheng
0.442 +/-

LEGAL DESCRIPTION:

LOT #4, THE NORTH 188.02 FEET OF THE WEST 105.60 FEET OF THE EAST 475.61 FEET OF THE NORTH ½ OF THE SOUTHEAST ¼ OF THE NORTHWEST ¼ OF SECTION 33, TOWNSHIP 19 SOUTH, RANGE 23 EAST, SUMTER COUNTY, FLORIDA.

This property is to be reclassified from Agriculture (Sumter County) to Low Density Residential (City).

AND WHEREAS, the City is proposing to amend the Future Land Use Map to include the future land use of property that shall pertain and be applicable to said amendment.

NOW, THEREFORE, BE IT ENACTED AND ORDAINED by the City Commission of the City of Wildwood, Florida, as follows:

SECTION 1. The adopted local Comprehensive Plan and Future Land Use Map for the City of Wildwood, Florida, are hereby amended to include the above-referenced property and proposed land use amendment as indicated above. The amendment to the Future Land Use Map of the local comprehensive plan is attached hereto as “Exhibit A” and incorporated herein by reference.

SECTION 2. All ordinances or parts of ordinances in conflict herewith, be, and the same are hereby repealed.

SECTION 3. If any section, sentence, clause or phrase of this Ordinance is held to be invalid or unconstitutional by a Court or competent jurisdiction, then said holding shall in no way effect the validity of the remaining portions of said Ordinance.

SECTION 4. This Ordinance shall take effect 31 days after its final reading by the City Commission of the City of Wildwood.

DONE AND ORDAINED this _____ day of _____, 2024, by the City Commission of the City of Wildwood, Florida.

CITY COMMISSION

CITY OF WILDWOOD, FLORIDA

_____
Ed Wolf, Mayor

ATTEST: _____
Jessica Barnes, City Clerk

First Reading: _____

Second Reading: _____

Approved as to form:

_____
City Attorney

EXHIBIT A



WILDWOOD FLORIDA EST. 1877

CITY OF WILDWOOD
100 North Main Street
Wildwood, FL 34785
Phone: (352) 330-1330
www.wildwood-fl.gov

N
US Feet
0 35 70 140

CP 2404-002

ZHENG HOME SITE

PARCEL G33-063

MAP 1B

LOCATION MAP

MAY 2024



WILDWOOD FLORIDA EST. 1877

CITY OF WILDWOOD
100 North Main Street
Wildwood, FL 34785
Phone: (352) 330-1330
www.wildwood-fl.gov

N

US Feet
0 45 90 180

CP 2404-002

ZHENG HOME SITE

PARCEL G33-063

MAP 2A

EXISTING LAND USE

MAY 2024



WILDWOOD FLORIDA EST. 1877

CITY OF WILDWOOD
100 North Main Street
Wildwood, FL 34785
Phone: (352) 330-1330
www.wildwood-fl.gov

N

US Feet
0 45 90 180

CP 2404-002

ZHENG HOME SITE

PARCEL G33-063

MAP 2B

PROPOSED LAND USE

MAY 2024

Statement of Exemption from Business Impact Estimate

Proposed ordinance's title/reference: O2024-38

A Business Impact Estimate will not be provided in accordance with section 166.041(4), Florida Statutes. Based upon the box(es) that are checked below, the City of Wildwood is of the view that a business impact estimate is not required by Section 166.041(4)(c) of the Florida Statutes for the proposed ordinance. This Statement of Exemption from Business Impact Estimate may be revised following its initial posting.

- ☐ The proposed ordinance is required for compliance with Federal or State law or regulation;
- ☐ The proposed ordinance relates to the issuance or refinancing of debt;
- ☐ The proposed ordinance relates to the adoption of budgets or budget amendments, including revenue sources necessary to fund the budget;
- ☐ The proposed ordinance is required to implement a contract or an agreement, including, but not limited to, any Federal, State, local, or private grant or other financial assistance accepted by the municipal government;
- ☐ The proposed ordinance is an emergency ordinance;
- ☐ The ordinance relates to procurement; or
- ☒ The proposed ordinance is enacted to implement the following:
  a. Part II of Chapter 163, Florida Statutes, relating to growth policy, county and municipal planning, and land development regulation, including zoning, development orders, development agreements and development permits;
  b. Sections 190.005 and 190.046, Florida Statutes, regarding community development districts;
  c. Section 553.73, Florida Statutes, relating to the Florida Building Code; or
  d. Section 633.202, Florida Statutes, relating to the Florida Fire Prevention Code.